

Linux/UNIX **System Programming** **Essentials**

Michael Kerrisk

man7.org

January 2026



**© 2026, man7.org Training and Consulting /
Michael Kerrisk (mtk@man7.org). All rights reserved.**

These training materials have been made available for personal, noncommercial use. Except for personal use, no part of these training materials may be printed, reproduced, or stored in a retrieval system. These training materials may not be redistributed by any means, electronic, mechanical, or otherwise, without prior written permission of the author. If you find these materials hosted on a website other than the author's own website (<http://man7.org/>), then the materials are likely being distributed in breach of copyright. Please report such redistribution to the author.

These training materials may not be used to provide training to others without prior written permission of the author.

Every effort has been made to ensure that the material contained herein is correct, including the development and testing of the example programs. However, no warranty is expressed or implied, and the author shall not be liable for loss or damage arising from the use of these programs. The programs are made available under Free Software licenses; see the header comments of individual source files for details.

For information about this course, visit
<http://man7.org/training/>.

For inquiries regarding training courses, please contact us at
training@man7.org.

Please send corrections and suggestions for improvements to this course material to training@man7.org.

For information about *The Linux Programming Interface*, please visit <http://man7.org/tlpi/>.

This page intentionally blank

This page intentionally blank

Short table of contents

1	Course Introduction	1-1
2	Fundamental Concepts	2-1
3	File I/O	3-1
4	Processes	4-1
5	Signals	5-1
6	Process Lifecycle	6-1
7	System Call Tracing with <i>strace</i>	7-1
8	Wrapup	8-1

This page intentionally blank

This page intentionally blank

This page intentionally blank

Detailed table of contents

1	Course Introduction	1-1
1.1	Course overview	1-3
1.2	Course materials and resources	1-9
1.3	Introductions	1-12
2	Fundamental Concepts	2-1
2.1	Error handling	2-3
2.2	System data types	2-10
2.3	Notes on code examples	2-15
3	File I/O	3-1
3.1	File I/O overview	3-3
3.2	<i>open()</i> , <i>read()</i> , <i>write()</i> , and <i>close()</i>	3-8
3.3	API summary	3-20
3.4	Exercises	3-22
4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The <code>/proc</code> filesystem	4-19
5	Signals	5-1

Detailed table of contents

5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47
6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The <code>SIGCHLD</code> signal	6-42
6.10	Homework exercises	6-46

Detailed table of contents

6.11	Executing programs: <code>execve()</code>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <code>exec()</code> library functions	6-61
7	System Call Tracing with <code>strace</code>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <code>strace</code> output	7-17
7.5	System call tampering	7-23
7.6	Further <code>strace</code> options	7-29
8	Wrapup	8-1
8.1	Wrapup	8-3

This page intentionally blank

But, here's a tech talk you might enjoy:

Deconstructing Privilege
Patricia Aas, NDC Oslo 2019

(Not your average tech talk, but targeted at a technical audience and cleverly delivered in a technical way)

<https://www.youtube.com/watch?v=02gpZuK5gF8>

Course Introduction

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

1	Course Introduction	1-1
1.1	Course overview	1-3
1.2	Course materials and resources	1-9
1.3	Introductions	1-12

Outline

1	Course Introduction	1-1
1.1	Course overview	1-3
1.2	Course materials and resources	1-9
1.3	Introductions	1-12

Course prerequisites

- Prerequisites
 - (Good) reading knowledge of C
 - Can log in to Linux / UNIX and use basic commands
- Knowledge of *make(1)* is helpful
 - (Can do a short tutorial during first practical session for those new to *make*)
- Assumptions
 - You are familiar with commonly used parts of standard C library
 - e.g., *stdio* and *malloc* packages



Course goals

- Aimed at programmers building/understanding low-level applications
- Gain a basic understanding of some key programming APIs that kernel presents to user-space
 - System calls
 - Relevant C library functions
 - Other interfaces (e.g., `/proc`)
- Course topics
 - Course flyer
 - For more detail, see TOC in course book(s)



Lab sessions

- Lots of lab sessions...
- **Pair/group work is strongly encouraged!**
 - Usually gets us through practical sessions faster
 - \Rightarrow so we can cover more topics
- **Read each exercise thoroughly** before starting
 - \Rightarrow exercise descriptions often include **important hints**
- Lab sessions are **not** instructor down time...
 - \Rightarrow One-on-one questions about course material or exercises



Coding exercises

- For coding exercises, you can use any suitable programming language in which you are proficient
 - C/C++ (easiest...)
 - Go, D, Rust, & other languages that compile to native machine code
 - Most features can also be exercised from scripting languages such as Python, Ruby, and Perl
- **Template** solutions are provided for most coding exercises
 - Filenames: `ex.*.c`
 - Look for “FIXMEs” to see what parts you must complete
 - ⚠ You need to edit corresponding `Makefile` to add a new target for the executable
- **Solutions** will be mailed out shortly after end of course



man7.org

Lab sessions: some thoughts on building code

- Many warnings indicate real problems in the code; fix them
 - And the “harmless warnings” create noise that hides the serious warnings; fix them too
 - **This is a good thing:** `cc -Werror`
 - Treat all warnings as errors
 - <https://stackoverflow.com/questions/57842756/why-should-i-always-enable-compiler-warnings>
- Rather than writing lots of code before first compile, use a frequent edit-save-build cycle to catch compiler errors early
 - E.g., run the following in a separate window as you edit:

```
$ while inotifywait -q . ; do echo -e '\n\n'; make; done
```

- `inotifywait` is provided in the `inotify-tools` package
- (The `echo` command just injects some white space between each build)



man7.org

Outline

1	Course Introduction	1-1
1.1	Course overview	1-3
1.2	Course materials and resources	1-9
1.3	Introductions	1-12

Course materials

- Slides / course book
- Source code tarball
 - Unpacked source code is a Git repository; you can commit/revert changes, etc.
- Kerrisk, M.T. 2010. *The Linux Programming Interface* (TLPI), No Starch Press.
 - Further info on TLPI: <http://man7.org/tlpi/>
(Slides frequently reference TLPI in bottom RHS corner)



Other resources

- POSIX.1-2001 / SUSv3:
<http://www.unix.org/version3/>
- POSIX.1-2008 / SUSv4:
<http://www.unix.org/version4/>
- POSIX.1-2024 / SUSv5:
<https://pubs.opengroup.org/onlinepubs/9799919799/>
- Manual pages
 - Section 2: system calls
 - Section 3: library functions
 - Section 7: overviews
 - Latest version online at
<http://man7.org/linux/man-pages/>
 - Latest tarball downloadable at
<https://mirrors.edge.kernel.org/pub/linux/docs/man-pages/>



man7.org

Outline

1	Course Introduction	1-1
1.1	Course overview	1-3
1.2	Course materials and resources	1-9
1.3	Introductions	1-12

Introductions: me

- Programmer, trainer, writer
- UNIX since 1987, Linux since mid-1990s
- Active contributor to Linux
 - API review, testing, and documentation
 - API design and design review
 - Lots of testing, lots of bug reports, a few kernel patches
 - Maintainer of Linux *man-pages* project (2004-2021)
 - Documents kernel-user-space + C library APIs
 - Contributor since 2000
 - As maintainer: \approx 23k commits, 196 releases
 - Author/coauthor of \approx 440 manual pages
- Kiwi in .de
 - (mtk@man7.org, PGP: 4096R/3A35CE5E)
 - <http://linkedin.com/in/mkerrisk>



Introductions: you

In brief:

- Who are you?
 - If virtual: where are you?
- Two interesting things about you / things you like to do when you are not in front of a keyboard



Questions policy

- General policy: ask questions any time, in one of the following ways:
 - On the Discord `#general` channel
 - If online, click the **“Raise hand” button**
 - I’ll usually see it, **and I get to see your name as well**
 - Or out loud
 - But, wait for a quiet point
 - And if online, please announce your name, since I might not be able to see you
- In the event that questions slow us down too much, I may say: “batch your questions until next *Question penguin* slide”



This page intentionally blank

Fundamental Concepts

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

2	Fundamental Concepts	2-1
2.1	Error handling	2-3
2.2	System data types	2-10
2.3	Notes on code examples	2-15

Outline

2	Fundamental Concepts	2-1
2.1	Error handling	2-3
2.2	System data types	2-10
2.3	Notes on code examples	2-15

Error handling

- Most system calls and library functions return a status indicating success or failure
- On failure, most system calls:
 - Return -1
 - Place integer value in global variable *errno* to indicate cause
- Some library functions follow same convention
- Often, we'll omit return values from slides, where they follow usual conventions
 - Check manual pages for details



Error handling

- Return status should **always** be tested
-  Inspect *errno* only if result status indicates failure
 - APIs do not reset *errno* to 0 on success
 - A successful call may modify *errno* (POSIX allows this)
 - E.g., this is wrong:

```
fd = open(pathname, O_RDONLY);

printf("open() has returned\n");    // Might modify errno!

if (fd == -1) {                    // Did open() fail?
    perror("open");                // Print message based on 'errno'
    exit(EXIT_FAILURE);
}
```



errno

- When an API call fails, *errno* is set to indicate cause
- Integer value, global variable
 - In multithreading environment, each thread has private *errno*
- Error numbers in *errno* are > 0
- `<errno.h>` defines symbolic names for error numbers

```
#define EPERM    1    /* Operation not permitted */
#define ENOENT   2    /* No such file or directory */
#define ESRCH    3    /* No such process */
...
```

- *errno(1)* can be used to search for errors by number or name
 - Part of *moreutils* package (since 2012)



Checking for errors

```
cnt = read(fd, buf, numbytes);

if (cnt == -1) {           /* Was there an error? */
    if (errno == EINTR)
        fprintf(stderr, "read() was interrupted by a signal\n");
    else if (errno == EBADF)
        fprintf(stderr, "read() given bad file descriptor\n");
    else {
        /* Some other error occurred */
    }
}
```



Displaying error messages

```
#include <stdio.h>
void perror(const char *msg);
```

- Outputs to *stderr*:
 - *msg* + ": " + string corresponding to value in *errno*
 - E.g., if *errno* contains `EBADF`, `perror("close")` would display:
`close: Bad file descriptor`

- Simple error handling:

```
fd = open(pathname, flags, mode);
if (fd == -1) {
    perror("open");
    exit(EXIT_FAILURE);
}
```

- (More sophisticated programs might take actions other than terminating on syscall error)



Displaying error messages

```
#include <string.h>
char *strerror(int errnum);
```

- Returns an error string corresponding to error in *errnum*
 - Same string as printed by *perror()*
- Unknown error number? \Rightarrow *"Unknown error nnn"*
 - Or `NULL` on some systems



Outline

2	Fundamental Concepts	2-1
2.1	Error handling	2-3
2.2	System data types	2-10
2.3	Notes on code examples	2-15

System data types

- Various system info needs to be represented in C
 - Process IDs, user IDs, file offsets, etc.
- Using native C data types (e.g., *int*, *long*) in application code would be nonportable; e.g.:
 - *sizeof(long)* might be 4 on one system, but 8 on another
 - One system might use *int* for PIDs, while another uses *long*
 - Even on same system, things may change across versions
 - E.g., in kernel 2.4, Linux switched from 16 to 32-bit UIDs
- ⇒ POSIX defines system data types:
 - Implementations must suitably define each system data type
 - Defined via *typedef*; e.g., *typedef int pid_t*
 - Most types have names suffixed “_t”
 - Applications should use these types; e.g., *pid_t mypid*;
 - ⇒ will compile to correct types on any conformant system



man7.org

[TLPI §3.6.2]

Examples of system data types

Data type	POSIX type requirement	Description
<i>uid_t</i>	Integer	User ID
<i>gid_t</i>	Integer	Group ID
<i>pid_t</i>	Signed integer	Process ID
<i>id_t</i>	Integer	Generic ID type; can hold <i>pid_t</i> , <i>uid_t</i> , <i>gid_t</i>
<i>off_t</i>	Signed integer	File offset or size
<i>sigset_t</i>	Integer or structure	Signal set
<i>size_t</i>	Unsigned integer	Size of object (in bytes)
<i>ssize_t</i>	Signed integer	Size of object or error indication
<i>time_t</i>	Integer/real-floating	Time in seconds since Epoch
<i>timer_t</i>	Arithmetic type	POSIX timer ID

(Arithmetic type ∈ integer or floating type)



man7.org

Printing system data types

- Need to take care when passing system data types to `printf()`
- Example: `pid_t` can be *short*, *int*, or *long*
- Suppose we write:

```
printf("My PID is: %d\n", getpid());
```

- Works fine if:
 - `pid_t` is *int*
 - `pid_t` is *short* (C promotes *short* argument to *int*)
- But **what if `pid_t` is *long*** (and *long* is bigger than *int*)?
 - \Rightarrow argument exceeds range understood by format specifier (top bytes will be lost)



Printing system data types

- On virtually all implementations, most integer system data types are *long* or smaller
 - \Rightarrow Promote to *long* when printing system data types

```
printf("My PID is: %ld\n", (long) getpid());
```

- Most notable exception: `off_t` is typically *long long*
 - Promote to *long long* for `printf()`

```
printf("Offset is %lld\n",  
      (long long) lseek(fd, 0, SEEK_CUR));
```

- Can also use `%zu` and `%zd` for `size_t` and `ssize_t`
- C99 has `intmax_t` (`uintmax_t`) with `%jd` (`%ju`) specifier
 - Solution for all integer types, but not on pre-C99 systems
 - Must include `<stdint.h>` to get these type definitions



Outline

2	Fundamental Concepts	2-1
2.1	Error handling	2-3
2.2	System data types	2-10
2.3	Notes on code examples	2-15

Code examples presented in course

- **Code tarball** == code from TLPI + further code for course
- **Examples on slides edited/excerpted** for brevity
 - E.g., error-handling code may be omitted
- Slides always show **pathname for full source code**
 - Full source code always includes error-handling code
- Code license:
 - GNU GPL v3 for programs
 - GNU Lesser GPL v3 for libraries
 - <http://www.gnu.org/licenses/#GPL>
 - *Understanding Open Source and Free Software Licensing*, A.M. St Laurent, 2004
 - *Open Source Licensing: Software Freedom and Intellectual Property Law*, L. Rosen, 2004
 - *Open Source Software: Rechtliche Rahmenbedingungen der Freien Software*, Till Jaeger, 2020
 - *Droit des logiciels*, F. Pellegrini & S. Canevet, 2013



Example code `lib/` subdirectory

- `lib/` subdirectory contains code of a few functions commonly used in examples
- *camelCase* function name?
 - \Rightarrow It's mine



Common header file

- Many code examples make use of header file `tlpi_hdr.h`
- Goal: make code examples a little shorter
- `tlpi_hdr.h`:
 - Includes a few frequently used header files
 - Includes declarations of some error-handling functions



Error-handling functions used in examples

- Could handle errors as follows:

```
fd = open(pathname, flags, mode);
if (fd == -1) {
    perror("open");
    exit(EXIT_FAILURE);
}
```

- Verbose! To make error handling more compact, I define some simple error-handling functions



Error-handling functions used in examples

```
#include "tldpi_hdr.h"
errExit(const char *format, ...);
```

- Prints error message on *stderr* that includes:
 - Symbolic name for *errno* value (via some trickery)
 - *strerror()* description for current *errno* value
 - Text from the *printf()*-style message supplied in arguments
 - A terminating newline
- Terminates program with exit status `EXIT_FAILURE` (1)
- Example:

```
if (close(fd) == -1)
    errExit("close (fd=%d)", fd);
```

might produce:

```
ERROR [EBADF Bad file descriptor] close (fd=5)
```



Error-handling functions used in examples

```
#include "tspi_hdr.h"
errMsg(const char *format, ...);
```

- Like *errExit()*, but does not terminate program

```
#include "tspi_hdr.h"
fatal(const char *format, ...);
```

- Displays a *printf()*-style message + newline
- Terminates program with exit status `EXIT_FAILURE` (1)



Building the sample code

- You can manually compile the example programs, but there is also a **Makefile** in each directory
- ⇒ Typing `make` in source code root directory builds the programs in most subdirectories
- If you encounter build errors relating to ACLs, capabilities, or SELinux, see <http://man7.org/tspi/code/faq.html>
 - Preferred solution is to install the necessary packages:
 - Debian, Ubuntu: *libcap-dev*, *libacl-dev*, *libreadline-dev*, *libcrypt-dev*
 - RPM-based systems: *libcap-devel*, *libacl-devel*, *readline-devel*, *libxcrypt-devel*



Using library functions from the sample code

To use my library functions in your code:

- **Include** `tlpi_hdr.h` in your C source file
 - Located in `lib/` subdirectory in source code
- **Link against my library**, `libtlpi.a`, located in source code root directory
 - To build library, run `make` in the source code root directory or in `lib/` subdirectory
- **Method 1:** Place your program in one of “my” directories, add target to corresponding `Makefile`, and build using `make`
- **Method 2:** Manually compile with the following command:

```
cc -Isrc-root/lib yourprog.c src-root/libtlpi.a
```

- `src-root` must be replaced with the absolute or relative path of source code root directory



man7.org

This page intentionally blank

But, here's a tech talk you might enjoy:

The untold story of BPF
Alexei Starovoitov, Kernel Recipes 2022

<https://www.youtube.com/watch?v=DAvZH13725I>

File I/O

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

3	File I/O	3-1
3.1	File I/O overview	3-3
3.2	<i>open()</i> , <i>read()</i> , <i>write()</i> , and <i>close()</i>	3-8
3.3	API summary	3-20
3.4	Exercises	3-22

Outline

3	File I/O	3-1
3.1	File I/O overview	3-3
3.2	<i>open()</i> , <i>read()</i> , <i>write()</i> , and <i>close()</i>	3-8
3.3	API summary	3-20
3.4	Exercises	3-22

Files

- “On UNIX, everything is a file”
 - More correctly: “everything is a file descriptor”
- Note: the term **file** can be ambiguous:
 - A **generic term**, covering disk files, directories, sockets, FIFOs, terminals and other devices and so on
 - Or specifically, a **disk file** in a filesystem
 - To clearly distinguish the latter, the term **regular file** is sometimes used



System calls versus *stdio*

- C programs usually use *stdio* package for file I/O
- Library functions layered on top of I/O system calls

System calls	Library functions
file descriptor (<i>int</i>) <i>open()</i> , <i>close()</i> <i>lseek()</i> <i>read()</i> <i>write()</i> —	file stream (<i>FILE *</i>) <i>fopen()</i> , <i>fclose()</i> <i>fseek()</i> , <i>ftell()</i> <i>fgets()</i> , <i>fscanf()</i> , <i>fread()</i> ... <i>fputs()</i> , <i>fprintf()</i> , <i>fwrite()</i> , ... <i>feof()</i> , <i>ferror()</i>

- We presume understanding of *stdio*; ⇒ focus on system calls



man7.org

File descriptors

- All I/O is done using file descriptors (FDs)
 - nonnegative integer that identifies an open file
- Used for all types of files
 - terminals, regular files, pipes, FIFOs, devices, sockets, ...
- 3 FDs are normally available to programs run from shell:
 - (POSIX names are defined in `<unistd.h>`)

FD	Purpose	POSIX name	<i>stdio</i> stream
0	Standard input	STDIN_FILENO	<i>stdin</i>
1	Standard output	STDOUT_FILENO	<i>stdout</i>
2	Standard error	STDERR_FILENO	<i>stderr</i>



man7.org

Key file I/O system calls

Four fundamental calls:

- *open()*: open a file, optionally creating it if needed
 - Returns file descriptor used by remaining calls
- *read()*: input
- *write()*: output
- *close()*: close file descriptor



Outline

3	File I/O	3-1
3.1	File I/O overview	3-3
3.2	<i>open()</i> , <i>read()</i> , <i>write()</i> , and <i>close()</i>	3-8
3.3	API summary	3-20
3.4	Exercises	3-22

open(): opening a file

```
#include <sys/stat.h>
#include <fcntl.h>
int open(const char *pathname, int flags, ... /* mode_t mode */);
```

- Opens existing file / creates and opens new file
- Arguments:
 - *pathname* identifies file to open
 - *flags* controls semantics of call
 - e.g., open an existing file vs create a new file
 - *mode* specifies permissions when creating new file
- Returns: a file descriptor (nonnegative integer)
 - (Guaranteed to be lowest available FD)



[TLPI §4.3]

open() *flags* argument

flags is formed by ORing (|) together:

- Access mode
 - Specify exactly one of `O_RDONLY`, `O_WRONLY`, or `O_RDWR`
- File creation flags (bit flags)
- File status flags (bit flags)



[TLPI §4.3.1]

File creation flags

- **File creation flags:**
 - Affect behavior of `open()` call
 - Can't be retrieved or changed
- Examples:
 - `O_CREAT`: create file if it doesn't exist
 - `mode` argument must be specified
 - Without `O_CREAT`, can open only an existing file (else: `ENOENT`)
 - `O_EXCL`: create “exclusively”
 - Give an error (`EEXIST`) if file already exists
 - Only meaningful with `O_CREAT`
 - `O_TRUNC`: truncate existing file to zero length
 - I.e., discard existing file content



man7.org

File status flags

- **File status flags:**
 - Affect semantics of subsequent file I/O
 - Can be retrieved and modified using `fcntl()`
- Examples:
 - `O_APPEND`: always append writes to end of file
 - `O_NONBLOCK`: nonblocking I/O



man7.org

open() examples

- Open existing file for reading:

```
fd = open("script.txt", O_RDONLY);
```

- Open file for read-write, create if necessary, ensure we are creator:

```
fd = open("myfile.txt", O_CREAT | O_EXCL | O_RDWR,  
          S_IRUSR | S_IWUSR);      /* rw----- */
```

- Open file for writing, creating if necessary:

```
fd = open("myfile.txt", O_CREAT | O_WRONLY, S_IRUSR);
```

- File opened for writing, but created with only read permission!



man7.org

read(): reading from a file

```
#include <unistd.h>  
ssize_t read(int fd, void *buffer, size_t count);
```

- *fd*: file descriptor
- *buffer*: pointer to buffer to store data
- *count*: number of bytes to read
 - (*buffer* must be at least this big)
 - (*ssize_t* and *size_t* are signed and unsigned integer types)
- Returns:
 - > 0: number of bytes read
 - May be < *count* (e.g., terminal *read()* gets only one line)
 - 0: end of file
 - -1: error
-  No terminating null byte is placed at end of buffer



man7.org

write(): writing to a file

```
#include <unistd.h>
ssize_t write(int fd, const void *buffer, size_t count);
```

- *fd*: file descriptor
- *buffer*: pointer to data to be written
- *count*: number of bytes to write
- Returns:
 - Number of bytes written
 - May be < *count* (a “partial write”) (e.g., write fills device, or insufficient space to write entire buffer to nonblocking socket)
 - -1 on error



close(): closing a file

```
#include <unistd.h>
int close(int fd);
```

- *fd*: file descriptor
- Returns:
 - 0: success
 - -1: error
- Really should check for error!
 - Accidentally closing same FD twice
 - I.e., detect program logic error
 - Filesystem-specific errors
 - E.g., NFS commit failures may be reported only at *close()*
- **Note:** *close()* **always** releases FD, even on failure return
 - See *close(2)* manual page



Example: copy.c

```
$ ./copy old-file new-file
```

- A simple version of *cp(1)*



Example: fileio/copy.c

Always remember to handle errors!

```
1 #define BUF_SIZE 1024
2 char buf[BUF_SIZE];
3
4 int infd = open(argv[1], O_RDONLY);
5 if (infd == -1) errExit("open %s", argv[1]);
6
7 int flags = O_CREAT | O_WRONLY | O_TRUNC;
8 mode_t mode = S_IRUSR | S_IWUSR | S_IRGRP; /* rw-r----- */
9 int outfd = open(argv[2], flags, mode);
10 if (outfd == -1) errExit("open %s", argv[2]);
11
12 ssize_t nread;
13 while ((nread = read(infd, buf, BUF_SIZE)) > 0)
14     if (write(outfd, buf, nread) != nread)
15         fatal("write() returned error or partial write occurred");
16 if (nread == -1) errExit("read");
17
18 if (close(infd) == -1) errExit("close");
19 if (close(outfd) == -1) errExit("close");
```



Universality of I/O

- The fundamental I/O system calls work on almost all file types:

```
$ ls > mylist
$ ./copy mylist new      # Regular file

$ ./copy mylist /dev/tty # Device

$ mkfifo f              # FIFO
$ cat f &               # (reads from FIFO)
$ ./copy mylist f       # (writes to FIFO)
```



Outline

3	File I/O	3-1
3.1	File I/O overview	3-3
3.2	<i>open()</i> , <i>read()</i> , <i>write()</i> , and <i>close()</i>	3-8
3.3	API summary	3-20
3.4	Exercises	3-22

API summary

```
int open(const char *pathname, int flags, ... /* mode_t mode */);
    // Returns a file descriptor

ssize_t read(int fd, void *buffer, size_t count);
    // Returns: # of bytes actually read or 0 for EOF

ssize_t write(int fd, const void *buffer, size_t count);
    // Returns: # of bytes actually written

int close(int fd);
```



man7.org

Outline

3	File I/O	3-1
3.1	File I/O overview	3-3
3.2	<i>open()</i> , <i>read()</i> , <i>write()</i> , and <i>close()</i>	3-8
3.3	API summary	3-20
3.4	Exercises	3-22

Notes for online practical sessions

- Small groups in **breakout rooms**
 - Write a note into the Discord `#general` channel if you have a preferred group
- **We will go faster, if groups collaborate** on solving the exercise(s)
 - You can **share a screen** in your room
- I will circulate regularly between rooms to answer questions
- Zoom has an “**Ask for help**” button...
- **Keep an eye on the Discord `#general` channel**
 - Perhaps with further info about exercise;
 - Or a note that the exercise merges into a break
- When your room has finished, write a message in the Discord `#general` channel: “***** Room X has finished *****”
 - Then I have an idea of how many people have finished



Shared screen etiquette

- It may help your colleagues if you **use a larger than normal font!**
 - In many environments (e.g., *xterm*, *VS Code*), we can adjust the font size with `Control+Shift+“+”` and `Control+“-”`
 - Or (e.g., *emacs*) hold down `Control` key and use mouse wheel
- **Long shell prompts** make reading your shell session difficult
 - Use `PS1='$ '` or `PS1='# '`
- **Low contrast** color themes are difficult to read; change this if you can
- Turn on **line numbering** in your editor
 - In *vim* / *neovim* use: `:set number`
 - In *emacs* use: `M-x display-line-numbers-mode <RETURN>`
 - `M-x` means `Left-Alt+x`
- For collaborative editing, **relative line-numbering is evil....**
 - In *vim* / *neovim* use: `:set nornu`
 - In *emacs*, the following should suffice:

```
M-: (display-line-numbers-mode) <RETURN>
M-: (setq display-line-numbers 'absolute) <RETURN>
```

- `M-:` means `Left-Alt+Shift+:`



Using *tmate* in in-person practical sessions

In order to share an X-term session with others, do the following:

- Enter the command *tmate* in an X-term, and you'll see the following:

```
$ tmate
...
Connecting to ssh.tmate.io...
Note: clear your terminal before sharing readonly access
web session read only: ...
ssh session read only: ssh S0mErAnD0m5Tr1Ng@lon1.tmate.io
web session: ...
ssh session: ssh S0mEoTheRrAnD0m5Tr1Ng@lon1.tmate.io
```

- Share last "ssh" string with colleague(s) via a text channel
 - Or: "ssh session read only" string gives others read-only access
- Your colleagues should paste that string into an X-term...
- Now, you are sharing an X-term session in which anyone can type
 - Any "mate" can cut the connection to the session with the 3-character sequence `<ENTER> ~ .`
- To see above message again: *tmate show-messages*



Exercise notes

- For many exercises, there are templates for the solutions
 - Filenames: `ex.*.c`
 - Look for FIXMEs to see what pieces of code you must add
 - ⚠ You will need to edit the corresponding *Makefile* to add a new target for the executable
 - Look for the `EXERCISE_FILES_EXE` macro

```
-EXERCISE_FILES_EXE = # ex.prog_a ex.prog_b
+EXERCISE_FILES_EXE = ex.prog_a # ex.prog_b
```

- Get a *make* tutorial now if you need one



Exercises

- 1 Using `open()`, `close()`, `read()`, and `write()`, implement the command `tee [-a] file ([template: fileio/ex.tee.c])`. This command writes a copy of its standard input to standard output and to `file`. If `file` does not exist, it should be created. If `file` already exists, it should be truncated to zero length (`O_TRUNC`). The program should support the `-a` option, which appends (`O_APPEND`) output to the file if it already exists, rather than truncating the file.

Some hints:

- You can build `../libt1pi.a` by doing `make` in source code root directory.
- Standard input & output are automatically opened for a process.
- Remember that you will need to add a target in the `Makefile`!
- After first doing some simple command-line testing, test using the unit test in the `Makefile`: `make tee_test`.
- Why does “`man open`” show the wrong manual page? It finds a page in the wrong section first. Try “`man 2 open`” instead.
- `while inotifywait -q . ; do echo -e '\n\n'; make; done`
 - You may need to install the `inotify-tools` package
- Command-line options can be parsed using `getopt(3)`.



man7.org

This page intentionally blank

Processes

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The <code>/proc</code> filesystem	4-19

Outline

4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The <code>/proc</code> filesystem	4-19

Process ID

```
#include <unistd.h>
pid_t getpid(void);
```

- **Process** == running instance of a program
 - Program + program loader (kernel) ⇒ process
- Every process has a process ID (PID)
 - `pid_t`: positive integer that uniquely identifies process
 - `getpid()` returns callers's PID
 - Kernel allocates PIDs using “elevator” algorithm
 - When elevator reaches top of range, it then cycles, reusing PIDs starting at low end of range
 - Maximum PID is 32767 on Linux
 - All PID slots used? ⇒ `fork()` fails with `EAGAIN`
 - Limit adjustable via `/proc/sys/kernel/pid_max` (up to kernel's `PID_MAX_LIMIT` constant, typically `4*1024*1024`)



[TLPI §6.2]

Parent process ID

```
#include <unistd.h>
pid_t getppid(void);
```

- Every process has a parent
 - Typically, process that created this process using *fork()*
 - Parent process is informed when its child terminates
- All processes on system thus form a tree
 - At root is *init*, PID 1, the ancestor of all processes
 - “Orphaned” processes are “adopted” by *init*
- *getppid()* returns PID of caller’s parent process (PPID)



[TLPI §6.2]

Outline

4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The /proc filesystem	4-19

Process memory layout


Virtual memory of a process is divided into **segments**:

- **Text**: machine-language instructions
 - Marked read-only to prevent self-modification
 - Multiple processes can share same code in memory
- **Initialized data**: global and static variables that are explicitly initialized
 - Values read from program file when process is created
- **Uninitialized data**: global and static variables that are not explicitly initialized
 - Initialized to zero when process is created
- **Stack**: storage for function local variables and call linkage info (saved SP and PC registers)
- **Heap**: an area from which memory can be dynamically allocated and deallocated
 - *malloc()* and *free()*



man7.org

Process memory layout (simplified)




man7.org

Outline

4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The <code>/proc</code> filesystem	4-19

Command-line arguments

- Command-line arguments of a program provided as first two arguments of `main()`
 - Conventionally named `argc` and `argv`
- `int argc`: number of arguments
- `char *argv[]`: array of pointers to arguments (strings)
 - `argv[0]` == name used to invoke program
 - `argv[argc]` == `NULL`
- E.g., for the command, `necho hello world`:



- Display command-line arguments of program

```
int main(int argc, char *argv[]) {
    printf("Program invoked with:\n");
    printf("    argv[0] == %s\n\n", argv[0]);

    printf("Remaining arguments:\n");
    for (int j = 1; ; j++) {
        printf("    argv[%d] = %s\n", j, argv[j]);
        if (argv[j] == NULL)
            break;
    }
    exit(EXIT_SUCCESS);
}
```

- Example run:

```
$ ./show_argv a b c
Program invoked with:
    argv[0] == ./show_argv

Remaining arguments:
    argv[1] = a
    argv[2] = b
    argv[3] = c
    argv[4] = (null)
```



Outline

4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The /proc filesystem	4-19

Environment list (*environ*)

Each process has a list of **environment variables**

- Strings of form *name=value*
- New process inherits copy of parent's environment
 - Simple (one-way) interprocess communication
- Commonly used to control behavior of programs
- Examples:
 - **HOME**: user's home directory (initialized at login)
 - **PATH**: list of directories to search for executable programs
 - **EDITOR**: user's preferred editor



[TLPI §6.7]

Environment list (*environ*)

- Can create environment variables within shell:

```
$ MANWIDTH=72          # Create shell var.  
$ export MANWIDTH      # Turn shell var. into environment var.  
$ man getpid
```

- Or: `export MANWIDTH=72`
- All processes created by shell will inherit definition
- Creating an environment variable for a single command (does not modify shell's environment):

```
$ MANWIDTH=72 man getpid
```

- To list all environment variables, use `env(1)` or `printenv(1)`




Accessing the environment from a program

- Environment list can be accessed via a global variable:

```
extern char **environ;
```

- NULL-terminated array of pointers to strings:



- Displaying environment:

```
for (char **ep = environ; *ep != NULL; ep++)  
    puts(*ep);
```



man7.org

Environment variable APIs

- Fetching value of an EV: `value = getenv("NAME");`
- Creating/modifying an EV:
 - `putenv("NAME=value");`
 - `setenv("NAME", "value", overwrite);`
- Removing an EV: `unsetenv("NAME");`
- `/proc/PID/environ` can be used (with suitable permissions) to view environment of another process
- See manual pages and TLPI §6.7



man7.org

Outline

4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The <code>/proc</code> filesystem	4-19

Homework exercises

1 Some background:

- The `LC_ALL` environment variable specifies locale settings for a process. For example, setting `LC_ALL` to `"fr_FR"` will cause locale-aware programs to display dates and times according to the conventions of French.
- The `system(char *cmd)` library function creates a child process that executes a shell command.

Write a program that uses `setenv()` to set `LC_ALL` to the locale specified in `argv[1]`. (This argument should be one of the locales available on your system—as shown by the command `locale -a`.) Your program should then execute the `date(1)` command using `system()`. Does the setting of `LC_ALL` affect the output from `date(1)`?



Outline

4	Processes	4-1
4.1	Process IDs	4-3
4.2	Process memory layout	4-6
4.3	Command-line arguments	4-9
4.4	The environment list	4-12
4.5	Homework exercises	4-17
4.6	The <code>/proc</code> filesystem	4-19

The `/proc` filesystem

- Pseudofilesystem that exposes kernel information via filesystem metaphor
 - Structured as a set of subdirectories and files
 - `proc(5)` manual page
- Files don't really exist
 - Created on-the-fly when pathnames under `/proc` are accessed
- Many files read-only
- Some files are writable \Rightarrow can update kernel settings

- Named "`/proc`" because earliest implementations (pre-Linux, 1980s) exposed info only about processes
 - <https://en.wikipedia.org/wiki/Procfs>



The /proc filesystem: examples

- `/proc/cmdline`: command line used to start kernel
- `/proc/cpuinfo`: info about CPUs on the system
- `/proc/meminfo`: info about memory and memory usage
- `/proc/modules`: info about loaded kernel modules
- `/proc/sys/fs/`: files and subdirectories with filesystem-related info
- `/proc/sys/kernel/`: files and subdirectories with various readable/settable kernel parameters
- `/proc/sys/net/`: files and subdirectories with various readable/settable networking parameters



`/proc/PID/` directories

- One `/proc/PID/` subdirectory for each running process
- Subdirectories and files exposing info about process with corresponding PID
- Some files publicly readable, some readable only by process owner; a few files writable
- Examples
 - `cmdline`: command line used to start program
 - `cwd`: current working directory
 - `environ`: environment of process
 - `fd`: directory with info about open file descriptors
 - `limits`: resource limits
 - `maps`: mappings in virtual address space
 - `status`: (lots of) info about process



This page intentionally blank

This page intentionally blank

But, here's a tech talk you might enjoy:

Deconstructing Privilege
Patricia Aas, NDC Oslo 2019

(Not your average tech talk, but targeted at a technical audience and cleverly delivered in a technical way)

<https://www.youtube.com/watch?v=02gpZuK5gF8>

Signals

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Signals are a notification mechanism

- Signal == notification to a process that an event occurred
 - “Software interrupts”
 - **asynchronous**: receiver (generally) can’t predict when a signal will occur



Signal types

- 64 signals (on Linux)
- Each signal has a unique integer value
 - Numbered starting at 1 ⚠
- Defined symbolically in `<signal.h>`:
 - Names of form `SIGxxx`
 - e.g., signal 2 is `SIGINT` (“terminal interrupt”)
- Two broad categories of signals:
 - “Standard” signals (1 to 31)
 - Mostly for kernel-defined purposes
 - Realtime signals (32 to 64)
 - Exist for user-defined purposes



[TLPI §20.1]

Signal generation

- Signals can be sent to a process by:
 - The kernel (the common case)
 - Another process (with suitable permissions)
 - `kill(pid, sig)` and related APIs
- Kernel generates signals for various events, e.g.:
 - Attempt to access a nonexistent memory address (`SIGSEGV`)
 - Terminal *interrupt* character (Control-C) was typed (`SIGINT`)
 - Child process terminated (`SIGCHLD`)
 - Process CPU time limit exceeded (`SIGXCPU`)



[TLPI §20.1]

Terminology

Some terminology:

- A signal is **generated** when an event occurs
- Later, a signal is **delivered** to the process, which then takes some action in response
- Between generation and delivery, a signal is **pending**
- We can **block** (delay) delivery of specific signals by adding them to process's **signal mask**
 - **Signal mask == set of signals whose delivery is blocked**
 - Pending signal is delivered only after it is unblocked



man7.org

[TLPI §20.1]

Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Signal default actions

- When a signal is delivered, a process takes one of these default actions:
 - **Ignore**: signal is discarded by kernel, has no effect on process
 - **Terminate**: process is terminated (“killed”)
 - **Core dump + terminate**: process produces a core dump and is terminated
 - Core dump file can be used to examine state of program inside a debugger
 - See also [core\(5\)](#) manual page
 - **Stop**: execution of process is suspended
 - **Continue**: execution of a stopped process is resumed
- Default action for each signal is signal-specific



[TLPI §20.2]

Standard signals and their default actions

Name	Description	Default
SIGABRT	Abort process	Core
SIGALRM	Real-time timer expiration	Term
SIGBUS	Memory access error	Core
SIGCHLD	Child stopped or terminated	Ignore
SIGCONT	Continue if stopped	Cont
SIGFPE	Arithmetic exception	Core
SIGHUP	Hangup	Term
SIGILL	Illegal instruction	Core
SIGINT	Interrupt from keyboard	Term
SIGIO	I/O possible	Term
SIGKILL	Sure kill	Term
SIGPIPE	Broken pipe	Term
SIGPROF	Profiling timer expired	Term
SIGPWR	Power about to fail	Term
SIGQUIT	Terminal quit	Core
SIGSEGV	Invalid memory reference	Core
SIGSTKFLT	Stack fault on coprocessor	Term
SIGSTOP	Sure stop	Stop
SIGSYS	Invalid system call	Core
SIGTERM	Terminate process	Term
SIGTRAP	Trace/breakpoint trap	Core
SIGTSTP	Terminal stop	Stop
SIGTTIN	Terminal input from background	Stop
SIGTTOU	Terminal output from background	Stop
SIGURG	Urgent data on socket	Ignore
SIGUSR1	User-defined signal 1	Term
SIGUSR2	User-defined signal 2	Term
SIGVTALRM	Virtual timer expired	Term
SIGWINCH	Terminal window size changed	Ignore
SIGXCPU	CPU time limit exceeded	Core
SIGXFSZ	File size limit exceeded	Core

- Signal default actions are:
 - Term: terminate the process
 - Core: produce core dump and terminate the process
 - Ignore: ignore the signal
 - Stop: stop (suspend) the process
 - Cont: resume process (if stopped)
- SIGKILL and SIGSTOP can't be caught, blocked, or ignored
- TLPI §20.2



Stop and continue signals

- Certain signals **stop** a process, freezing its execution
- Examples:
 - **SIGTSTP**: “terminal stop” signal, generated by typing Control-Z
 - **SIGSTOP**: “sure stop” signal
- **SIGCONT** causes a stopped process to resume execution
 - **SIGCONT** is ignored if process is not stopped
- Most common use of these signals is in **shell job control**



Changing a signal's disposition

- Instead of default, we can change a signal's disposition to:
 - **Ignore** the signal
 - **Handle (“catch”) the signal**: execute a user-defined function upon delivery of the signal
 - Revert to the **default action**
 - Useful if we earlier changed disposition
- Can't change disposition to *terminate* or *core dump + terminate*
 - But, a signal handler can emulate these behaviors
- Can't change disposition of **SIGKILL** or **SIGSTOP** (error: **EINVAL**)
 - So, they always kill or stop a process



Changing a signal's disposition: *sigaction()*

```
#include <signal.h>
int sigaction(int sig, const struct sigaction *act,
              struct sigaction *oldact);
```

sigaction() changes (and/or retrieves) disposition of signal *sig*

- *sigaction* structure describes a signal's disposition
- *act* points to structure specifying new disposition for *sig*
- *oldact* returns previous disposition for *sig*
 - Can be `NULL` if we don't care
- `sigaction(sig, NULL, &oldact)` returns current disposition, without changing it



[TLPI §20.13]

sigaction structure

```
struct sigaction {
    void    (*sa_handler)(int);
    sigset_t sa_mask;
    int     sa_flags;
    void    (*sa_restorer)(void);
};
```

- *sa_handler* specifies disposition of signal:
 - Address of a signal handler function
 - `SIG_IGN`: ignore signal
 - `SIG_DFL`: revert to default disposition
- *sa_mask*: signals to block while handler is executing
 - Field is initialized using macros described in [sigsetops\(3\)](#)
- *sa_flags*: bit mask of flags affecting invocation of handler
- *sa_restorer*: not for application use
 - Used internally to implement “signal trampoline”



Ignoring a signal (signals/ignore_signal.c)

```
int ignoreSignal(int sig)
{
    struct sigaction sa;

    sa.sa_handler = SIG_IGN;
    sa.sa_flags = 0;
    sigemptyset(&sa.sa_mask);
    return sigaction(sig, &sa, NULL);
}
```

- A “library function” that ignores specified signal
- *sa_mask* field is significant only when establishing a signal handler, but for best practice we initialize to sensible value



Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Displaying signal descriptions

```
#define _GNU_SOURCE
#include <string.h>
char *strsignal(int sig);
```

- Returns string describing signal *sig*
- `NSIG` constant is 1 greater than maximum signal number
 - Define `_GNU_SOURCE` to get definition from `<signal.h>`



man7.org

[TLPI §20.8]

Example: signals/t_strsignal.c

```
int main(int argc, char *argv[]) {
    for (int sig = 1; sig < NSIG; sig++)
        printf("%2d: %s\n", sig, strsignal(sig));

    exit(EXIT_SUCCESS);
}
```

```
$ ./t_strsignal
1: Hangup
2: Interrupt
3: Quit
4: Illegal instruction
5: Trace/breakpoint trap
6: Aborted
7: Bus error
8: Floating point exception
9: Killed
10: User defined signal 1
11: Segmentation fault
12: User defined signal 2
13: Broken pipe
...
```



man7.org

Waiting for a signal: *pause()*

```
#include <unistd.h>
int pause(void);
```

- Blocks execution of caller until a signal is caught
- Always returns `-1` with *errno* set to `EINTR`
 - (Standard return for blocking system call that is interrupted by a signal handler)

- (See also *sigsuspend(2)*)



[TLPI §20.14]

Other APIs to learn about

- *sigprocmask(2)*: explicitly modify process signal mask to control which signals are blocked
- *sigpending(2)*: discover which signals are pending for calling process



Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47


Signal handlers

- Programmer-defined function
- Automatically invoked when signal is delivered to process
- Called with one integer argument: number of signal
 - \Rightarrow handler installed for multiple signals can differentiate...
- Returns `void`

```
void
myHandler(int sig)
{
    /* Actions to be performed when signal is delivered */
}
```

Signal handler invocation

- Automatically invoked by kernel when signal is delivered:
 - Can interrupt main program flow at any time
 - On return, execution continues at point of interruption



man7.org

Example: signals/ouch_sigaction.c

Print "Ouch!" when Control-C is typed at keyboard

```
1 static void sigHandler(int sig) {
2     printf("Ouch!\n");           /* UNSAFE */
3 }
4
5 int main(int argc, char *argv[]) {
6     struct sigaction sa;
7     sa.sa_flags = 0;             /* No flags */
8     sa.sa_handler = sigHandler; /* Handler function */
9     sigemptyset(&sa.sa_mask);   /* Don't block additional signals
10                                     during invocation of handler */
11     if (sigaction(SIGINT, &sa, NULL) == -1)
12         errExit("sigaction");
13
14     for (;;)
15         pause();                 /* Wait for a signal */
16 }
```



man7.org

Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Notes for online practical sessions

- Small groups in **breakout rooms**
 - Write a note into the Discord `#general` channel if you have a preferred group
- **We will go faster, if groups collaborate** on solving the exercise(s)
 - You can **share a screen** in your room
- I will circulate regularly between rooms to answer questions
- Zoom has an “**Ask for help**” button...
- **Keep an eye on the Discord `#general` channel**
 - Perhaps with further info about exercise;
 - Or a note that the exercise merges into a break
- When your room has finished, write a message in the Discord `#general` channel: “*** **Room X has finished** ***”
 - Then I have an idea of how many people have finished



Shared screen etiquette

- It may help your colleagues if you **use a larger than normal font!**
 - In many environments (e.g., *xterm*, *VS Code*), we can adjust the font size with **Control+Shift+“+”** and **Control+“-”**
 - Or (e.g., *emacs*) hold down **Control** key and use mouse wheel
- **Long shell prompts** make reading your shell session difficult
 - Use `PS1='$ '` or `PS1='# '`
- **Low contrast** color themes are difficult to read; change this if you can
- Turn on **line numbering** in your editor
 - In *vim* / *neovim* use: `:set number`
 - In *emacs* use: `M-x display-line-numbers-mode <RETURN>`
 - `M-x` means `Left-Alt+x`
- For collaborative editing, **relative line-numbering is evil....**
 - In *vim* / *neovim* use: `:set nornu`
 - In *emacs*, the following should suffice:

```
M-: (display-line-numbers-mode) <RETURN>
M-: (setq display-line-numbers 'absolute) <RETURN>
```

- `M-:` means `Left-Alt+Shift+:`



man7.org

Using *tmate* in in-person practical sessions

In order to share an X-term session with others, do the following:

- Enter the command *tmate* in an X-term, and you'll see the following:

```
$ tmate
...
Connecting to ssh.tmate.io...
Note: clear your terminal before sharing readonly access
web session read only: ...
ssh session read only: ssh S0mErAnD0m5Tr1Ng@lon1.tmate.io
web session: ...
ssh session: ssh S0mEoTheRrAnD0m5Tr1Ng@lon1.tmate.io
```

- Share last “ssh” string with colleague(s) via a text channel
 - Or: “ssh session read only” string gives others read-only access
- Your colleagues should paste that string into an X-term...
- Now, you are sharing an X-term session in which anyone can type
 - Any “mate” can cut the connection to the session with the 3-character sequence `<ENTER> ~ .`
- To see above message again: `tmate show-messages`



man7.org

Exercises

- 1 While a signal handler is executing, the signal that caused it to be invoked is (by default) temporarily added to the signal mask, so that it is blocked from further delivery until the signal handler returns. Consequently, execution of a signal handler can't be interrupted by a further execution of the same handler. To demonstrate that this is so, modify the signal handler in the `signals/ouch_sigaction.c` program to include the following after the existing `printf()` statement:

```
sleep(5);  
printf("Bye\n");
```

Build and run the program, type control-C once, and then, while the signal handler is executing, type control-C three more times. What happens? In total, how many times is the signal handler called?



man7.org

Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Signal sets

- Various signal-related APIs work with **signal sets**
- Signal set == data structure that represents multiple signals
- Data type: *sigset_t*
 - Typically a bit mask, but not necessarily



[TLPI §20.9]

Manipulating signal sets

```
#include <signal.h>
int sigemptyset(sigset_t *set);
int sigfillset(sigset_t *set);
int sigaddset(sigset_t *set, int sig);
int sigdelset(sigset_t *set, int sig);
int sigismember(const sigset_t *set, int sig);
```

- *sigemptyset()* initializes *set* to contain no signals
- *sigfillset()* initializes *set* to contain all signals
 - We **must** initialize *set* using *sigemptyset()* or *sigfillset()* before employing macros below
 - Using *memset()* to zero a signal set is *not* correct
- *sigaddset()* adds *sig* to *set*
- *sigdelset()* removes *sig* from *set*
- *sigismember()* returns 1 if *sig* is in *set*, 0 if it is not, or -1 on error (e.g., *sig* is invalid)



Blocking signals (the signal mask)

- Each process has a **signal mask**—a set of signals whose delivery is currently blocked
 - (In truth: each **thread** has a signal mask...)
- If a blocked signal is generated, it remains pending until removed from signal mask
- The signal mask can be changed in various ways:
 - While handler is invoked, the **signal that triggered the handler** is (temporarily) added to signal mask
 - While handler is invoked, any signals specified in *sa_mask* are (temporarily) added to signal mask
 - Explicitly, using *sigprocmask()*
- Attempts to block **SIGKILL/SIGSTOP** are silently ignored



man7.org

[TLPI §20.10]

sigprocmask()

```
#include <signal.h>
int sigprocmask(int how, const sigset_t *set, sigset_t *oldset);
```

- Adds signals to, or removes signals from, caller's signal mask
 - (Typical use: prevent interruption by signal handler while updating a shared data structure)
- *how* specifies change to signal mask:
 - **SIG_BLOCK**: **add** signals in *set* to signal mask
 - I.e., *union* with existing signal mask
 - **SIG_UNBLOCK**: **remove** signals in *set* from signal mask
 - **SIG_SETMASK**: **assign** *set* to signal mask
 - I.e., *overwrite* existing signal mask



man7.org

[TLPI §20.10]

```
#include <signal.h>
int sigprocmask(int how, const sigset_t *set, sigset_t *oldset);
```

- *oldset* returns previous signal mask
 - Can be `NULL` if we don't care
- `sigprocmask(how, NULL, &oldset)` retrieves current mask without changing it
 - *how* is ignored



[TLPI §20.10]

Example: temporarily blocking a signal

- The following code snippet shows how to temporarily block a signal (`SIGINT`) while executing a block of code

```
sigset_t blocking, prev;

sigemptyset(&blocking);
sigaddset(&blocking, SIGINT);
sigprocmask(SIG_BLOCK, &blocking, &prev);

/* ... Code to execute with SIGINT blocked ... */

sigprocmask(SIG_SETMASK, &prev, NULL);
```

- We might do this because main program wants to operate on global variables that signal handle would also access



Pending signals

```
#include <signal.h>
int sigpending(sigset_t *set);
```

- Between generation and delivery, a signal is **pending**
 - Pending state is normally unobservable unless signal is explicitly blocked
- *sigpending()* returns (in *set*) the set of signals currently pending for caller
 - We do **not** need to initialize *set* before calling *sigpending()*
- Can examine *set* using *sigismember()*:

```
sigset_t pending;
sigpending(&pending);
if (sigismember(&pending, SIGINT))
    printf("SIGINT (%s) is pending\n", strsignal(SIGINT));
```



man7.org

[TLPI §20.11]

Signals are not queued

- The set of pending (standard) signals is a mask
- ⇒ If same signal is generated multiple times while blocked, it will be delivered just once



man7.org

Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

API summary

```
int sigaction(int sig, const struct sigaction *act, struct sigaction *oldact);
    // Change disposition of 'sig' to 'act'; returning previous
    // disposition in 'oldact'

struct sigaction {
    void (*sa_handler)(int); // Handler address or SIG_IGN or SIG_DFL
    sigset_t sa_mask; // Signals to be blocked while handler runs
    int sa_flags;
    ...
};

char *strsignal(int sig); // Return string describing a signal
int pause(void); // Pause until interrupted by signal handler

// Following are for manipulating signal sets (sigset_t):
int sigemptyset(sigset_t *set);
int sigfillset(sigset_t *set);
int sigaddset(sigset_t *set, int sig);
int sigdelset(sigset_t *set, int sig);
int sigismember(const sigset_t *set, int sig);

int sigprocmask(int how, const sigset_t *set, sigset_t *oldset);
    // Modify the signal mask and return previous mask;
    // 'how' can be SIG_BLOCK / SIG_UNBLOCK / SIG_SETMASK

int sigpending(sigset_t *set);
    // Return set of pending signals in 'set'
```



Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Exercises

The goal of these exercises is to experiment with signal handlers and the use of the signal mask to block delivery of signals. A template for both part 1 and part 2 of the exercise is provided ([\[template: signals/ex.pending_sig_expt.c\]](#))

Hint: don't confuse the signal mask with the *sa_mask* field that is passed to *sigaction()*. The signal mask is a process attribute maintained inside the kernel that can be directly modified using calls to *sigaction()*. The *sa_mask* field specifies additional signals that should be *temporarily* added to the signal mask while a signal handler is executing.

- 1 Write a program that:
 - Blocks all signals except **SIGINT**. This will require the use of *sigprocmask()* (slides 5-35 + 5-36) as well as the APIs for manipulating signal sets (slide 5-32).
 - Uses *sigaction()* (slides 5-13, 5-14, and 5-24) to establish a **SIGINT** handler that does nothing but return.
 - Calls *pause()* to wait for a signal.



Exercises

- After `pause()` returns:
 - determines the set of pending signals for the process (use `sigpending()`, slide 5-37);
 - tests which signals are in that set (use `sigismember()`, iterating through all signals in the range `1 <= s < NSIG`; see slide 5-18);
 - and prints the descriptions of those signals (`strsignal()`).

Run the program and send it various signals (other than `SIGINT` and signals that are ignored by default), using either the `kill` command from another terminal (`kill -<sig> <pid>`), or by typing signal-generating keys from the terminal where you run the program (Control-Z for `SIGTSTP`, Control-\ (or Control-4) for `SIGQUIT`). Then type Control-C to generate `SIGINT` and inspect the list of pending signals displayed by the program.

[Exercises continue on following slide]



man7.org

Exercises

- 2 Extend the program created in the preceding exercise so that:
 - Just after installing the handler for `SIGINT`, the program also installs a handler for `SIGQUIT` (generated when the Control-\ key is pressed). The handler should print a message “SIGQUIT received”, and return.
 - After displaying the list of pending signals, the program unblocks `SIGQUIT` and calls `pause()` once more. (⚠ Which *how* value should be given to `sigprocmask()`?)

While the program is blocking signals (i.e., before typing Control-C), try typing Control-\ multiple times. After Control-C is typed, how many times does the `SIGQUIT` handler display its message? Why?

- 3 If you run the program once more, and then from another terminal send the `SIGKILL` signal to the program (`kill -KILL <pid>`), what happens? Why?



man7.org

Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Homework exercises

- 1 Suppose that a program has blocked a certain signal, and that signal has been generated and is pending for the process. What do you suppose will happen if the program changes the disposition of the signal to “ignore” (`SIG_IGN`)? Will the signal still be pending? Write a test program to verify your answer.



Outline

5	Signals	5-1
5.1	Overview of signals	5-3
5.2	Signal dispositions	5-8
5.3	Useful signal-related functions	5-16
5.4	Signal handlers	5-21
5.5	Exercises	5-25
5.6	Signal sets, the signal mask, and pending signals	5-30
5.7	API summary	5-39
5.8	Exercises	5-41
5.9	Homework exercises	5-45
5.10	Designing signal handlers	5-47

Designing signal handlers

- Signal handlers can, in theory, do anything
- But, complex signal handlers can easily have subtle bugs (e.g., race conditions)
 - E.g., if main program and signal handler access same global variables
 - ⚠ Read [signal-safety\(7\)](#) manual page!
- ⇒ Design signal handlers to be as simple as possible



Designing signal handlers

- Some simple signal-handler designs:
 - Set a global flag and return
 - Main program periodically checks (and clears) flag, and takes appropriate action
 - (See the discussion of *sig_atomic_t* in TLPI §21.1.3)
 - Signal handler does some clean-up and terminates process
 - (TLPI §21.2)
 - Signal handler performs a nonlocal goto to unwind stack
 - *sigsetjmp()* and *siglongjmp()* (TLPI §21.2.1)
 - E.g., some shells do this when handling signals



Signals are not queued

- Signals are not queued
- A blocked signal is marked just once as pending, even if generated multiple times
- ⇒ **One signal may correspond to multiple “events”**
 - Must design programs that handle signals to allow for this
 - Example:
 - **SIGCHLD** is generated for parent when child terminates
 - While **SIGCHLD** handler executes, **SIGCHLD** is blocked
 - Suppose **two** more children terminate while handler executes
 - Only one **SIGCHLD** signal will be queued
 - Solution: **SIGCHLD** handler should loop, checking if multiple children have terminated



This page intentionally blank

This page intentionally blank

Process Lifecycle

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Outline


6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Creating processes and executing programs

Four key system calls (and their variants):

- *fork()*: create a new (“child”) process
- *exit()*: terminate calling process
- *wait()*: wait for a child process to terminate
- *execve()*: execute a new program in calling process

Using `fork()`, `execve()`, `wait()`, and `exit()` together



man7.org

Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <code>fork()</code>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <code>execve()</code>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <code>exec()</code> library functions	6-61

Creating a new process: *fork()*

```
#include <unistd.h>
pid_t fork(void);
```

fork() creates a new process (“**the child**”)

- Child is a **near exact duplicate of caller** (“the parent”)
- Notionally, memory of parent is duplicated to create child
 - In practice, copy-on-write duplication is used
 - ⇒ Only page tables must be duplicated at time of *fork()*
- Two processes share same (read-only) text segment
- Two processes have separate copies of stack, data, and heap segments
 - ⇒ Each process can modify variables without affecting other process



[TLPI §24.2]

Return value from *fork()*

```
#include <unistd.h>
pid_t fork(void);
```

- **Both** processes continue execution by returning from *fork()*
- *fork()* returns different values in parent and child:
 - Parent:
 - On success: PID of new child (allows parent to track child)
 - On failure: -1
 - Child: returns 0
 - Child can obtain its own PID using *getpid()*
 - Child can obtain PID of parent using *getppid()*



Using *fork()*

Common idioms for using *fork()*:

```
pid_t pid = fork();  
  
if (pid == -1) {  
    /* Handle error */  
}  
else if (pid == 0) {  
    /* Code executed by child */  
}  
else {  
    /* Code executed by parent */  
}
```

```
pid_t pid = fork();  
  
switch (pid) {  
case -1:  
    /* Handle error */  
    break;  
case 0:  
    /* Code executed by child */  
    break;  
default:  
    /* Code executed by parent */  
    break;  
}
```



man7.org

Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Exercises

- 1 Write a program that uses `fork()` to create a child process ([template: `procexec/ex.fork_var_test.c`]). After the `fork()` call, both the parent and child should display their PIDs (`getpid()`). Include code to demonstrate that the child process created by `fork()` can modify its copy of a local variable in `main()` without affecting the value in the parent's copy of the variable.

Note: you may find it useful to use the `sleep(num-secs)` library function to delay execution of the parent for a few seconds, to ensure that the child has a chance to execute before the parent inspects its copy of the variable.

- 2 Processes have many attributes. When a new process is created using `fork()`, which of those attributes are inherited by the child and which are not (e.g., are reset to some default)? Here, we explore whether two process attributes—signal dispositions and alarm timers—are inherited by a child process.

[Exercise continues on the next slide]



man7.org

Exercises

Write a program ([template: `procexec/ex.inherit_alarm.c`]) that performs the following steps in order to determine if a child process inherits signal dispositions and alarm timers from the parent:

- Establishes a `SIGALRM` handler that prints the process's PID.
- Starts an alarm timer that expires after two seconds. Do this using the call `alarm(2)`. When the timer expires, it will notify by sending a `SIGALRM` signal to the process.
- Creates a child process using `fork()`.
- After the `fork()`, the child fetches the disposition of the `SIGALRM` signal (`sigaction()`) and tests whether the `sa_handler` field in the returned structure is the address of the signal handler
- Both processes then loop 5 times, sleeping for half a second (use `usleep()`) and displaying the process PID. Which of the processes receives a `SIGALRM` signal?



man7.org

Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Terminating a process

A process can terminate itself using two APIs:

- *_exit(2)* (system call)
- *exit(3)* (library function)

Terminating a process with `_exit(2)`

```
#include <unistd.h>
void _exit(int status);
```

`_exit()` terminates the calling process

- AKA **normal termination**
 - **abnormal termination** == killed by a signal

(In truth: on Linux, `_exit()` is a wrapper for Linux-specific `exit_group(2)`, which terminates all threads in a process)



man7.org

Process exit status

```
#include <unistd.h>
void _exit(int status);
```

- Least significant 8 bits of *status* define **exit status**
 - Remaining bits ignored
 - 0 == success
 - nonzero == failure
- POSIX specifies two constants:

```
#define EXIT_SUCCESS 0
#define EXIT_FAILURE 1
```



man7.org

Terminating a process with `exit(3)`

- Most programs employ `exit(3)`, rather than `_exit(2)`

```
#include <stdlib.h>
void exit(int status);
```

- The `exit(3)` library function:
 - Calls exit handlers registered by process (TLPI §25.3)
 - Exit handler == callback function automatically called at normal process termination
 - `atexit(3)`, `on_exit(3)`
 - Flushes `stdio` buffers
 - Calls: `_exit(status)`
 - (If we call `_exit()` directly, then exit handlers are **not** called and `stdio` buffers are **not** flushed)
- `return n` inside `main()` is equivalent to `exit(n)`



man7.org

Process teardown

As part of process termination (normal or abnormal), the kernel performs various clean-ups:

- All open **file descriptors** are closed
 - Associated **file locks** are released
- Open **POSIX IPC objects** are closed (message queues, semaphores, shared memory)
- **Memory mappings** are unmapped
- **Memory locks** are removed
- **System V shared memory segments** are detached
- And more...



man7.org

[TLPI §25.2]

Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The <i>SIGCHLD</i> signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Overview

- Parent processes can use the “wait” family of APIs to monitor state change events in child processes:
 - Termination
 - Stop (because of a signal)
 - Continue (after *SIGCONT* signal)
- Parent can obtain various info about state changes:
 - Exit status of process
 - What signal stopped or killed process
 - Whether process produced a core dump before terminating
- For historical reasons, there are multiple “wait” functions



Waiting for children with `waitpid()`

```
#include <sys/wait.h>
pid_t waitpid(pid_t pid, int *wstatus, int options);
```

- `waitpid()` waits for a child process to change state
 - No child has changed state \Rightarrow call blocks
 - Child has already changed state \Rightarrow call returns immediately
- `wstatus` argument returns **wait status** value that describes child state transition
 - `wstatus` can be `NULL`, if we don't need this info
 - (More details later)
- Return value:
 - On success: PID of child whose status is being reported
 - On error, `-1`
 - No more children? \Rightarrow `errno` set to `ECHILD`



man7.org

[TLPI §26.1.2]

Waiting for children with `waitpid()`

```
#include <sys/wait.h>
pid_t waitpid(pid_t pid, int *wstatus, int options);
```

`pid` specifies which child(ren) to wait for:

- `pid == -1`: **any** child of caller
- `pid > 0`: child whose **PID** equals `pid`
- (plus other possibilities, as documented in manual page)



man7.org

Waiting for children with `waitpid()`

```
#include <sys/wait.h>
pid_t waitpid(pid_t pid, int *wstatus, int options);
```

- By default, `waitpid()` reports only **terminated** children
- The `options` bit mask can specify additional state changes to report:
 - `WUNTRACED`: report **stopped** children
 - `WCONTINUED`: report stopped children that have **continued**
- Specifying `WNOHANG` in `options` causes **nonblocking** wait
 - If no children have changed state, `waitpid()` returns immediately, with return value of 0



`waitpid()` example

Wait for all children to terminate, and report their PIDs:

```
for (;;) {
    childPid = waitpid(-1, NULL, 0);
    if (childPid == -1) {
        if (errno == ECHILD) {
            printf("No more children!\n");
            break;
        } else {
            /* Unexpected error */
            errExit("waitpid");
        }
    }

    printf("waitpid() returned PID %ld\n", (long) childPid);
}
```




The wait status value

- *wstatus* distinguishes 4 types of event:
 - Child **terminated via `_exit()`**, specifying an *exit status*
 - Child was **killed by a signal**
 - Child was **stopped by a signal**
 - Child was **continued by a signal**



The wait status value

16 lowest bits of *wstatus* returned by *waitpid()* encode status in such a way that the 4 cases can be distinguished:



(Encoding is an implementation detail we don't really need to care about)



Dissecting the wait status

- `<sys/wait.h>` defines macros for dissecting a wait status
- Only one of the headline macros in this list will return true:
 - ① `WIFEXITED(wstatus)`: true if child exited normally
 - `WEXITSTATUS(wstatus)` returns exit status of child
 - ② `WIFSIGNALED(wstatus)`: true if child was killed by signal
 - `WTERMSIG(wstatus)` returns number of killing signal
 - `WCOREDUMP(wstatus)` returns true if child dumped core
 - ③ `WIFSTOPPED(wstatus)`: true if child was stopped by signal
 - `WSTOPSIG(wstatus)` returns number of stopping signal
 - ④ `WIFCONTINUED(wstatus)`: true if child was resumed by `SIGCONT`
- The subordinate macros may be used only if the corresponding headline macro tests true



man7.org

Example: `procexec/print_wait_status.c`

Display wait status value in human-readable form

```
void printWaitStatus(const char *msg, int status) {
    if (msg != NULL)
        printf("%s", msg);

    if (WIFEXITED(status)) {
        printf("child exited, status=%d\n", WEXITSTATUS(status));
    }
    else if (WIFSIGNALED(status)) {
        printf("child killed by signal %d (%s)",
              WTERMSIG(status), strsignal(WTERMSIG(status)));
        if (WCOREDUMP(status))
            printf(" (core dumped)");
        printf("\n");
    }
    else if (WIFSTOPPED(status)) {
        printf("child stopped by signal %d (%s)\n",
              WSTOPSIG(status), strsignal(WSTOPSIG(status)));
    }
    else if (WIFCONTINUED(status))
        printf("child continued\n");
}
```



man7.org

An older wait API: *wait()*

```
#include <sys/wait.h>
pid_t wait(int *wstatus);
```

- The original “wait” API
- `wait(&wstatus) == waitpid(-1, &wstatus, 0)`
- Still commonly used to handle the simple, common case:
wait for any child to terminate



An newer wait API: *waitid()*

```
#include <sys/wait.h>
int waitid(idtype_t idtype, id_t id, siginfo_t *infop, int options);
```

- Similar to *waitpid()*, but provides additional functionality, including:
 - Independently choose which events (termination / stopped / continued) to wait on
 - *waitpid()* always waits for at least termination events
 - Wait via PID file descriptor



Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Orphans

- An **orphan** is a process that lives longer than its parent
- Orphaned processes are **adopted by *init***
- ***init* waits for its adopted children** when they terminate
- After orphan is adopted, *getppid()* returns PID of *init*
 - Conventionally, *init* has PID 1
- On systems where the *init* system is *systemd*, then, depending on the configuration, things are different:
 - A helper process (PID != 1) becomes parent of orphaned children
 - When run with the *--user* option, *systemd* organizes all processes in the user's session into a subtree with such a subreaper
 - See discussion of `PR_SET_CHILD_SUBREAPER` in *prctl(2)*



Zombies

- Suppose a **child terminates before parent waits** for it
- Parent must still be able to collect status later
- \Rightarrow Child becomes a **zombie**:
 - Most process resources are recycled
 - A process slot is retained
 - PID, status, and resource usage statistics
- Zombie is removed when parent does a “wait”



[TLPI §26.2]

Creating a zombie: procexec/zombie.c

Usage: `zombie [num-zombies [sleep-secs]]`

```
1 int main(int argc, char *argv[]) {
2     int nzombies = (argc > 1) ? atoi(argv[1]) : 1;
3     int sleepSecs = (argc > 2) ? atoi(argv[2]) : 0;
4     printf("Parent (PID %ld)\n", (long) getpid());
5
6     for (int j = 0; j < nzombies; j++) {
7         switch (fork()) {
8             case -1:
9                 errExit("fork-%d", j);
10            case 0: /* Child: exits to become zombie */
11                if (sleepSecs > 0) {
12                    printf("Child (PID %ld) sleeping\n", (long) getpid());
13                    sleep(sleepSecs);
14                }
15                printf("Child (PID %ld) exiting\n", (long) getpid());
16                exit(EXIT_SUCCESS);
17            default: /* Parent continues in loop */
18                break;
19        }
20    }
21    sleep(3600); /* Children are zombies during this time */
22    while (wait(NULL) > 0) /* Reap zombie children */
23        continue;
24    exit(EXIT_SUCCESS);
25 }
```



Creating a zombie: procexec/zombie.c

```
1 $ ./zombie &
2 [1] 23425
3 Parent (PID 23425)
4 Child (PID 23427) exiting
5 $ ps -C zombie
6   PID TTY          TIME CMD
7 23425 pts/1        00:00:00 zombie
8 23427 pts/1        00:00:00 zombie <defunct>
9 $ kill -KILL 23427
10 $ ps -C zombie
11  PID TTY          TIME CMD
12 23425 pts/1        00:00:00 zombie
13 23427 pts/1        00:00:00 zombie <defunct>
```

- **Zombies can't be killed** by signals!
 - (Since parent must still be able to “wait”)
 - Even silver bullets (**SIGKILL**) don't work



Reap your zombies

- **Zombie may live for ever**, if parent fails to “wait” on it
 - Or until parent is killed, so zombie is adopted by *init*
- **Long-lived processes that create children must ensure that zombies are “reaped”** (“waited” for)
 - Shells, network servers, ...



Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

API summary

```
pid_t fork(void);                // Create a child process; returns
                                   // PID of child in parent, and 0 in child

void _exit(int status);          // Terminate process
void exit(int status);           // Call exit handlers, flush stdio, and
                                   // terminate process

// Wait for (and return PID of) a child process:
pid_t waitpid(pid_t pid, int *wstatus, int options);
pid_t wait(int *wstatus);

// Setting up handler for SIGCHLD:
struct sigaction sa;
sa.sa_handler = func;             // Address of signal handler
sa.sa_flags = 0;                 // Or possibly SA_RESTART
sigemptyset(&sa.sa_mask);        // Assuming we don't need to block any other
                                   // signals while handler runs
sigaction(SIGCHLD, &sa, NULL);
```




Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The <i>SIGCHLD</i> signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Exercises

- 1 Suppose that we have three processes related as grandparent (A), parent (B), and child (C), and that the parent exits after a few seconds, but the grandparent does **not** immediately perform a *wait()* after the parent exits, with the result that the parent becomes a zombie, as in the following diagram.



Exercises

When do you expect the child (C) to be adopted by *init* (so that *getppid()* in the child returns 1): after the parent (B) terminates or after the grandparent (A) does a *wait()*? In other words, is the child adopted at point 1 or point 2 in the diagram? Write a program, [(minimal) template: `procexec/ex.zombie_parent.c`], to verify the answer.

Note the following points:

- For a reminder of the usage of *fork()*, see slide 6-9.
- You will need to use *sleep()* in various parts of the program:
 - The child (C) could loop 10 times, displaying the value returned by *getppid()* and sleeping for 1 second on each loop iteration.
 - The parent (B) sleeps for 3 seconds before terminating.
 - The grandparent (A) sleeps for 6 seconds before calling *waitpid()* on the PID of the parent (B).
- Depending on your distribution (e.g., if you have a *systemd*-based system where the *--user* flag is employed), you may find that the orphaned child is reparented to a process other than PID 1. Find out what program is running in that process, by using the command *ps <pid>*.



Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

The SIGCHLD signal

- **SIGCHLD** is generated for a parent when a child terminates
- Ignored by default
- Catching **SIGCHLD** allows us to be asynchronously notified of child's termination
 - Can be more convenient than synchronous or nonblocking `waitpid()` calls
- Within **SIGCHLD** handler, we “wait” to reap zombie child



man7.org

[TLPI §26.3]

A SIGCHLD handler

```
void grimReaper(int sig) {
    int savedErrno = errno;
    while (waitpid(-1, NULL, WNOHANG) > 0)
        continue;
    errno = savedErrno;
}
```

- Each `waitpid()` call reaps one terminated child
- **while** loop handles possibility that multiple children terminated while **SIGCHLD** was blocked
 - e.g., during earlier invocation of handler
- **WNOHANG**: don't block if there are no more terminated children
- Loop terminates when `waitpid()` returns:
 - 0, meaning no more *terminated* children
 - -1, probably with `errno == ECHILD` (“no more children”)
- Save and restore `errno`, so that handler is reentrant



man7.org

SIGCHLD for stopped and continued children

- SIGCHLD is also generated when a child stops or continues
- To prevent this, specify SA_NOCLDSTOP in *sa_flags* when establishing SIGCHLD handler with *sigaction()*



[TLPI §26.3.2]

Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Homework exercises

- 1 Suppose that we have a main program that creates child processes and uses a `SIGCHLD` handler such as shown on slide 6-44 to reap the zombies as the child processes terminate. Suppose furthermore that the program makes use of a library which, for its own purposes, creates a child process whose status it later needs to be able to reap using `waitpid()`. What problem could the main program's signal handler cause for the library?



Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <code>fork()</code>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The <code>SIGCHLD</code> signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <code>execve()</code>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <code>exec()</code> library functions	6-61

Executing a new program

`execve()` loads a new program into calling process's memory

- Old program, stack, data, and heap are discarded
- After executing run-time start-up code, execution commences in new program's `main()`
- Various functions layered on top of `execve()`:
 - Provide variations on functionality of `execve()`
 - Collectively termed “`exec()`”
 - See `exec(3)` manual page



man7.org

[TLPI §27.1]

Executing a new program with `execve()`

```
#include <unistd.h>
int execve(const char *pathname, char *const argv[],
           char *const envp[]);
```

- `execve()` loads program at *pathname* into caller's memory
- *pathname* is an absolute or relative pathname



man7.org

Executing a new program with `execve()`

```
#include <unistd.h>
int execve(const char *pathname, char *const argv[],
           char *const envp[]);
```

- `argv` specifies command-line arguments for new program
 - Defines `argv` argument for `main()` in new program
 - `NULL`-terminated array of pointers to strings
- `argv[0]` is command name
 - Typically, same as (basename part of) `pathname`
 - Program can vary its behavior, depending on value of `argv[0]` (e.g., `busybox`)
 - See example programs
 - `procexec/launch_shell.c` (“-” in `argv[0][0]` when execing a shell triggers “login shell” behavior)
 - `procexec/execve_argv_expt.c`



Executing a new program with `execve()`

```
#include <unistd.h>
int execve(const char *pathname, char *const argv[],
           char *const envp[]);
```

- `envp` specifies environment list for new program
 - Defines `environ` in new program
 - `NULL`-terminated array of pointers to strings



Executing a new program with `execve()`

```
#include <unistd.h>
int execve(const char *pathname, char *const argv[],
           char *const envp[]);
```

- Successful `execve()` does not return
- If `execve()` returns, it failed; no need to check return value:

```
execve(pathname, argv, envp);
perror("execve");
exit(EXIT_FAILURE);
```



Example: `procexec/exec_status.c`

```
./exec_status command [args...]
```

- Create a child process
- Child executes *command* with supplied command-line arguments
- Parent waits for child to terminate, and reports wait status



Example: procexec/exec_status.c

```
1 extern char **environ;
2 int main(int argc, char *argv[]) {
3     pid_t childPid, wpid;
4     int wstatus;
5     ...
6     switch (childPid = fork()) {
7         case -1: errExit("fork");
8
9         case 0: /* Child */
10            printf("PID of child: %ld\n", (long) getpid());
11            char **nextArgv = &argv[1]; // argv for next program
12            char *progName = nextArgv[0];
13            execve(progName, nextArgv, environ);
14            errExit("execve");
15
16        default: /* Parent */
17            wpid = waitpid(childPid, &wstatus, 0);
18            if (wpid == -1) errExit("waitpid");
19            printf("Wait returned PID %ld\n", (long) wpid);
20            printWaitStatus(" ", wstatus);
21        }
22        exit(EXIT_SUCCESS);
23    }
```



man7.org

Example: procexec/exec_status.c

```
1 $ ./exec_status /bin/date
2 PID of child: 4703
3 Thu Oct 24 13:48:44 NZDT 2013
4 Wait returned PID 4703
5 child exited, status=0
6 $ ./exec_status /bin/sleep 60 &
7 [1] 4771
8 PID of child: 4773
9 $ kill 4773
10 Wait returned PID 4773
11 child killed by signal 15 (Terminated)
12 [1]+ Done ./exec_status /bin/sleep 60
```



man7.org

Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The <i>SIGCHLD</i> signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

Exercises

- 1 Write a simple shell program. The program should loop, continuously reading shell commands from standard input. Each input line consists of a set of white-space delimited words that are a command and its arguments. Each command should be executed in a new child process (*fork()*) using *execve()*. The parent process (the “shell”) should wait on each child and display its wait status (you can use the supplied *printWaitStatus()* function). [template: [procexec/ex.simple_shell.c](#)]

Some hints:

- The space-delimited words in the input line need to be broken down into a set of null-terminated strings pointed to by an *argv*-style array, and that array must end with a *NULL* pointer. The *strtok(3)* library function simplifies this task. (This task is already performed by code in the template.)
- Because *execve()* is used, you will need to type the full pathname when entering commands to your shell

As a first test of you shell, try executing the following program (which is in the same directory):

```
./show_argv a b c
```



Fun facts: the source code of *bash* is around 180k lines (*dash* is around 20k lines)

Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <code>fork()</code>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The <code>SIGCHLD</code> signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <code>execve()</code>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <code>exec()</code> library functions	6-61

Homework exercises

- 1 Write a program, ([[template: procexec/ex.exec_self_pid.c](#)]) that verifies that an `exec` does not create a new process (i.e., does not change a process's PID).
 - The program should perform the following steps:
 - Print the process's PID.
 - If `argc` is 2, the program exits.
 - Otherwise, the program uses `execl()` to re-execute itself with an additional command-line argument (any string), so that `argc` will be 2.
 - Test the program by running it with no arguments (i.e., `argc` is 1).
- 2 Write a program ([[template: procexec/ex.make_link.c](#)]) that takes 2 arguments:

```
make_link target linkpath
```

If invoked with the name `slink`, it creates a symbolic link (`symlink()`) using these pathnames, otherwise it creates a hard link (`link()`). After compiling, create two hard links to the executable, with the names `hlink` and `slink`. Verify that when run with the name `hlink`, the program creates hard links, while when run with the name `slink`, it creates symbolic links.

Hint:

- You will find the `basename()` and `strcmp()` functions useful when inspecting the program name in `argv[0]`.



Outline

6	Process Lifecycle	6-1
6.1	Introduction	6-3
6.2	Creating a new process: <i>fork()</i>	6-6
6.3	Exercises	6-10
6.4	Process termination	6-13
6.5	Monitoring child processes	6-19
6.6	Orphans and zombies	6-31
6.7	API summary	6-37
6.8	Exercises	6-39
6.9	The SIGCHLD signal	6-42
6.10	Homework exercises	6-46
6.11	Executing programs: <i>execve()</i>	6-48
6.12	Exercises	6-57
6.13	Homework exercises	6-59
6.14	The <i>exec()</i> library functions	6-61

The *exec()* library functions

```
#include <unistd.h>
int execl(const char *pathname, const char *arg, ...
          /* , (char *) NULL, char *const envp[] */ );
int execlp(const char *filename, const char *arg, ...
          /* , (char *) NULL */);
int execvp(const char *filename, char *const argv[]);
int execv(const char *pathname, char *const argv[]);
int execl(const char *pathname, const char *arg, ...
          /* , (char *) NULL */);
int execvpe(const char *filename, const *char argv[],
            char *const envp[]);
```

- Variations on theme of *execve()*
- Like *execve()*, the *exec()* functions return only if they fail
- *execvpe()* is Linux-specific (define `_GNU_SOURCE`)



The `exec()` library functions

Vary theme of `execve()` with 2 choices in each of 3 dimensions:

- How are command-line arguments of new program specified?
- How is the executable specified?
- How is environment of new program specified?

Final letters in name of each function indicate behavior

Function	Specification of arguments (v, l)	Specification of executable file (-, p)	Source of environment (e, -)
<code>execve()</code>	array	pathname	<i>envp</i> argument
<code>execl()</code>	list	pathname	<i>envp</i> argument
<code>execlp()</code>	list	filename + PATH	caller's <i>environ</i>
<code>execvp()</code>	array	filename + PATH	caller's <i>environ</i>
<code>execv()</code>	array	pathname	caller's <i>environ</i>
<code>execl()</code>	list	pathname	caller's <i>environ</i>
<code>execvpe()</code>	array	filename + PATH	<i>envp</i> argument



This page intentionally blank

System Call Tracing with *strace*

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

7	System Call Tracing with <i>strace</i>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <i>strace</i> output	7-17
7.5	System call tampering	7-23
7.6	Further <i>strace</i> options	7-29

Outline

7	System Call Tracing with <i>strace</i>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <i>strace</i> output	7-17
7.5	System call tampering	7-23
7.6	Further <i>strace</i> options	7-29

strace(1)

- A tool to trace system calls made by a user-space process
 - Implemented via *ptrace(2)*
 - <https://strace.io/>
- Or: a debugging tool for tracing **complete conversation between application and kernel**
 - Application source code is not required
- Answer questions like:
 - What system calls are employed by application?
 - Which files does application touch?
 - What arguments are being passed to each system call?
 - Which system calls are failing, and why (*errno*)?
- See also the loosely related *ltrace(1)* command
 - Trace function calls in shared libraries (e.g., libc)



strace(1)

- Trace information is provided in **symbolic form**
 - **System call names** are shown
 - We see **signal names** (not numbers)
 - **Strings** printed as characters (up to 32 bytes, by default)
 - **Bit-mask arguments displayed symbolically**, using corresponding bit flag names ORed together
 - **Structures** displayed with **labeled fields**
 - “Large” arguments are abbreviated by default
 - Use `strace -v` (verbose) to see unabbreviated arguments



man7.org

strace(1)

```
fstat(3, {st_dev=makedev(0x8, 0x5), st_ino=407279,
st_mode=S_IFREG|0755, st_nlink=1, st_uid=0, st_gid=0,
st_blksize=4096, st_blocks=80, st_size=36960, st_atime=1625615479
/* 2021-07-07T01:51:19.795021222+0200 */ , st_atime_nsec=795021222,
st_mtime=1613345143 /* 2021-02-15T00:25:43+0100 */ , st_mtime_nsec=0,
st_ctime=1616161103 /* 2021-03-19T14:38:23.816838407+0100 */ ,
st_ctime_nsec=816838407}) = 0

open("/lib64/liblzma.so.5", O_RDONLY|O_CLOEXEC) = 3

access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or
directory)
```

For each system call, we see:

- Name of system call
- Values passed in/returned via arguments
- System call return value
- Symbolic *errno* value (+ explanatory text) on syscall failures



man7.org

Simple usage: tracing a command at the command line

- A very simple C program:

```
int main(int argc, char *argv[]) {
#define STR "Hello world\n"
    write(STDOUT_FILENO, STR, strlen(STR));
    exit(EXIT_SUCCESS);
}
```

- Run *strace(1)*, directing logging output (*-o*) to a file:

```
$ strace -o strace.log ./hello_world
Hello world
```

- (By default, trace output goes to standard error)
-  On some systems, may first need to ensure *ptrace_scope* file has value 0 or 1:

```
$ sudo sh -c 'echo 0 > /proc/sys/kernel/yama/ptrace_scope'
```

- Yama LSM disables *ptrace(2)* to prevent attack escalation; see *ptrace(2)* manual page



Simple usage: tracing a command at the command line

```
$ cat strace.log
execve("./hello_world", [ "./hello_world" ], [ /* 110 vars */ ]) = 0
...
access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
open("/etc/ld.so.cache", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=160311, ...}) = 0
mmap(NULL, 160311, PROT_READ, MAP_PRIVATE, 3, 0) = 0x7fa5ecfc0000
close(3) = 0
open("/lib64/libc.so.6", O_RDONLY|O_CLOEXEC) = 3
...
write(1, "Hello world\n", 12) = 12
exit_group(0) = ?
+++ exited with 0 +++
```

- Even simple programs make lots of system calls!
 - 25 in this case (many have been edited from above output)
- Most output in this trace relates to finding and loading shared libraries
 - First call (*execve()*) was used by shell to load our program
 - Only last two system calls were made by our program



A gotcha...

- The last call in our program was:

```
exit(EXIT_SUCCESS);
```

- But *strace* showed us:

```
exit_group(0) = ?
```

- Some detective work:

- We “know” *exit(3)* is a library function that calls *_exit(2)*
- But where did *exit_group()* come from?
- *_exit(2)* manual page tells us:

```
$ man 2 _exit
...
C library/kernel differences
In glibc up to version 2.3, the _exit() wrapper function
invoked the kernel system call of the same name. Since
glibc 2.3, the wrapper function invokes exit_group(2),
in order to terminate all of the threads in a process.
```



man7.org

- ⇒ may need to dig deeper to understand *strace(1)* output

Tracing live processes

- *-p PID*: **trace running process** with specified PID
 - Type *Control-C* to cease tracing
 - To **trace multiple processes**, specify *-p* multiple times
 - Can trace only processes you own
 - (And a process can have only one tracer)
 - ⚠️⚠️ tracing a process can **heavily affect performance**
 - E.g., up to two orders of magnitude slow-down in syscalls
 - ⚠️ Think twice before using in a production environment
- *-p PID -f*: will **trace all threads** in specified process



man7.org

Outline

7	System Call Tracing with <i>strace</i>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <i>strace</i> output	7-17
7.5	System call tampering	7-23
7.6	Further <i>strace</i> options	7-29

Tracing child processes

- By default, *strace* does not trace children of traced process
- *-f* option causes children to be traced
 - Each trace line is prefixed by PID
 - In a program that employs POSIX threads, each line shows kernel thread ID (*gettid()*)



Tracing child processes: strace/fork_exec.c

```
1 int main(int argc, char *argv[]) {
2     pid_t childPid;
3     char *newEnv[] = {"ONE=1", "TWO=2", NULL};
4
5     printf("PID of parent: %ld\n", (long) getpid());
6     childPid = fork();
7     if (childPid == 0) {          /* Child */
8         printf("PID of child:  %ld\n", (long) getpid());
9         if (argc > 1) {
10            execve(argv[1], &argv[1], newEnv);
11            errExit("execve");
12        }
13        exit(EXIT_SUCCESS);
14    }
15    wait(NULL);                  /* Parent waits for child */
16    exit(EXIT_SUCCESS);
17 }
```

```
$ strace -f -o strace.log ./fork_exec
PID of parent: 1939
PID of child:  1940
```



man7.org

Tracing child processes: strace/fork_exec.c

```
$ cat strace.log
1939 execve("./fork_exec", [ "./fork_exec" ], [ /* 110 vars */ ]) = 0
...
1939 clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
  child_tidptr=0x7fe484b2ea10) = 1940
1939 wait4(-1, <unfinished ...>
1940 write(1, "PID of child:  1940\n", 21) = 21
1940 exit_group(0) = ?
1940 +++ exited with 0 +++
1939 <... wait4 resumed> NULL, 0, NULL) = 1940
1939 --- SIGCHLD {si_signo=SIGCHLD, si_code=CLD_EXITED, si_pid=1940,
  si_uid=1000, si_status=0, si_utime=0, si_stime=0} ---
1939 exit_group(0) = ?
1939 +++ exited with 0 +++
```

- Each line of trace output is prefixed with corresponding PID
- Inside glibc, *fork()* is actually a wrapper that calls *clone(2)*
- *wait()* is a wrapper that calls *wait4(2)*
- We see two lines of output for *wait4()* because call blocks and then resumes
- *strace* shows us that parent received a **SIGCHLD** signal



man7.org

Outline

7	System Call Tracing with <i>strace</i>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <i>strace</i> output	7-17
7.5	System call tampering	7-23
7.6	Further <i>strace</i> options	7-29

Exercises

- 1 Try using *strace* to trace the execution of a program of your choice.
- 2 Some amusements (may require the value 0 in `/proc/sys/kernel/yama/ptrace_scope`):
 - `strace -p $$`
 - `strace strace -p $$`



Outline

7	System Call Tracing with <i>strace</i>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <i>strace</i> output	7-17
7.5	System call tampering	7-23
7.6	Further <i>strace</i> options	7-29

Selecting system calls to be traced

- *strace -e* can be used to select system calls to be traced
- *-e trace=<syscall>[,<syscall>...]*
 - Specify system call(s) that should be traced
 - Other system calls are ignored

```
$ strace -o strace.log -e trace=open,close ls
```

- *-e trace=!<syscall>[,<syscall>...]*
 - **Exclude** specified system call(s) from tracing
 - Some applications do bizarre things (e.g., calling *gettimeofday()* 1000s of times/sec.)
 - ⚠ “!” needs to be quoted to avoid shell interpretation
- *-e trace=/<regexp>*
 - Trace syscalls whose names match regular expression
 - April 2017; expression will probably need to be quoted...



Selecting system calls by category

- `-e trace=<syscall-category>` trace a category of syscalls
- Categories include:
 - `%file`: trace all syscalls that take a filename as argument
 - `open()`, `stat()`, `truncate()`, `chmod()`, `setxattr()`, `link()`...
 - `%desc`: trace file-descriptor-related syscalls
 - `read()`, `write()`, `open()`, `close()`, `fsetxattr()`, `poll()`, `select()`, `pipe()`, `fcntl()`, `epoll_create()`, `epoll_wait()`...
 - `%process`: trace process management syscalls
 - `fork()`, `clone()`, `exit_group()`, `execve()`, `wait4()`, `unshare()`...
 - `%network`: trace network-related syscalls
 - `socket()`, `bind()`, `listen()`, `connect()`, `sendmsg()`...
 - `%signal`: trace signal-related syscalls
 - `kill()`, `rt_sigaction()`, `rt_sigprocmask()`, `rt_sigqueueinfo()`...
 - `%memory`: trace memory-mapping-related syscalls
 - `mmap()`, `mprotect()`, `mlock()`...



man7.org

Filtering signals

- `strace -e signal=set`
 - Trace only specified set of signals
 - “sig” prefix in names is optional; following are equivalent:

```
$ strace -e signal=sigio,sigint ls > /dev/null
$ strace -e signal=io,int ls > /dev/null
```
- `strace -e signal=!set`
 - Exclude specified signals from tracing



man7.org

Filtering by pathname

- `strace -P pathname`: trace only system calls that access file at `pathname`
 - Specify multiple `-P` options to trace multiple paths
- Example:

```
$ strace -o strace.log -P /lib64/libc.so.6 ls > /dev/null
Requested path '/lib64/libc.so.6' resolved into '/usr/lib64/libc-2.18.so'
$ cat strace.log
open("/lib64/libc.so.6", O_RDONLY|O_CLOEXEC) = 3
read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0p\36\2\0\0\0\0\0"...
, 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=2093096, ...}) = 0
mmap(NULL, 3920480, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
 3, 0) = 0x7f8511fa3000
mmap(0x7f8512356000, 24576, PROT_READ|PROT_WRITE,
  MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1b3000) = 0x7f8512356000
close(3) = 0
+++ exited with 0 +++
```

- `strace` noticed that the specified file was opened on FD 3, and also traced operations on that FD



man7.org

Mapping file descriptors to pathnames

- `-y` option causes `strace` to display pathnames corresponding to each file descriptor
 - Useful info is also displayed for other types of file descriptors, such as pipes and sockets

```
$ strace -y cat greet
...
opent(AT_FDCWD, "greet", O_RDONLY) = 3</home/mtk/greet>
fstat(3</home/mtk/greet>, {st_mode=S_IFREG|0644, ...
read(3</home/mtk/greet>, "hello world\n", 131072) = 12
write(1</dev/pts/11>, "hello world\n", 12) = 12
read(3</home/mtk/greet>, "", 131072) = 0
close(3</home/mtk/greet>) = 0
...
```

- `-yy` is as for `-y` but shows additional protocol-specific info for sockets

```
write(3<TCP: [10.0.20.135:33522->213.131.240.174:80]>,
"GET / HTTP/1.1\r\nUser-Agent: Wget"... , 135) = 135
read(3<TCP: [10.0.20.135:33522->213.131.240.174:80]>,
"HTTP/1.1 200 OK\r\nDate: Thu, 19 J"... , 253) = 253
```



man7.org

Outline

7	System Call Tracing with <i>strace</i>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <i>strace</i> output	7-17
7.5	System call tampering	7-23
7.6	Further <i>strace</i> options	7-29

System call tampering

- *strace* can be used to **modify** behavior of selected syscall(s)
 - Initial feature implementation completed in early 2017
- Various possible effects:
 - Inject delay before/after syscall
 - Generate a signal on syscall
 - Bypass execution of syscall, making it return a “success” value or fail with specified value in *errno* (error injection)
 - (Limited) ability to choose which invocation of syscall will be modified



strace -e inject options

- Syntax: `strace -e inject=<syscall-set>[:<option>]...`
 - *syscall-set* is set of syscalls whose behavior will be modified
- `:error=errnum`: syscall is not executed; returns failure status with *errno* set as specified
- `:retval=value`: syscall is not executed; returns specified “success” value
 - Can't specify both `:retval` and `:error` together



strace -e inject options

- `:signal=sig`: deliver specified signal on entry to syscall
- `:delay_enter=usecs, :delay_exit=usecs`: delay for *usecs* microseconds on entry to/return from syscall
- `:when=expr`: specify which invocation(s) to tamper with
 - `:when=N`: tamper with invocation *N*
 - `:when=N+`: tamper starting at *N*th invocation
 - `:when=N+S`: tamper with invocation *N*, and then every *S* invocations
 - Range of *N* and *S* is 1..65535



Example

```
$ strace -y -e close -e inject=close:error=22:when=3 /bin/ls > d
close(3</etc/ld.so.cache>) = 0
close(3</usr/lib64/libselinux.so.1>) = 0
close(3</usr/lib64/libcap.so.2.25>) = -1 EINVAL (Invalid argument) (INJECTED)
close(3</usr/lib64/libcap.so.2.25>) = 0
/bin/ls: error while loading shared libraries: libcap.so.2:
cannot close file descriptor: Invalid argument
+++ exited with 127 +++
```

- Use `-y` to show pathnames corresponding to file descriptors
- Inject error 22 (`EINVAL`) on third call to `close()`
- Third `close()` was not executed; an error return was injected
 - (After that, `ls` got sad)



Using system call tampering for error injection

- Success-injection example: make `unlinkat()` succeed, without deleting temporary file that would have been deleted
- Error-injection use case: quick and simple black-box testing
 - Does application fail gracefully when encountering unexpected error?
- But there are alternatives for black-box testing:
 - Preloaded library with interposing wrapper function that spoofs a failure (without calling “real” function)
 - Can be more flexible
 - But can’t be used with set-UID/set-GID programs
 - Seccomp (secure computing)
 - Generalized facility to block execution of system calls based on system call number and argument values
 - More powerful, but can’t, for example cause Nth call to fail



Outline

7	System Call Tracing with <i>strace</i>	7-1
7.1	Getting started	7-3
7.2	Tracing child processes	7-11
7.3	Exercises	7-15
7.4	Filtering <i>strace</i> output	7-17
7.5	System call tampering	7-23
7.6	Further <i>strace</i> options	7-29

Obtaining a system call summary

- *strace -c* counts time, calls, and errors for each system call and reports a summary on program exit

```
$ strace -c who > /dev/null
```

% time	seconds	usecs/call	calls	errors	syscall
21.77	0.000648	9	72		alarm
14.42	0.000429	9	48		rt_sigaction
13.34	0.000397	8	48		fcntl
8.84	0.000263	5	48		read
7.29	0.000217	13	17	2	kill
6.79	0.000202	6	33	1	stat
5.41	0.000161	5	31		mmap
4.44	0.000132	4	31	6	open
2.89	0.000086	3	29		close
...					
100.00	0.002976		442	13	total

- Treat time measurements as indicative only, since *strace* adds overhead to each syscall



Further *strace* options

- *-k*: print a stack trace after each traced syscall
- *sudo strace -u <username> prog*: run program with UID and GIDs of specified user
 - Useful when tracing privileged programs, such as *set-UID-root* programs
 - Normally, privileged programs are **not** run with privilege when executed under *strace*



Further *strace* options

- *-v*: don't abbreviate arguments (structures, etc.)
 - Output can be quite verbose...
- *-s strsize*: maximum number of bytes to display for strings
 - Default is 32 characters
 - Pathnames are always printed in full
- Various options show start time or duration of system calls
 - *-t*, *-tt*: prefix each trace line with wall-clock time
 - *-tt* also adds microseconds
 - *-T*: show time spent in syscall
 - But treat as indications only, since *strace* causes overhead on syscalls



Wrapup

Michael Kerrisk, man7.org © 2026

mtk@man7.org

January 2026

Outline

Rev: # dda562647cb5

8	Wrapup	8-1
8.1	Wrapup	8-3

Outline

8	Wrapup	8-1
8.1	Wrapup	8-3

Course materials

- I'm the (sole) producer of the course book and example programs
- Course materials are continuously revised
- Send corrections and suggestions for improvements to mtk@man7.org




Marketing

- Independent trainer, consultant, and writer
 - Author of *The Linux Programming Interface*
- Reputation / word-of-mouth are important for my business...
- Let people know about these courses!
 - Linux/UNIX system programming
 - Linux security and isolation APIs
 - Namespaces, cgroups, seccomp, and capabilities
 - System programming for Linux containers
 - Building and using shared libraries
 - Linux/UNIX network programming
 - TCP/IP fundamentals
 - Subsets/combinations of the above; **see next slide**
 - Further courses to be announced: <http://man7.org/training/>



Course overview (see <https://man7.org/training>)



Thanks!

mtk@man7.org @mkerrisk linkedin.com/in/mkerrisk

PGP fingerprint: 4096R/3A35CE5E

<http://man7.org/training/>

This page intentionally blank