

Round Aluminum Tube

6063-T5 x 24' (Unless noted otherwise)



Stock Code	Size in Inches (Size x Wall)	Approx. Wt/Lin ft.
17-63-100	.75 x .065 (.620 ID) (6063 T52)	0.172
17-63-110	.875 x .062 (.751 ID) (6060 T6 - Furniture Grade)	0.190
17-63-105	1 x .062 (.880 ID) x 20' (6060 T6 - Furniture Grade)	0.229
17-63-115FG	1 x .062 (.880 ID) (6060 T6 - Furniture Grade)	0.229
17-63-120	1 x .125 (.750 ID)	0.404
52-61-3868	1 x .250 (.500 ID) x 20' (6005A-T61)	0.707
17-63-132	1.250 x .062 (1.126 ID)	0.278
52-63-1272	1.250 x .062 (1.126 ID) (6060 T6 - Furniture Grade)	0.278
17-63-130	1.250 x .090 (1.070 ID)	0.385
17-63-134	1.250 x .125 x 16' (1.000 ID) (6063-T52)	0.530
17-63-133	1.250 x .125 x 20' (1.000 ID) (6063-T52)	0.530
17-63-116	1.500 x .065 (1.370 ID)	0.351
17-63-117	1.500 x .090 (1.320 ID)	0.478
17-61-195	1.500 x .093 (6061)	0.493
17-63-135	1.500 x .125 (1.250 ID)	0.648
17-61-200	1.500 x .125 (1.250 ID) (6061)	0.648
17-T4-135	1.500 x .125 (6063 T4)	0.648
17-63-136	1.500 x .125 x 20' (1.250 ID) (6063-T52)	0.648
17-63-138	1.500 x .125 x 30' (1.250 ID) (6063-T52)	0.648
52-63-9775	C-Insert x 12' - for 1.500 x .125 Tube (6063-T6)	0.347
17-61-203	1.500 x .250 x 24' (6061-T6)	1.178
17-61-205	1.750 x .125 (1.500 ID) (6061-T6)	0.750
17-63-140	2 x .050 (1.900 ID)	0.360
17-63-142	2 x .065 (1.870 ID)	0.474
17-63-141	2 x .125 (1.750 ID) (6063-T52)	0.883
17-61-210	2 x .125 (1.750 ID) (6061-T6)	0.883
17-DOT-100	2 x .125 x 12'	0.883
17-63-143	2 x .125 x 20' (1.750 ID) (6063-T52)	0.883
17-61-213	2 x .250 (1.500 ID) (6061-T6)	1.650
MILL ORDER	2.125 x .125 (6463-T67) 52-63-7798	0.942
MILL ORDER	2.150 x .125 (6463-T67) 52-63-8437	0.953
17-63-212	2.250 x .120 (2.000 ID) (6063-T52)	0.964
17-61-215	2.500 x .125 (2.250 ID) (6061-T6)	1.097
17-DOT-105	2.500 x .125 x 12' 6" (6061-T6)	1.097
17-DOT-104	2.500 x .125 x 13' 6" (6061-T6)	1.097
17-DOT-106	2.500 x .125 x 15' (6061-T6)	1.097
17-63-150	3 x .083 (2.834 ID)	0.895
17-63-155	3 x .125 (2.750 ID)	1.355
17-61-220	3 x .125 (2.750 ID) (6061-T6)	1.355
17-DOT-110	3 x .125 x 13' 6" (6061-T6)	1.355
17-DOT-111	3 x .125 x 15' (6061-T6)	1.355
17-DOT-113	3 x .125 x 17' (6061-T6)	1.355
17-DOT-112	3 x .125 x 20' (6061-T6)	1.355
52-61-3149	3 x .293 x 20' (2.415 ID) (6061-T6)	2.986
25-61-300	3 x .540 x 20' (1.920 ID) (6061-T6) Winder Tube	5.008
17-DOT-115	3.500 x .1875 x 15' (6061-T6)	2.300
17-DOT-117	3.500 x .1875 x 17' (6061-T6)	2.300
17-DOT-116	3.500 x .1875 x 20' (6061-T6)	2.300
17-63-160	4 x .125 (3.750 ID)	1.826
17-61-160	4 x .125 (3.750 ID) (6061-T6)	1.826
17-DOT-120	4 x .1875 x 17' (6061-T6)	2.647
17-DOT-121	4 x .1875 x 20' (6061-T6)	2.647
17-DOT-123	4 x .250 (6061-T6)	3.534
17-DOT-125	4 x .250 x 20' (6061-T6)	3.534
17-DOT-130	4.500 x .250 x 20' (6061-T6)	3.924
17-63-165	5 x .125 (4.750 ID)	2.251
52-61-2429	5 x .188 (6061-T6)	3.410
17-DOT-132	5 x .250 x 20' (6061-T6)	4.470

Round Aluminum Tube (continued)

Stock Code	Size in Inches (Size x Wall)	Approx. Wt/Lin ft.
17-63-170	6 x .125 (5.750 ID) x 20'	2.713
MILL ORDER	6 x .188 (5.624 ID) 52-61-3925	4.037
17-DOT-139	6 x .250 x 20' (6061-T6)	5.4197
17-DOT-140	6 x .250 (6061-T6)	5.4197
17-63-175	8 x .125 (7.750 ID) (6063-T6)	3.710
MILL ORDER	8 x .156 (7.688 ID) 52-63-6843	4.613

Marine Grade Mill Finish Round Tube x 12'

Stock Code	Size in Inches
52-64-3443	2-1/8 x 1/8 (6463-T52)
52-64-3444	2.15 x 1/8 (6463-T52)
52-64-9499	2-3/4 x .175 (6463-T66)

Drawn Tube (6063-T832 x 24')

52-00-004	1.125 x .042 x 16' (1.041 ID)	0.166
	<i>Mates with 17-63-12549 (Clear Anodized)</i>	
MILL ORDER	1.250 x .049 (1.152 ID)	0.217
17-63-12549 (MO)	<i>Mates with 52-00-004 (Clear Anodized)</i>	
MILL ORDER	1.375 x .049 (1.277 ID)	0.240
17-63-137549 (MO)	<i>Mates with 17-63-1549 (Clear Anodized)</i>	
MILL ORDER	1.500 x .049 (1.402 ID)	0.263
17-63-1549 (MO)	<i>Mates with 17-63-137549 (Clear Anodized)</i>	
MILL ORDER	1.875 x .049 (1.777 ID)	0.331
17-63-187549 (MO)	<i>Mates with 17-63-2049 (Clear Anodized)</i>	
MILL ORDER	2.000 x .049 (1.902 ID)	0.353
17-63-2049 (MO)	<i>Mates with 17-63-187549 (Clear Anodized)</i>	

Brite Dipped Drawn Tube

25-BD-460	.750 x .058 x 20'	54 pcs/box
25-BD-463	.875 x .058 x 16'	38 pcs/box
25-BD-465	.875 x .058 x 20'	38 pcs/box

Superbuff Stainless Steel

Tube x 24' 2" - **INCREASED INVENTORIES!**

316 Alloy - best for Saltwater applications

Stock Code	Size in Inches	Lgths./Box
25-316-100	7/8 x 16 GA (.062)	30
25-316-098 (NC)	7/8 x 18 GA (.049) - NEW!	**
25-316-105	1 x 16 GA (.062)	16
25-316-104 (NC)	1 x 18 GA (.049) - NEW!	**
25-316-110	1-1/4 x 16 GA (.062) - NEW!	**

304 Alloy

Stock Code	Size in Inches	Lgths./Box
25-304-100	7/8 x 16 GA (.062)	30
25-304-099 (NC)	7/8 x 18 GA (.049) - NEW!	**
25-304-105	1 x 16 GA (.062)	16
25-304-110	1-1/4 x 16 GA (.062) - NEW!	**

***Individually wrapped pieces shipped per customer order size*

**Serrated & Fluted
Scalloped Round Tube**
See Next Page (Standards 20) for full listing

*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*



EASTERN METAL SUPPLY

STANDARD EXTRUSIONS 13
03/18/24

www.easternmetal.com


FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



Oval Tube x 20' (Unless noted otherwise)

Available: Polished and Bright Dipped, Brushed and Bright Dipped and Mill Finish

Commonly used as Ladder Steps



Polished and Bright Dipped

Stock Code	Size in Inches	Finish	Alloy	Lgths./Box
52-63-6354	1 x 1-1/2	Mill Finish	6463-T66	10
25-BD-200	1 x 1-1/2	BDA Polished	6463-T67	10
25-BR-200	1 x 1-1/2	BDA Brushed	6463-T66	10
25-MF-220	1 x 1-7/8 x 22'	Mill Finish	6463-T66	8
25-BR-205	1 x 1-7/8	BDA Brushed	6463-T66	8
25-BD-205	1 x 1-7/8	BDA Polished	6463-T67	8
25-BD-208	1-1/4 x 2-3/8	BDA Polished	6463-T67	6
25-BD-210	1-1/4 x 3	BDA Polished	6463-T67	6
25-BR-210	1-1/4 x 3	BDA Brushed	6463-T66	6
25-MF-210	1-1/4 x 3	Mill Finish	6463-T66	6
25-BD-215	1-1/4 x 4 (1/8" wall)	BDA Polished	6463-T67	4
25-BR-215	1-1/4 x 4 (1/8" wall)	BDA Brushed	6463-T67	4
25-64-216	1-1/4 x 4 (1/8" wall)	Mill Finish	6463-T66	4
25-BRW-217	1-1/4 x 4 (.140" wall)	BDA Brushed	6463-T66	4

Oval Tube End Caps

AOC-150	1 x 1.50 Oval End Cap BDA - NEW!
AOC-150-MF	1 x 1.50 Oval End Cap Mill Finish - NEW!



Oval Tube End Caps

Anodized Flat Oval End Caps - **NEW!**

FOEC-1.5 (NC)	1-1/2"
FOEC-1.875 (NC)	1-7/8"
OEC-3 (NC)	3"
OEC-4 (NC)	4"



Anodized Flat Oval End Caps

Ladder Rung

40-05-100	2 x 1 Ladder Rung x 20'	0.622
MILL ORDER 40-05-105K	2 x 1 Ladder Rung (Knurled)	0.622
25-BD-226	3" Knurled Ladder Rung x 12' (6005A T61 BDA)	
DVLDR	Black Dive Ladder End Caps; Mates with 25-BD-226	



Ladder Rung



3" Knurled Ladder Rung



Ladder End Cap: DVLDR

Slotted Oval Tube x 20' (Polished and Bright Dipped 6463-T67)

25-BD-250	1 x 1-1/2 (small insert VI-SM)	10
25-BD-255	1 x 1-7/8 (large insert VL-LG)	8
25-BD-212	1-1/4 x 3 (double slot; small insert VI-SM)	6
25-BD-206	1 x 1-7/8 (3 slots 40-63-2060; polished)	8
25-MF-206	1 x 1-7/8 (3 slots 40-63-2060; Mill Finish)	8




Slotted Oval Tubes (left to right):
25-BD-250, 25-BD-255, 25-BD-212, 25-BD-206

Insert Material

VI-SM	1-1/2 (mates with 25-BD-250 & 25-BD-212)
VI-LG	1-7/8 (mates with 25-BD-255)
40-63-2060	3 Groove Tread Insert (bagged 20' sections; mates with 25-BD/MF-206)



3 Slotted Oval Tube with Insert



Insert Material (top to bottom):
VI-SM, VI-LG, 40-63-2060

Polished and Bright Dipped Oval Tube with Ribs x 20' (6463-T66)

25-BD-225	1 x 1-1/2 (3 Ribs)	10
25-BD-245	1 x 1-1/2 (7 Ribs)	10

Polished and Bright Dipped Oval Tube x 20' - Non Skid (6463-T67)

Non-Skid Finish on Both Flat Surfaces, All other surfaces are Polished

25-NS-200	1 x 1-1/2 (Non Skid)	10
25-NS-205	1 x 1-7/8 (Non Skid)	8
25-NS-215	1.29 x 1.757 Tower Step x 20'	8



Polished and Bright Dipped Oval; Tower Step
(3 Ribs: left; 7 Ribs: center)

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.



EASTERN METAL SUPPLY

STANDARD EXTRUSIONS 14
03/18/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061





Miscellaneous Tube

Serrated and Fluted/Scalloped Round Tube

Serrated Tube

Stock Code	Description	Aprox. Wt/Lin ft.
52-63-537	.875 x .049 x 20' (0.777 ID) 6063-T6	0.142
51-63-381	1 x .049 x 20' (0.902 ID) 6063-T6	0.156
51-00-051	1.375 x .093 x 20' (1.188 ID) 6063-T5	0.408
17-63-149	3 x .074 x 24' (2.852 ID) 6063-T5	0.752
17-63-151	3 x .120 x 24' (2.760 ID) 6063-T5	1.201




Fluted/Scalloped Round Tube - Multiple Flute Designs are available; Please request prints

MILL ORDER <u>52-63-6106</u>	2.940 x .105	1.158
MILL ORDER <u>52-63-10152</u>	3 x .062	0.732
<u>17-61-715</u>	3 x .125 x 15' (6061-T6)	1.259
17-63-300	3 x .125 x 24' (6063 T5)	1.259
<u>17-61-324</u>	3 x .125 x 24' (6061-T6)	1.259
<u>17-63-310</u>	4 x .120 x 24' (6063 T5)	1.891
17-63-310 (NC)	4 x .125 x 24' (6063 T5)	1.985
17-63-510 (MO)	4 x .125 x 24' (6063 T5)	1.985
MILL ORDER <u>17-61-315</u>	4 x .188	2.898
MILL ORDER <u>17-63-429 (TX)</u>	5 x .190	3.727

Bullnose Tube (with Screw Bosses)

MILL ORDER <u>56-63-2200</u>	2 x .072 Full Round	0.659
56-63-204	4 x .093 Full Round x 24'	1.526
56-63-202	4 x .083 Half Round x 24'	1.148
<u>56-63-205</u>	6 x .100 Half Round x 24'	1.970



Full Round and Half Round Bullnose w/screw bosses

Elliptical Air Foil Tube (with Screw Bosses) See Architectural p 01 for Air Foil profiles

Stock Code	Description
56-63-200	2-1/8" Air Foil x 16'
56-63-400	4" Air Foil x 24' (Wall: .080)
56-63-600	6" Air Foil x 24' (Wall: .085/.100)
52-63-1020 (MO)	6" Air Foil x 24' (Wall: .085)
MILL ORDER <u>52-63-12534</u>	7" Air Foil
56-63-800	8" Air Foil x 24' (Wall: .110; 2 screw bosses)
56-63-825	8" Air Foil x 24' (Wall: .110; 2 screw bosses & support beam)
MILL ORDER <u>011494</u>	8" Air Foil (Wall: .100; 4 screw bosses)
MILL ORDER <u>FH03082 (TX)</u>	8" Air Foil (8 screw bosses)
MILL ORDER <u>56-63-1000</u>	10" Air Foil (Wall: .125)
MILL ORDER <u>52-63-11852</u>	12" Air Foil (Wall: .188)



Elliptical Air Foil Tube

Grip Rail - **NEW!** Polished & Anodized

Stock Code	Description
GR-12	12"
GR-14	14"
GR-18	18"
GR-24	24"
GR-36	36"

Mill Finish

Stock Code	Description
GRM-12	12"
GRM-14	14"
GRM-18	18"
GRM-24	24"
GRM-36	36"

Items marked as MILL ORDER are non stock but available. Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.

D-Tube & Frames

D-Tube/Frame x 24'	D-Tube/Frame x 24'	D-Tube/Frame x 24'	D-Tube/Frame x 23'
52-63-14617 (FL/MO) 6063-T52 3.375 x 2.340	52-63-14617W (NC) 6063-T52 3.365 x 2.335	52-63-14618 6063-T52 4.000 x 3.000	52-63-14432 6063-T66 5.008 x 3.504

