

**RAILING & GLASS**





## TABLE OF CONTENTS



# 1

## GLASS RAILING POST SYSTEMS

Centerline .....	pg. 6	EAGR System .....	pg. 18
Offset .....	pg. 12	316SS / 2205SS .....	pg. 24
Railing Accessories .....	pg. 16		

# 2

## FRAMELESS / BASE SHOE SYSTEMS

SMART .....	pg. 28
PRIME .....	pg. 32
STRONG .....	pg. 36

# 3

## ALUMINUM & 2205SS DUPLEX CAP RAIL

CAP Rail .....	pg. 40
----------------	--------

# 4

## STANDOFFS, BASE CLAMPS, & GLASS GRIPS

Standoffs & Base Clamps .....	pg. 48
Glass Grips .....	pg. 49

# 5

## CABLE RAIL

EACR System .....	pg. 52
Pre-Fabricated Cable Rail posts .....	pg. 58
Cable and Fittings .....	pg. 62

# 6

## 2205SS DUPLEX TUBE / HANDRAIL AND ACCESSORIES

2205SS Handrail and Fittings .....	pg. 68
2205 Duplex SS Gate Hinges .....	pg. 73



# GLASS RAILING POST SYSTEMS


Centerline .....	pg. 6
Offset .....	pg. 12
Centerline & Offset Railing Accessories .....	pg. 16
EMS AGR System .....	pg. 18
316SS / 2205SS .....	pg. 24



# CENTERLINE GLASS RAILING

## 2.5" POST SYSTEM

Mechanical/ Welded Combo. Accepts 7/16" and 9/16" Glass.  
Tested & Engineered System.




**NOW OFFERING:**  
**CARDINAL GLASS!**

For more information:  
[glass@easternmetal.com](mailto:glass@easternmetal.com)

Engineering available  
by request

# CENTERLINE GLASS RAILING - 2.5" POST SYSTEM *Continued*



**2.5" Glass Rail  
Inline Post x 24'**

**UPC: .....28-60-735**


6005A-T61  
Mates with 28-60-740;  
Fits the 2.5" Post System



**2.5" Glass Rail  
Post Insert x 24'**

**UPC: .....28-60-740**


6005A-T61  
Mates with 28-60-735;  
Fits the 2.5" Post System



**2.5" Glass Rail  
Corner Post x 24'**

**UPC: .....28-60-730**


6005A-T61  
Fits the 2.5" Post System



**2.5" x 4.9" Glass Rail  
135° Post x 24'**

**UPC: .....28-60-770**


6005A-T61  
Fits the 2.5" Post System



**Alternate Radius Glass  
Rail Top Cap x 24'**

**UPC: .....28-63-710**

6053-T6  
Fits the 2.5" Post System  
28-63-710FEC End Cap



**3.5" Round Glass  
Rail Top Cap x 24'**

**UPC: .....28-63-700**

6063-T6  
Fits the 2.5" Post System  
28-63-700FEC End Cap




**Top Cap End Caps**

**UPC A:.....28-63-710FEC**

Fits 28-63-710

**UPC B: .....28-63-700FEC**


Fits 28-63-700



**Round Glass Rail  
Inner Sleeve x 10'**

**UPC: .....52-63-8915**

6063-T6  
Mates with 28-60-735;  
Fits the 2.5" Post System



**2" Centerline Glass Rail  
Bottom Channel x 24'**

**UPC: .....28-63-715**


6063-T6  
Fits the 2.5" and 3.5" Post  
System; Welded and  
Mechanical Applications;  
Accepts 1 x 1 x 1/8 Angle  
11-COLOR-222; Mates with  
52-63-11327



**Cover Plate for  
Bottom Channel x 16'**

**UPC: .....52-63-11327**

6063-T6  
Fits the 2.5" & 3.5" Post Systems;  
Mates with  
28-63-715



**2" x 2.25" Intermediate  
Glass Rail x 24'**

**UPC: .....28-63-720**

6063-T6  
Fits the 2.5" & 3.5" Post  
Systems



See Centerline & Offset railing accessories on page 17.



# CENTERLINE GLASS RAILING

## 3.5" POST SYSTEM

Mechanical/ Welded Combo. Accepts 7/16" and 9/16" Glass.  
Tested & Engineered System.




**NOW OFFERING:**  
**CARDINAL GLASS!**

Formore information:  
[glass@easternmetal.com](mailto:glass@easternmetal.com)

Engineering available  
by request


# CENTERLINE GLASS RAILING - 3.5" POST SYSTEM *Continued*



**3.5" x 2" Glass Rail Inline Post x 24'**

**UPC: .....28-60-760**


6005A-T6  
Fits the 3.5" Post System;  
Mates with I-Bar Post Insert  
28-60-745



**3.5" Glass Rail Post Insert x 24'**

**UPC: .....28-60-745**


6005A-T61  
Fits the 3.5" Post System;  
Mates with 28-60-760



**3.5" x 3.5" Glass Rail Corner Post x 24'**

**UPC: .....28-60-765**


6005A-T61  
Fits the 3.5" Post System;  
Mates with 3" Sq Tube Post  
Insert 52-61-750



**3" Square Tube Post Insert x 18'**

**UPC: .....52-61-750**


6061-T6  
Fits the 3.5" Post System;  
Mates with 28-60-765



**3.5" x 5.47" Glass Rail 135° Post x 24'**

**UPC: .....28-60-775**

6005A-T61  
Fits the 3.5" Post System



**4.5" Round Glass Rail Top Cap x 24'**

**UPC: .....28-63-705**


6063-T6  
Fits the 3.5" Post System  
28-63-705FEC End Cap



**Top Cap End Cap**

**UPC: .....28-63-705FEC**

End cap fits 28-63-705



**2" Centerline Glass Rail Bottom Channel x 24'**

**UPC: .....28-63-715**


6063-T6  
Fits the 2.5" & 3.5" Post  
Systems; Welded  
& Mechanical applications;  
Accepts 1 x 1 x 1/8 Angle  
11-COLOR-222; Mates with  
52-63-11327



**Cover Plate for Bottom Channel x 24'**

**UPC: .....52-63-11327**

6063-T6  
Fits the 2.5" & 3.5" Post  
Systems; Mates with 28-63-715



**2" x 2.25" Intermediate Glass Rail x 24'**

**UPC: .....28-63-720**

6063-T6  
Fits the 2.5" & 3.5" Post  
Systems


See Centerline & Offset railing accessories on page 17.



# 60" ROOFTOP CENTERLINE GLASS RAILING

## 3.5" POST SYSTEM

Mechanical/ Welded Combo. Accepts 7/16" and 9/16" Glass.  
Tested & Engineered System.




**NOW OFFERING:  
CARDINAL GLASS!**

For more information:  
[glass@easternmetal.com](mailto:glass@easternmetal.com)

Engineering available  
by request

# 60" ROOFTOP CENTERLINE GLASS RAILING - 3.5" POST SYSTEM

*Continued*




**3.5" x 3.5" Glass Rail Corner Post x 24'**

**UPC: .....28-60-765**

6005A-T61

*Fits the 3.5" Post System;  
Mates with 52-61-750*




**3" Square Tube Post Insert x 18'**

**UPC: .....52-61-750**

6061-T6

*Fits the 3.5" Post System;  
Mates with 28-60-765*



**4.5" Round Glass Rail Top Cap x 24'**

**UPC: .....28-63-705**

6063-T6


*Fits the 3.5" Post System  
28-63-705FEC End Cap*



**Top Cap End Cap**

**UPC: .....28-63-705FEC**

*End Cap fits 28-63-705*



**2" Centerline Glass Rail Bottom Channel x 24'**

**UPC: .....28-63-715**

6005A-T61

*Fits the 2.5" & 3.5" Post Systems; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222;  
Mates with 52-63-11327;  
Mechanical Application Only for 60" System*



**Cover Plate for Bottom Channel x 16'**

**UPC: .....28-60-735**

6005A-T61

*Mates with 28-60-740;  
Fits the 2.5" Post System*


See Centerline & Offset railing accessories on page 17.



# OFFSET GLASS RAILING

## 2.5" POST SYSTEM

Mechanical/ Welded Combo. Accepts 7/16" and 9/16" Glass.  
Tested & Engineered System.




**NOW OFFERING:**  
**CARDINAL GLASS!**

For more information:  
[glass@easternmetal.com](mailto:glass@easternmetal.com)


Engineering available  
by request

# OFFSET GLASS RAILING - 2.5" POST SYSTEM *Continued*




**2.5" Glass Rail  
Inline Post x 24'**

**UPC: ..... 28-60-735**  
6005A-T61  
Mates with 28-60-740;  
Fits the 2.5" Post System




**2.5" Glass Rail  
Post Insert x 24'**

**UPC: ..... 28-60-740**  
6005A-T61  
Mates with 28-60-735;  
Fits the 2.5" Post System




**2.5" Glass Rail  
Corner Post x 24'**

**UPC: ..... 28-60-730**  
6005A-T61  
Fits the 2.5" Post System




**2.5" x 4.9" Glass Rail  
135° Post x 24'**

**UPC: ..... 28-60-770**  
6005A-T61  
Fits the 2.5" Post System



**Welded Offset Glass Rail  
Bottom Channel x 24'**

**UPC: ..... 28-63-771**  
6063-T6  
Fits the 2.5" & 3.5" Post  
Systems




**5" Radius Offset Glass  
Rail Top Cap x 24'**

**UPC: ..... 28-63-760**  
6063-T6  
Fits the 2.5" Post System  
28-63-760FEC End Cap




**Top Cap End Cap**

**UPC: ..... 28-63-760FEC**  
End Cap fits 28-63-760



**Cover Plate for Offset  
Bottom Channel x 24'**

**UPC: ..... 28-63-755**  
(Mechanical)  
6063-T6  
Fits the 2.5" & 3.5" Post  
Systems; Mates with 28-63-725



**Mechanical Offset Glass  
Rail Bottom Channel x 24'**

**UPC: ..... 28-63-725**  
6063-T6  
Fits the 2.5" & 3.5" Post  
Systems; Mates with 28-63-755



See Centerline & Offset railing accessories on page 17.



# OFFSET GLASS RAILING

## 3.5" POST SYSTEM

Mechanical/ Welded Combo. Accepts 7/16" and 9/16" Glass.  
Tested & Engineered System.




**NOW OFFERING:**  
**CARDINAL GLASS!**

For more information:  
[glass@easternmetal.com](mailto:glass@easternmetal.com)

Engineering available  
by request

# OFFSET GLASS RAILING - 3.5" POST SYSTEM *Continued*



**3.5" x 2" Glass Rail Inline Post x 24'**

**UPC: .....28-60-760**


6005A-T6  
Fits the 3.5" Post System;  
Mates with I-Bar Post Insert  
28-60-745



**3.5" Glass Rail Post Insert x 24'**

**UPC: .....28-60-745**


6005A-T61  
Fits the 3.5" Post System;  
Mates with 28-60-760



**3.5" x 3.5" Glass Rail Corner Post x 24'**

**UPC: .....28-60-765**


6005A-T61  
Fits the 3.5" Post System;  
Mates with 3" Sq Tube Post  
Insert 52-61-750



**3" Square Tube Post Insert x 18'**

**UPC: .....52-61-750**


6061-T6  
Fits the 3.5" Post System;  
Mates with 28-60-765



**3.5" x 5.47" Glass Rail 135° Post x 24'**

**UPC: .....28-60-775**

6005A-T61  
Fits the 3.5" Post System



**6" Radius Offset Glass Rail Top Cap x 24'**

**UPC: .....28-63-750**


6063-T6  
Fits the 3.5" Post System  
28-63-705FEC End Cap



**Top Cap End Cap**

**UPC: .....28-63-750FEC**


End cap fits 28-63-750



**Cover Plate for Offset Bottom Channel x 24'**

**UPC: .....28-63-755**


(Mechanical)  
6063-T6  
Fits the 2.5" & 3.5" Post  
Systems; Mates with 28-63-725



**Mechanical Offset Glass Rail Bottom Channel x 24'**

**UPC: .....28-63-725**

6063-T6  
Fits the 2.5" & 3.5" Post  
Systems; Mates with 28-63-755



**Welded Offset Glass Rail Bottom Channel x 24'**

**UPC: .....28-63-771**


6063-T6  
Fits the 2.5" & 3.5" Post  
Systems

See Centerline & Offset railing accessories on page 17.





# CENTERLINE & OFFSET RAILING ACCESSORIES

For 7/8 Glass Pockets using 7/16" and 9/16" Glass.  
Used with our Tested & Engineered System.




## LAMINATED GLASS - sized by order

- **7/16" Laminated Glass** with vertical polished edge
  - 0.035 SGP between 3/16" Tempered Glass • Design Pressure = +/-130
- **9/16" Laminated Glass** with vertical polished edge
  - 0.035 SGP between 1/4" Tempered Glass • Design Pressure = +/-190




  
**NOW OFFERING:**  
**CARDINAL GLASS!**  
 For more information:  
[glass@easternmetal.com](mailto:glass@easternmetal.com)

# CENTERLINE & OFFSET RAILING ACCESSORIES *Continued*




**Preset Exterior Sponge  
- 250' Rolls**

**UPC: ..... WW-B090**  
(Sponge) Santoprene Gasket  
.125 Face Clearance  
.250 Centerline  
9/16" Glass



**Preset Exterior Sponge  
- 250' Rolls**

**UPC: ..... WW-B140**  
(Sponge) Santoprene Gasket  
.250 Face Clearance  
.250 Centerline  
7/16" Glass



**Interior Wedge Gaskets  
- 250' Rolls**

**UPC: ..... WW-W514**  
Santoprene Gasket  
.187 Face Clearance  
.062 Nub  
Both Glass Types



**Centerline Neoprene  
Setting Block**

**UPC: ..... WW-BN02164**  
1/8 x 1 x 4




**Offset Neoprene  
Setting Block**

**UPC: ..... WW-BN04164**  
1/4 x 1 x 4



# PRE-FAB EMS ALUMINUM GLASS RAIL SYSTEM (EAGR)



# EMS ALUMINUM GLASS RAIL SYSTEM (EAGR) *Continued*

All posts come pre-fabricated in MILL FINISH or POWDER COATED with adjustable flat top saddles, flange (welded), flange cover with glass grips – ready for installation right out of the box!

- Post – 2" x 2" x .250" wall with radius edges
- For powder-coating option, replace XXX with 3-digit color code on Pg. 22.

## 36" Pre-Fabricated Floor Mounted Posts

<b>AGREN36AFFLXXX</b>	36" Floor Mounted	GLASS END post with adjustable flat top saddle
<b>AGRCN36AFFLXXX</b>	36" Floor Mounted	GLASS CENTER post with adjustable flat top saddle
<b>AGRCR36FFFLXXX</b>	36" Floor Mounted	GLASS CORNER post with fixed flat top saddle
<b>AGRES36AFFLXXX</b>	36" Floor Mounted	GLASS STAIR END post with adjustable flat top saddle
<b>AGRCS36AFFLXXX</b>	36" Floor Mounted	GLASS STAIR CENTER post with adjustable flat top saddle

## 42" Pre-Fabricated Floor Mounted Posts

<b>AGREN42AFFLXXX</b>	42" Floor Mounted	GLASS END post with adjustable flat top saddle
<b>AGRCN42AFFLXXX</b>	42" Floor Mounted	GLASS CENTER post with adjustable flat top saddle
<b>AGRCR42FFFLXXX</b>	42" Floor Mounted	GLASS CORNER post with fixed flat top saddle
<b>AGRES42AFFLXXX</b>	42" Floor Mounted	GLASS STAIR END post with adjustable flat top saddle
<b>AGRCS42AFFLXXX</b>	42" Floor Mounted	GLASS STAIR CENTER post with adjustable flat top saddle

## 36" Pre-Fabricated Fascia Mounted / Core Drilled Posts

<b>AGREN36AFFCXXX</b>	36" Fascia/Core	GLASS END post with adjustable flat top saddle
<b>AGRCN36AFFCXXX</b>	36" Fascia/Core	GLASS CENTER post with adjustable flat top saddle
<b>AGRCR36FFFCXXX</b>	36" Fascia/Core	GLASS CORNER post with fixed flat top saddle
<b>AGRES36AFFCXXX</b>	36" Fascia/Core	GLASS STAIR END post with adjustable flat top saddle
<b>AGRCS36AFFCXXX</b>	36" Fascia/Core	GLASS STAIR CENTER post with adjustable flat top saddle

## 42" Pre-Fabricated Fascia Mounted / Core Drilled Posts

<b>AGREN42AFFCXXX</b>	42" Fascia/Core	GLASS END post with adjustable flat top saddle
<b>AGRCN42AFFCXXX</b>	42" Fascia/Core	GLASS CENTER post with adjustable flat top saddle
<b>AGRCR42FFFCXXX</b>	42" Fascia/Core	GLASS CORNER post with fixed flat top saddle
<b>AGRES42AFFCXXX</b>	42" Fascia/Core	GLASS STAIR END post with adjustable flat top saddle
<b>AGRCS42AFFCXXX</b>	42" Fascia/Core	GLASS STAIR CENTER post with adjustable flat top saddle

**STAIR Posts – Glass grips will not be attached and shipped loose for infield mounting on stairs for proper glass angles. Posts may require additional fabrication time.**




42" Guardrail Post

36" Guardrail Post





# EAGR – TOP/HAND RAIL COMPONENTS

(Powder Coating Available)




### Tube

**UPC: ..... 20-63-227**  
 1 x 2 x .093 (w/radius) —  
 24' Stick  
 Powder Color 20-63-227-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 22





### ACR Handrail Tap Connector-Alum

**UPC: ..... 68-80-093**  
 1.99" x 0.99" x 3/32"




### ACR Rectangular Corner Connector 90 Degree-Alum

**UPC: ..... 68-90-093**  
 1.99" x 0.99" x 3/32"  
 Powder Color 68-90-093-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 22




### 2" x 1" Double Ear Channel Wall Mount

**UPC: ..... 21-00-191**  
 Die cast  
 Powder Color 21-00-191-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 22



### ACR Adjustable Elbow Connector Male-Alum

**UPC: ..... 68-90-A93**  
 1.99" x 0.99" x 3/32"  
 Powder Color 68-90-A93-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 22



### ACR Flat End Cap-Alum

**UPC: ..... 68-50-093**  
 1.99" x 0.99" x 3/32"  
 Powder Color 68-50-093-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 22



**3M 8705 45mL Cartridge**  
**UPC: ..... 8705**




**Epoxy Gun**  
**UPC: ..... 101EG**  
 10:1 Ratio




**Mixing Nozzle**  
**UPC: ..... 101NOZ**  
 10:1 Ratio

# EAGR – ALUMINUM GLASS RAIL DIY – TUBE & COMPONENTS FOR POST FABRICATION *(MILL FINISH ONLY)*




**Tube - 24' Sticks**

**UPC: ..... 52-61-1520**  
 2 x .250 (6061-T6-w/.250 Radius)  
 END/Corner Post




**ACR Adjustable Flat Top Post Saddle-Alum**

**UPC: ..... 68-AFS-093**  
 2" x 2"




**ACR Fixed Flat Top Post Corner Saddle-Alum**

**UPC: ..... 68-FCS-093**  
 2" x 2"




**Square Endcap for Tube**

**UPC: ..... 68-EC-293**




**ACR 5x5 Aluminum Flange**

**UPC: ..... 68-55-093**  
 5" x 5"



**ACR Flange Canopy - Alum**

**UPC: ..... 68-55-C93**  
 5" x 5"




**Glass Grips (ZINC Raw)**

**UPC: ..... Z-SQF-42**  
 Sold in packs of 4



**Glass Grips Rubbers (Sold in packs of 8)**

**UPC: ..... R-425**  
 1/2" mono 12mm  
**UPC: ..... R-425L**  
 1/2" laminated 12.76mm  
**UPC: ..... R-424**  
 3/8" mono 10mm



**PIN-42 (Sold in packs of 4)**

**UPC: ..... PIN-42**  
 Sold in packs of 4



**Glass Grip Screws (Sold in packs of 50)**

**UPC: ..... 270680-820**



# EAGR POST AND TOP/HANDRAIL COLOR OPTIONS

\*THE COLOR AND GLOSS LEVELS SHOWN HERE ARE APPROXIMATE ONLY.  
Please request paint chips for actual colors.

## Standard Colors:

<b>Bone White</b> H001	<b>Fine Ivory</b> H002	<b>Sandstone</b> H003	<b>Sierra Tan</b> H004	<b>Southern Bronze</b> H005
<b>Fashion Gray</b> H204	<b>Charcoal Gray</b> H008	<b>Super Black</b> H009	<b>Sky White</b> H010	<b>Interstate Blue</b> H016
<b>Forest Green</b> H019	<b>Seawolf</b> H006	<b>Colonial Red</b> H013	<b>Teal</b> H014	<b>Military Blue</b> H015
<b>Dark Green</b> H088	<b>Regal Brown</b> H047	<b>Bike Black</b> H090	<b>High Gloss Sky White - H157</b>	  

RAL Colors Available (additional cost): [www.ralcolor.com](http://www.ralcolor.com)







# 316SS PRE-FABRICATED GLASS RAIL POSTS



**1.5" & 2" Square**  
(All posts come as pictured - completely fabricated - etc.)




**Posts quoted on project by project.  
Please provide a drawing with measurements.**

# 316SS PRE-FABRICATED GLASS RAIL POSTS *Continued*

## 1.67 Round Posts


### 36" Rail

Center, Corner\* and End



### 42" Rail

Center, Corner\* and End



See Handrail Tubing and Fittings on page 64.



ASHWOOD DECKING BY



**ENDECK**<sup>®</sup>  
PVC DECKING  
By Eastern Metal Supply


# FRAMELESS/BASE SHOE SYSTEMS

SMART Base Shoe .....	pg. 28
PRIME Base Shoe .....	pg. 32
STRONG Base Shoe .....	pg. 36



# SMART BASE SHOE PRE-DRILLED

For 1/2 up to 11/16" Glass — 30 to 60PSF.



## SMART Shoe Top Mount

- 70-74-20S** 20' MILL finish
- 70-70-10S** 10' Brushed anodized
- 70-70-20S** 20' Brushed anodized



## SMART Top Mount Corner

- 70-94-0TS** 90-degree Inner/outer corner, MILL finish
- 70-90-0TS** 90 degree Inner/outer corner, brushed anodized




## SMART Top Mounted End Caps

- A. **70-50-74S** MILL finish end cap
- 70-50-00S** Brushed anodized end cap
- B. **70-50-0STS** MILL finish stair end cap
- 70-50-ST** Brushed anodized stair end cap

A.

B.

# SMART BASE SHOE PRE-DRILLED *Continued*



## SMART Fascia Shoe

- 72-74-20S**     20' MILL finish
- 72-72-10S**     10' Brushed anodized
- 72-72-20S**     20' Brushed anodized



## SMART Fascia Mounted End Caps

- 72-50-74LS**     MILL finish Left end cap
- 72-50-74RS**     MILL finish Right end cap
- 72-50-0LS**     Brushed Anodized Left end cap
- 72-50-0RS**     Brushed Anodized Right end cap



## SMART Fascia Stair End Caps

- 72-50-0STSR**     MILL finish Stair Right
- 72-50-0STSL**     MILL finish Stair Left
- 72-50-STSR**     Brushed Anodized Stair Right
- 72-50-STSL**     Brushed Anodized Stair Left



## SMART Fascia Cladding - Brushed Anodized 20'

- 72-99-20SM**     MILL finish
- 72-99-20S**     Brushed anodized



## SMART Q-Disc Kit for 20'

---

- 99-15L-20S** *Disc kit for 1/2--Temp--20'*
- 99-916L-20S** *Disc kit for 9/16 laminated--20'*
- 99-1116L-20S** *Disc kit for 11/16 laminated--20'*



## Disc Tool

---

**77-084**



## SMART Glass Spacer Rubber 8.2'

---

- 208-8** *Optional space in-between glass panels in the base shoe, cut to size*



## 410SS Red Head Anchor Bolts - 50pk

---


- 384RH** *15 anchor bolts per 10ft*



## 520 Various Size Shim Kit

---


**77-062**





# PRIME BASE SHOE PRE-DRILLED

For 11/16" to 27/32" Glass — 60 to 90PSF.



## PRIME Top Mount

- 70-74-20P** 20' MILL finish
- 70-70-10P** 10' Brushed anodized
- 70-70-20P** 20' Brushed anodized



## PRIME Top Mount Corner

- 70-94-0TP** 90-degree Inner/outer corner, MILL finish
- 70-90-TP** 90 degree Inner/outer corner, brushed anodized



A.


B.

## PRIME TOP Mounted End Caps

- A. **70-50-74P** MILL finish end cap
- 70-50-00P** Brushed anodized end cap
- B. **70-50-0STP** MILL finish stair end cap
- 70-50-STP** Brushed anodized Stair end cap



# PRIME BASE SHOE PRE-DRILLED *Continued*



## PRIME Fascia Mount

- 72-74-20P** 20' MILL finish
- 72-72-10P** 10' Brushed anodized
- 72-72-20P** 20' Brushed anodized



## PRIME Fascia Mounted End Caps

- 72-50-74LP** MILL finish Left end cap
- 72-50-74RP** MILL finish Right end cap
- 72-50-0LP** Brushed Anodized Left end cap
- 72-50-0RP** Brushed Anodized Right end cap



## PRIME Fascia Stair End Caps

- 72-50-OSTPR** MILL finish Stair Right
- 72-50-OSTPL** MILL finish Stair Left
- 72-50-STPR** Brushed Anodized Stair Right
- 72-50-STPL** Brushed Anodized Stair Left



## PRIME Fascia Cladding - Brushed Anodized 20'

- 72-99-20PM** MILL finish
- 72-99-20P** Brushed anodized



# PRIME BASE SHOE PRE-DRILLED *Continued*



## PRIME Q-Disc Kit for 20'

---

**99-1116L-20P** *Disc kit for 11/16" glass*

**99-1316L-20P** *Disc kit for 13/16" glass*

**99-32L-20P** *Disc kit for 27/32" glass*



## Disc Tool

---

**77-084**



## PRIME Glass Spacer Rubber 8.2'

---

**208-8M**

*Optional space in-between glass panels in the base shoe, cut to size*



## 410SS Red Head Anchor Bolts - 50pk

---

**384RH**


*15 anchor bolts per 10ft*



## 520 Various Size Shim Kit

---


**77-062**






# STRONG BASE SHOE PRE-DRILLED – MIAMI DADE APPROVED

For 13/16" -27/32" Glass — 90 to 150PSF.



## STRONG Shoe Top Mount

- 70-74-10STG 10' MILL Finish
- 70-70-10STG 10' Brushed anodized



## STRONG Top Mounted End Cap

- 70-50-STGM MILL Finish end cap
- 70-50-STGB Brushed anodized end cap

# STRONG BASE SHOE PRE-DRILLED *Continued*



## STRONG Q-Disc Kit for 10'

---

**99-1327-10ST** *Disk kit for 13/16"-27/32" Glass*



## Disc Tool

---

**77-084**



## 520 Various Size Shim Kit

---

**77-062**



# ALUMINUM & 2205SS DUPLEX CAP RAIL

Glass Cap Rail - Fittings & Wall Brackets .....pg. 40



# GLASS CAP RAIL FITTING & WALL BRACKETS **2205SS DUPLEX**



# ROUND CAP RAIL FITTINGS – 2205SS DUPLEX SATIN FINISH

1.66" Diameter (316SS Substitute)



**Round Cap Rail  
x 16.4' (Stainless)**

**UPC: ..... 68-CR-T6**  
Sold in packs of 2



**90° Connector**

**UPC: ..... 68-FE-C6**  
Sold in packs of 2



**Adj Down  
Connector**

**UPC: ..... 68-CR-D66**  
Sold in packs of 2



**Adj Up Connector**

**UPC: ..... 68-CR-U66**  
Sold in packs of 2



**Connector**

**UPC: ..... 68-TC-C6**  
Sold in packs of 2



**End Cap**

**UPC: ..... 68-CR-EC6**  
Sold in packs of 2



**Wall Flange**

**UPC: ..... 68-CR-WF6**  
Sold in packs of 2



**Rubber for Cap Rail  
x 16.4'**

**205-50-11: 1/2" - 9/16"**  
Glass

**205-50-17: 5/8" - 11/16"**  
Glass

**205-50-22: 13/16" - 27/32"**  
Glass

# SQUARE CAP RAIL FITTINGS – 2205SS DUPLEX SATIN FINISH 1.5" (316SS Substitute)



**Square Cap Rail  
x 16.4' (Stainless)**

**UPC: ..... 68-SQ-CAP**



**90° Connector**

**UPC: ..... 68-90-SQC**  
Sold in packs of 2



**Up & Down  
Adj Connector**

**UPC: ..... 68-CR-DSQ**  
Sold in packs of 2



**Connector**

**UPC: ..... 68-TC-CSQ**  
Sold in packs of 2



**End Cap**

**UPC: ..... 68-SQ-EC**  
Sold in packs of 2



**Wall Flange**

**UPC: ..... 68-CR-WFSQ**  
Sold in packs of 2



**Rubber for Cap Rail  
x 16.4'**

**205-50-11: 1/2" - 9/16" Glass**

**205-50-17: 5/8" - 11/16" Glass**

**205-50-22: 13/16" - 27/32"**



# 2205SS DUPLEX GLASS CAP RAIL - SATIN FINISH (316SS SUBSTITUTE)



## Edge Protection x 10' (Stainless)

<b>68-EP-13</b>	1/2" - 9/16" Glass
<b>68-EP-18</b>	5/8" - 11/16" Glass
<b>68-EP-22</b>	13/16" - 27/32" Glass

## 3M VHB Tape

<b>VHB-13</b>	x 108'
<b>VHB-18</b>	x 108'
<b>VHB-22</b>	x 108'



## U-Profile x 10' (Stainless)

<b>68-U-CR40</b>	5/16" - 27/32" Glass
------------------	----------------------



## Rubber for Cap Rail x 16.4'

<b>205-50-11</b>	1/2" - 9/16" Glass
<b>205-50-17</b>	5/8" - 11/16" Glass
<b>205-50-22</b>	13/16" - 27/32" Glass

# ALUMINUM CAP RAIL



## U-Profile x 16.4' (Brushed Anodized Aluminum) 3M VHB Tape

<b>AU-B13</b>	1/2" - 9/16" Glass	<b>VHB-13</b>	x 108'
<b>AU-B18</b>	5/8" - 11/16" Glass	<b>VHB-18</b>	x 108'
<b>AU-B22</b>	13/16" - 27/32" Glass	<b>VHB-22</b>	x 108'



## 1.66" Round Cap Rail (Aluminum)

<b>68-CR-ML6</b>	MILL Finish 16.4'
<b>68-CR-ML20</b>	MILL finish 20'
<b>68-CR-BA6</b>	Brushed anodized 16.4'
<b>68-CR-BA20</b>	Brushed Anodized 20'



## 1.66" End Cap (Aluminum)

<b>68-CR-ECMA</b>	MILL Finish	Sold in packs of 2
<b>68-CR-ECBA</b>	Brushed Anodized	Sold in packs of 2



## Rubber for Cap Rail x 16.4'

<b>205-50-11</b>	1/2" - 9/16" Glass
<b>205-50-17</b>	5/8" - 11/16" Glass
<b>205-50-22</b>	13/16" - 27/32" Glass



# 316SS/2205SS GLASS CAP RAIL ACCESSORIES



## SS Glue

---

68-13-31



## SS Cleaner and Rust Remover - CitriSurf® 2310

---

CS-2310

*CitriSurf 2310 is a high quality blend of chemicals formulated for cleaning, rust removal and passivation of stainless steel products.*



## SS Protector - Rust Rescue 200

---

RR-200

*Rust Rescue 200-- is a high quality blend of chemicals formulated for the protection of stainless steel and other metal surfaces.*

CitriSurf® is a registered trademark of Stellar Solutions, Inc.







# STANDOFFS, BASE CLAMPS, & GLASS GRIPS

Standoffs & Base Clamps .....pg. 48

Glass Grips.....pg. 49



# STAND OFFS, BASE CLAMPS, & GLASS GRIPS – 2205SS DUPLEX



68-ST-30BK

## Standoff Glass Holder

<b>68-ST-30</b>	H 1- 3/16"	1/2"-1" (12-25.52mm)	Glass
<b>68-ST-30BK (Black)</b>	H 1- 3/16"	1/2"-1" (12-25.52mm)	Glass
<b>68-ST-40</b>	H 1- 9/16"	5/16"-1" (8-25.52mm)	Glass
<b>68-ST-50</b>	H 1- 31/32"	5/16"-1" (8-25.52mm)	Glass

\*3/8" (M10) bolt needed for mounting



## C Spanner Tool

**UPC: .....77-ST-TL**  
For Standoff Glass Holder




## Base Clamp (2205SS)


**UPC: 68-SPV**

Oval  
Adjustable for easy leveling and  
glass aligning  
1/2" - 11/16" glass thickness


# STANDOFFS, BASE CLAMPS, & GLASS GRIPS *CONTINUED*



**Glass Grips (316SS)**  
**UPC: ..... 68-SQF-42**  
*Sold in packs of 4*




**Glass Grips (ZINC Raw)**  
**UPC: ..... Z-SQF-42**  
*Sold in packs of 4*




**Glass Grips Rubbers**  
*Sold in packs of 8*

- R-425** 1/2" Mono 12mm
- R-425L** 1/2" Laminated 12.76mm
- R-424** 3/8" Mono 10mm




**PIN-42**  
**UPC: ..... PIN-42**  
*Sold in packs of 4*



**Glass Grips (316SS)**  
**UPC: ..... 68-SQF-24**  
*Sold in packs of 4*



**Glass Grips Rubbers**  
**UPC: ..... R-249**  
*Sold in packs of 8*  
*9/16" Laminated 13.52mm*



**PIN-24**  
**UPC: ..... PIN-24**  
*Sold in packs of 4*



**Glass Grip Screws**  
**UPC: ..... 270680-820**  
*Sold in packs of 50*

*Additional products available. Ask your representative.*



# CABLE RAIL

EMS ACR System .....	pg. 52
1.5"sq, 2"sq and 1.67" round posts .....	pg. 58
316SS Cable Kits & Components .....	pg. 62



# PRE-FAB EMS ALUMINUM CABLE RAIL SYSTEM (EACR)



# EMS ALUMINUM CABLE RAIL SYSTEM (EACR) CONTINUED

All posts come pre-fabricated in MILL FINISH or POWDER COATED with saddles (welded), flange (welded), flange cover with pre-drilled cable holes ready for installation right out of the box!

- **ALL POSTS** – 2" x 2" x .250" wall with radius edges.
- For powder-coating option, replace XXX with 3-digit color code on Pg. 56.



## 36" Pre-Fabricated Floor Mounted Cable Posts

<b>ACREN36AFFLXXX</b>	36" Floor Mounted	END post with adjustable flat top saddle
<b>ACRCN36AFFLXXX</b>	36" Floor Mounted	CENTER post with adjustable flat top saddle
<b>ACRCR36FFFLXXX</b>	36" Floor Mounted	CORNER post with fixed flat top saddle
<b>ACRES36AFFLXXX</b>	36" Floor Mounted	STAIR END post with adjustable flat top saddle
<b>ACRCS36AFFLXXX</b>	36" Floor Mounted	STAIR CENTER post with adjustable flat top saddle

## 42" Pre-Fabricated Floor Mounted Posts

<b>ACREN42AFFLXXX</b>	42" Floor Mounted	END post with adjustable flat top saddle
<b>ACRCN42AFFLXXX</b>	42" Floor Mounted	CENTER post with adjustable flat top saddle
<b>ACRCR42FFFLXXX</b>	42" Floor Mounted	CORNER post with fixed flat top saddle
<b>ACRES42AFFLXXX</b>	42" Floor Mounted	STAIR END post with adjustable flat top saddle
<b>ACRCS42AFFLXXX</b>	42" Floor Mounted	STAIR CENTER post with adjustable flat top saddle

## 36" Pre-Fabricated Fascia Mounted / Core Drilled Posts

<b>ACREN36AFFCXXX</b>	36" Fascia/Core	END post with adjustable flat top saddle
<b>ACRCN36AFFCXXX</b>	36" Fascia/Core	CENTER post with adjustable flat top saddle
<b>ACRES36AFFCXXX</b>	36" Fascia/Core	STAIR END post with adjustable flat top saddle
<b>ACRCS36AFFCXXX</b>	36" Fascia/Core	STAIR CENTER post with adjustable flat top saddle

## 42" Pre-Fabricated Fascia Mounted / Core Drilled Posts


<b>ACREN42AFFCXXX</b>	42" Fascia/Core	END post with adjustable flat top saddle
<b>ACRCN42AFFCXXX</b>	42" Fascia/Core	CENTER post with adjustable flat top saddle
<b>ACRES42AFFCXXX</b>	42" Fascia/Core	STAIR END post with adjustable flat top saddle
<b>ACRCS42AFFCXXX</b>	42" Fascia/Core	STAIR CENTER post with adjustable flat top saddle

**Posts may require additional fabrication time.  
Stair posts will be drilled at 34 degrees.**





# EACR – TOP/HAND RAIL COMPONENTS

(Powder Coating Available)




### Tube

**UPC: ..... 20-63-227**  
 1 x 2 x .093 (w/radius) —  
 24' Stick  
 Powder Color 20-63-227-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 56





### ACR Handrail Tap Connector-Alum

**UPC: ..... 68-80-093**  
 1.99" x 0.99" x 3/32"




### ACR Rectangular Corner Connector 90 Degree-Alum

**UPC: ..... 68-90-093**  
 1.99" x 0.99" x 3/32"  
 Powder Color 68-90-093-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 56




### 2" x 1" Double Ear Channel Wall Mount

**UPC: ..... 21-00-191**  
 Die cast  
 Powder Color 21-00-191-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 56



### ACR Adjustable Elbow Connector Male-Alum

**UPC: ..... 68-90-A93**  
 1.99" x 0.99" x 3/32"  
 Powder Color 68-90-A93-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 56



### ACR Flat End Cap-Alum

**UPC: ..... 68-50-093**  
 1.99" x 0.99" x 3/32"  
 Powder Color 68-50-093-XXX\*  
 Replace XXX with 3-digit code  
 on Pg. 56



**3M 8705 45mL Cartridge**  
**UPC: ..... 8705**




**Epoxy Gun**  
**UPC: ..... 101EG**  
 10:1 Ratio




**Mixing Nozzle**  
**UPC: ..... 101NOZ**  
 10:1 Ratio

# EACR – DIY POST – (MILL FINISH ONLY)




**Tube - 24' Sticks**

**UPC: ..... 52-61-1520**  
 2 x .250 (6061-T6-w/.250 Radius)  
 END/Corner Post




**ACR Adjustable Flat Top Post Saddle-Alum**

**UPC: ..... 68-AFS-093**  
 2" x 2"





**ACR Fixed Flat Top Post Corner Saddle-Alum**

**UPC: ..... 68-FCS-093**  
 2" x 2"





**Square Endcap for Tube**

**UPC: ..... 68-EC-293**



**ACR 5x5 Aluminum Flange**

**UPC: ..... 68-55-093**  
 5" x 5"



**ACR Flange Canopy -Alum**

**UPC: ..... 68-55-C93**  
 5" x 5"



# EACR POST AND TOP/HANDRAIL COLOR OPTIONS

\*THE COLOR AND GLOSS LEVELS SHOWN HERE ARE APPROXIMATE ONLY.  
Please request paint chips for actual colors.

## Standard Colors:

<b>Bone White</b> H001	<b>Fine Ivory</b> H002	<b>Sandstone</b> H003	<b>Sierra Tan</b> H004	<b>Southern Bronze</b> H005
<b>Fashion Gray</b> H204	<b>Charcoal Gray</b> H008	<b>Super Black</b> H009	<b>Sky White</b> H010	<b>Interstate Blue</b> H016
<b>Forest Green</b> H019	<b>Seawolf</b> H006	<b>Colonial Red</b> H013	<b>Teal</b> H014	<b>Military Blue</b> H015
<b>Dark Green</b> H088	<b>Regal Brown</b> H047	<b>Bike Black</b> H090	<b>High Gloss Sky White - H157</b>	  



RAL Colors Available (additional cost): [www.ralcolor.com](http://www.ralcolor.com)





# 316SS PRE-FABRICATED 1.5" & 2" CABLE RAIL SQUARE POSTS

Stair posts drilled at 34 degrees.  
Please give rise and run.




Posts quoted on project by project.  
Please provide a drawing with measurements.

# 316SS PRE-FABRICATED 1.5" & 2" CABLE RAIL SQUARE POSTS

## CONTINUED



### 4 Post Positions Available



### Saddles for 316SS 1.5" & 2" Cable Rail Square Posts



#### Square Adjustable Handrail Saddle - Flat

Connects a square post to a flat top rail. Adjustable saddle is for stair applications.



#### Square Fixed Handrail Saddle - Flat

Connects a square post to a flat top rail. Adjustable saddle is for stair applications.



#### Square Handrail Corner Saddle - Flat

Square post corner connection for two mitered flat top rails.


See Handrail Tubing and Fittings on page 68.  
Cable options on page 63.




# 316SS PRE-FABRICATED 1.67" CABLE RAIL ROUND POSTS

## CONTINUED


### Corner Saddle



### 36° Standard



### 42" Guardrail



See Handrail Tubing and Fittings on page 68.  
Cable options on page 63.



# 316SS CABLE KITS AND COMPONENTS



# 316SS CABLE KITS AND COMPONENTS



## Cable 1/8" Kit

Pre-Swedged with Fittings  
2.03" Fitting Length  
29/64" for End/Anchor Post Hole

68-125-05	5'
68-125-10	10'
68-125-15	15'
68-125-20	20'
68-125-25	25'
68-125-30	30'
68-125-35	35'
68-125-45	45'
68-125-50	50'
68-125-60	60'
68-125-70	70'

## Cable 1/8" Kit

Pre-Swedged with Fittings  
1.53" Fitting Length  
29/64" for End/Anchor Post Hole

65-125-05	5'
65-125-10	10'
65-125-15	15'
65-125-20	20'
65-125-25	25'
65-125-30	30'
65-125-35	35'
65-125-45	45'
65-125-50	50'
65-125-60	60'
65-125-70	70'

## Cable 3/16" Kit

Pre-Swedged with Fittings  
2.03" Fitting Length  
29/64" for End/Anchor Post Hole



68-187-05	5'
68-187-10	10'
68-187-15	15'
68-187-20	20'
68-187-25	25'
68-187-30	30'
68-187-35	35'
68-187-45	45'
68-187-50	50'
68-187-60	60'
68-187-70	70'

## Cable 3/16" Kit

Pre-Swedged with Fittings  
1.53" Fitting Length  
29/64" for End/Anchor Post Hole

65-187-05	5'
65-187-10	10'
65-187-15	15'
65-187-20	20'
65-187-25	25'
65-187-30	30'
65-187-35	35'
65-187-45	45'
65-187-50	50'
65-187-60	60'
65-187-70	70'



## 1/8" Cable Release Tool

125R

## 3/16" Cable Release Tool

187R

### Also Available:

Cable Railing, Glass Railing, Glass Base Shoe, Welded & Mechanical Railing Systems, Enclosures, ENDECK PVC Decking & More!



68-FUP-01  
68-FDN-02



68-FUD-03

## Stair Washers 1/8" & 3/16" (34-degree angle)

- 68-FUP-01** Upward inside angled SQUARE post washer (6 pack)
- 68-FDN-02** Downward inside angled SQUARE post washer (6-Pack)
- 68-FUD-03** UP/DN outside angled SQUARE post washer (6 pack)



Stud  
ST8/ST16

Tension  
Fitting  
CA-TN

Pull Lock  
Fitting  
PL8/PL16

## 1/8" Individual Fittings - 2.03 Fitting Length

- 68-CA-PL8** 2.03" pull lock with washer & Cap for 1/8"
- 68-CA-TN** 2.03" tensioner with washer for 1/8" or 3/16"
- 68-CA-ST8** Molly coated cable swedge stud for 1/8"

## 3/16" Individual Fittings - 2.03 Fitting Length

- 68-CA-PL16** 2.03" pull lock with washer & Cap for 3/16"
- 68-CA-TN** 2.03" tensioner with washer for 1/8" or 3/16"
- 68-CA-ST16** Molly Coated cable swedge stud for 3/16"



Stud  
ST8/ST16

Tension  
Fitting  
CA-TN

Pull Lock  
Fitting  
PL8/PL16

## 1/8" Individual Fittings - 1.53 Fitting Length

- 65-CA-PL8** 1.53" pull lock with washer & Cap for 1/8"
- 65-CA-TN** 1.53" tensioner with washer for 1/8 or 3/16"
- 68-CA-ST8** Molly coated cable swedge stud for 1/8"

## 3/16" Individual Fittings - 1.53 Fitting Length

- 65-CA-PL16** 1.53" pull lock with washer & Cap for 3/16"
- 65-CA-TN** 1.533" tensioner with washer for 1/8" or 3/16"
- 68-CA-ST16** Molly Coated cable swedge stud for 3/16"

# 316SS CABLE KITS AND COMPONENTS



## Straight Lag – Wood Swedgeless Cable Fittings

---

- 68-125-LAG** 1/8" Cable Anchor Wood Lag fitting
- 68-125-ALAG** 1/8" Cable Tensioning Wood Lag fitting
- 68-187-LAG** 3/16" Cable Anchor Wood Lag fitting
- 68-187-ALAG** 3/16" Cable Tensioning Wood Lag fitting

## Stair Lag – Wood Swedgeless Cable Fittings

---

- 68-125S-LAG** 1/8" Cable Anchor Wood Lag Stair fitting
- 68-125S-ALAG** 1/8" Cable Tensioning Wood Lag Stair fitting
- 68-187S-LAG** 3/16" Cable Anchor Wood Lag Stair fitting
- 68-187S-ALAG** 3/16" Cable Tensioning Wood Lag Stair fitting



## Lag Bolt Fitting Drive Socket

---

- 68-LAG-DS**



## Wood Cable Needle

---

- 68-125-NED** 1/8" Cable Wood Needle
- 68-187-NED** 3/16" Cable Wood Needle



## 316SS Protective Sleeve

---

- CB-SL** Formed protective sleeve Sold in packs of 12



## 1/8" Cable Spools 1x19 316SS

---

- 68-125-SP250** 1/8" Cable T Spool 250'
- 68-125-SP500** 1/8" Cable Spool 500'
- 68-125-SP1000** 1/8" Cable Spool 1000'

## 3/16" Cable Spools 1x19 316SS

---

- 68-187-SP250** 3/16" Cable Spool 250'
- 68-187-SP500** 3/16" Cable Spool 500'
- 68-187-SP1000** 3/16" Cable Spool 1000'



# 2205SS DUPLEX TUBE/HANDRAIL AND ACCESSORIES

2205SS Duplex Handrail and Fittings .....pg. 68

2205SS Duplex Gate Hinges .....pg. 73



# 2205SS DUPLEX HANDRAIL AND FITTINGS

(316SS Substitute)



## 1-1/2" Tubing

68-10-081	8.2'
68-10-161	16.4'

## Tube Tap Connector

68-80-001  
Sold in packs of 2



**90° Soft Elbow**  
UPC: ..... 68-91-001  
Sold in packs of 2  
H: 1-3/8"



**90° Elbow**  
UPC: ..... 68-90-001  
Sold in packs of 2  
H: 1-3/16"



**Adj Connector**  
UPC: ..... 68-90-A01  
Sold in packs of 2  
H: 1-1/8"



**Wall Flange**  
UPC: ..... 68-05-WF1  
Sold in packs of 2  
H: 1-3/16"

# 2205SS DUPLEX HANDRAIL AND FITTINGS *CONTINUED*

(316SS Substitute)



**Adj Wall Flange**

**UPC: ..... 68-A-WF1**

*Sold in packs of 2  
1.5" tube*



**Blind Wall Flange**

**UPC: ..... 68-00-WF1**

*Sold in packs of 2  
H: 1-3/8"*



**Bevel Endcap**

**UPC: ..... 68-5R-001**

*Sold in packs of 2  
H: 3/8"*



**LG Bevel Endcap**

**UPC: ..... 68-50-001**

*Sold in packs of 2  
H: 3/16"*



**Radius Wall Return**

**UPC: ..... 68-ES-01**

*Sold in packs of 2  
1.5" tube*



**Wall Bracket**

**UPC: ..... 68-03-AW31**

*Sold in packs of 2  
Plate 58x5 with holes  
Flexible Bend Rod with HRA  
SATIN FINISH*



**Wall Bracket**

**UPC: ..... 68-03-AW01**

*Sold in packs of 2  
Plate 58x5 without holes  
Use with Hanger Bolt 68-00-086  
Flexible Bend Rod with HRA  
SATIN FINISH*



**Hanger Bolt  
for Wall Bracket**

**UPC: ..... 68-00-086**

*Sold in packs of 50  
M8 - 2"*



**316SS Saddle Bracket  
Machine Screws**

**UPC: ..... 68-00-111**

*Sold in packs of 50  
Under 1.5 tube wall brackets*




# 2205SS DUPLEX HANDRAIL AND FITTINGS

## CONTINUED



### 60 x 20 (2.36"x.78") Tubing

68-10-082 8.2'  
68-10-162 16.4'



### 60 x 20 Tube Tap Connector

68-80-002  
Sold in packs of 2



### Adj Connector

UPC: ..... 68-90-A62  
Sold in packs of 2




### 90° Connector

UPC: ..... 68-90-062  
Sold in packs of 2



### Flat Endcap

UPC: ..... 68-50-002  
Sold in packs of 2



### Blind Wall Flange

UPC: ..... 68-00-WF2  
Sold in packs of 2



### Wall Bracket

UPC: ..... 68-03-AW44  
Sold in packs of 2  
Plate 58x5 without holes  
Use with Hanger Bolt 68-00-086  
Flexible Bend Rod with HRA  
SATIN FINISH



### Hanger Bolt for Wall Bracket

UPC: ..... 68-00-086  
Sold in packs of 50  
M8 - 2



### 316SS Saddle Bracket Machine Screws

UPC: ..... 68-00-113  
Sold in packs of 50

# 316SS/2205SS HANDRAIL ACCESSORIES



## SS Glue

---

68-13-31



## SS Cleaner and Rust Remover - CitriSurf® 2310

---

CS-2310

*CitriSurf 2310 is a high quality blend of chemicals formulated for cleaning, rust removal and passivation of stainless steel products.*




## SS Protector - Rust Rescue 200

---

RR-200

*Rust Rescue 200-- is a high quality blend of chemicals formulated for the protection of stainless steel and other metal surfaces.*

CitriSurf® is a registered trademark of Stellar Solutions, Inc.




# 2205 DUPLEX SS GATE HINGES



**Polaris Hinge** products are constructed from durable 2205 Duplex Stainless Steel. Featuring our "QUIK-ADJUST" Ratchet cap for simple speed adjustment & interchangeable dampers for a customised closing force. Polaris Hinges are designed with safety & longevity in mind & come with a warranty of up to 60mths.\*

POOL FENCES, STAIRWAYS & LANDINGS, CHILD CARE CENTRES, HOTELS / RESORTS, PEDESTRIAN ACCESS, ENTRY BARRIERS, STADIUM ACCESS, BALUSTRADE ACCESS, WINE CELLARS, SHOWCASES, VINYL/PVC GATES, METAL GATES, ALUMINIUM GATES, GLASS GATES, TIMBER GATES



## 155 Self Closing Hinge - Sold as set

<b>155GB</b>	Glass to glass	Black
<b>155GS</b>	Glass to glass	Satin
<b>155WB</b>	Glass to wall/2" sq. post	Black
<b>155WS</b>	Glass to wall/2" sq. post	Satin
<b>156SL</b>	Metal to metal 2" min.	Black

## 600 Premium Latch

<b>601GB</b>	Glass to glass 180°	Black
<b>601GS</b>	Glass to glass 180°	Satin
<b>601RB</b>	Glass to round post	Black
<b>601RS</b>	Glass to round post	Satin
<b>601WB</b>	Glass to wall	Black
<b>601WS</b>	Glass to wall	Satin

NATA ACCREDITED & INDEPENDENTLY TESTED TO 25,000 CYCLES (NATIONAL ASSOCIATION OF TESTING AUTHORITIES AUSTRALIA)  
FACTORY TESTED TO OVER 1.8M CYCLES






**ENDECK**<sup>®</sup>  
PVC DECKING




**YOUR DECKING SEARCH  
ENDS HERE.**





CHECK OUT OUR OTHER PRODUCTS



**DELIVERING MORE**

FL • NC • TX • MO • DE • GA • OH • LA • IN  
[www.easternmetal.com](http://www.easternmetal.com) • [endeck.com](http://endeck.com)