



FENCE, RAILING & GATES

EMS brings top-tier distribution services for aluminum extrusions, perfect for fencing, railing, gates and enclosures. From Welded and Mechanical Railing to Glass and Component options, we offer a variety of products to suit your needs. Enhance your spaces with Stainless Steel Cable Railing and ensure security with our Enclosures, Gates, and Privacy Barriers. Find the right balance of style and durability with our range of aluminum extrusions.

WELDED RAILING



MECHANICAL RAILING



GLASS RAILING



CABLE RAILING



GLASS BASE SHOE



ENCLOSURES, GATES & PRIVACY



PVC POST & RAIL STIFFENERS



PROUD MEMBERS:




EASTERN METAL SUPPLY

FENCE RAIL GATES 01
06/08/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061






Welded Railing

2-5/8" Hollow Cap x 25' 10" - 129

28-63-210 wt/ft: 0.576


accepts 3/4" Picket with 2" Post; Mates w/#133



2-5/8" Solid Cap x 25' 10" - 130

28-63-200 wt/ft: 0.530


accepts 3/4" Picket w/2" Post; Mates w/#133



Outside Sleeve x 20' - 133

28-63-220 wt/ft: 0.732


mates with #129 and #130



2" x 1" Hollow Cap x 20' - 131

28-63-275 wt/ft: 0.437


accepts 3/4" Picket with 1-1/2" Post



3" Oval Top Cap x 25' - 147

28-63-267 wt/ft: 0.635


accepts 3/4" Picket with 2" Post; Mates w/#147




Outside Sleeve for 3" Oval Top Cap 148

Mill Order 52-63-8767 wt/ft: 0.941

mates with #147




2-5/8" Hollow Cap x 25' 10" 135
28-63-215 wt/ft: 0.670
 accepts 3/4" and 1" Pickets with 2" Post;
 Mates w/ #136 and #137




2-5/8" Inner Splice x 10' 136
28-63-208 wt/ft: 0.344
 mates with #135 (28-63-215)




2-5/8" Outside Sleeve x 20' 137
28-63-225 wt/ft: 0.840
 mates with #135 (28-63-215)




4 x 2 Oval Top Cap x 24' - 152
28-63-285 wt/ft: 1.172
 accepts 3/4" Picket ; accepts 1-1/2" and 2" Post




4 x 2 Inner Splice x 12'
52-63-13204 wt/ft: 0.655
 mates with #152 (28-63-285)




Top Cap x 24' - 139
28-63-255 wt/ft: 1.477
 (less radius)
 accepts 3/4" Picket with 2" Post




Top Cap x 24' - 140
28-63-256 wt/ft: 1.274
 (more radius)
 accepts 3/4" Picket with 2" Post











Top Cap x 24' - 144
MILL ORDER 28-63-260
wt/ft: 1.740
 accepts 3/4" Picket & 2" Post



3" Round Top Cap x 24' - 149
28-63-265 wt/ft: 1.001
 accepts 3/4" and 1" Pickets & 2" Post; mates with #150 and #151




<p>Inside Sleeve x 10' 40-63-701 <i>mates with #149</i></p> <p>150 wt/ft: 0.718</p> 	<p>Outside Sleeve x 10' 28-63-263 <i>mates with #149</i></p> <p>151 wt/ft: 1.042</p> 	<p>3" Round Top Cap - Heavy Wall MILL ORDER - 52-63-12353 wt/ft: 1.489 <i>accepts 3/4" Picket & 2" Post; mates with 52-63-12354</i></p>  <p>3.000</p> <p>Accepts Castings: End Cap #97 21-00-120, 5052 Flat End Cap: 21-5052-120 Wall Mount #185: 21-00-1850</p>
<p>2-1/2" Colonial Top Rail x 20' 28-63-063 (DE) wt/ft: 0.600 Wood Style <i>Accepts 3/4" Picket</i></p>  <p>2.500</p> <p>1.250</p>	<p>2-1/4" Colonial Bottom Channel x 20' 28-63-062 (DE) wt/ft: 0.557 Wood Style</p>  <p>2.250</p> <p>1.500</p>	<p>Inside Sleeve for 3" Round Top Cap MILL ORDER 52-63-12354 wt/ft: 0.690 <i>mates with MILL ORDER 52-63-12353</i></p> 
<p>2" x 1.120" Colonial Top Rail x 20' 7849-10 (NC/DE) wt/ft: 0.584 Wood Style <i>Accepts 1" Picket</i></p>  <p>2.000</p> <p>1.120</p>	<p>3" x 1.535" Colonial Top Rail x 20' 28-63-305 (NC) wt/ft: 0.878 Wood Style <i>Accepts 1" Picket</i></p>  <p>3.000</p> <p>1.535</p>	<p>Handicap Grip Rail x 20' - 132 52-63-1641 wt/ft: 0.665 <i>accepts 3/4" Picket with 1-1/4" Post</i></p>  <p>1.500</p> <p>1.218</p> <p>Accepts Castings: End Cap #294 21-00-294</p>




Welded Railing: Dixie Caps




Dixie Cap x 20' - 154
28-63-100 wt/ft: 0.516
 accepts 1" & 1-1/4" Channels




Dixie Cap x 20'
28-63-103 wt/ft: 0.786
 accepts 1" & 1-1/4" Channel




Dixie Cap x 20' - 158
28-63-230 wt/ft: 1.180
 accepts 1-1/4" & 1-1/2" Channels




Dixie Cap x 20' - 155
28-63-105 wt/ft: 0.413
 accepts 1-1/2" Channel




Dixie Cap x 20' - 156
28-63-110 wt/ft: 0.668
 accepts 1", 1-1/4" & 1-1/2" Channel



2-1/4" Dixie Cap x 20'
28-63-111 wt/ft: 0.722
 with screw boss; accepts 1-1/2" Channel




2-5/8" x 1" Hollow Dixie Cap x 25' 10"
28-63-290 wt/ft: 0.558
 accepts 3/4" & 1" Pickets; 2 x 7/16" Channel; 2" Post
 mates with 28-63-291




Accepts Castings:
 End Cap #RW-29: 21-00-235
 Wall Mount #RW-29: 21-00-230

2-5/8" x 1-1/2" Hollow Dixie Cap x 25' 10"
28-63-295 wt/ft: 0.569
 accepts 3/4" & 1" Pickets; 2 x 7/16" Channel; 2" Post; mates with 28-63-296




Accepts Castings:
 End Cap #RW-30: 21-00-245
 Wall Mount #RW-30: 21-00-240










Outside Sleeve x 20'
28-63-291 wt/ft: 0.500
 mates with 28-63-290



Outside Sleeve x 20'
28-63-296 wt/ft: 0.571
 mates with 28-63-295



Railing Channel

<p>1.5 x 1 (.093/.056) Railing Channel x 25' 13-63-300 wt/ft: 0.332 6063-T5 Receives .750 picket; Mates with 13-63-305</p>  <p>Accepts Casting: Wall Mount HR-12A #68: 21-00-183</p>	<p>1.75 x .75 (.093/.062) Railing Channel x 24' 13-63-264 wt/ft: 0.330 6063-T5 Receives .750 picket;</p> 	<p>2 x 1 (.093/.056) Railing Channel x 25' 13-63-266 wt/ft: 0.395 6063-T5 Receives .750 picket; Mates with 13-63-227</p> 	<p>2 x 1 (.090/.056) Railing Channel x 25' 13-63-267 wt/ft: 0.395 6063-T5 Receives 1" picket; Mates with 13-63-227</p>  <p>Accepts Casting: Wall Mount #15: 21-00-190</p>
<p>1.5" Railing Channel Cover Plate x 20' 13-63-305 wt/ft: 0.146 6063-T5 Mates with 13-63-300</p> 	<p>2" Railing Channel Cover Plate x 16' 13-63-227 wt/ft: 0.175 6063-T5 Mates with 13-63-266 & 13-63-267</p> 	<p>2 x 7/16 x .093 Railing Channel x 25' 2" 13-63-261 wt/ft: 0.294 6063-T5 No Legs</p> 	<p>2 x .75 (.125/.093) Railing Channel x 23' 10" 13-63-262 wt/ft: 0.440 6063-T5 No Legs</p> 
<p>2 x 1 x .125 Channel x 20' 13-63-265 x 20' 13-63-274 x 24' wt/ft: 0.563 6063-T5</p> 	<p>2 x 1 Mid Rail Tube x 24' 52-63-11317 wt/ft: 0.858 6063-T52</p>  <p>Accepts Casting: Wall Mount #15: 21-00-190</p>	<p>2.252 x 1.280 Outside Sleeve x 12' 52-63-4808 wt/ft: 0.562 6063-T6 Sleeves 2 x 1 Channel and Rectangular Tube</p> 	<p>2 x 2 x .125 Channel x 20' 13-63-272 wt/ft: 0.861 6063-T5</p> 


Pre-Punched Arch Aluminum Railing Channel (Mill Finish 6063-T6)

Stock Code	Size in Inches	Picket
13-63-26620P*	2 x 1 x .093/.056 x 20'	3/4"
13-63-265P	2 x 1 x .125 x 20' (6063 T5)	3/4"
13-63-26720P*	2 x 1 x .093/.056 x 20'	1"
13-63-274PP	2 x 1 x .125 x 24'	1"

*with welding legs **for pickets with radius corners



3.75" spacing between holes inside edge to inside edge




Stairwell Punched Channels (Mill Finish 6063-T6)

13-63-26620SWP	2 x 1 x .093/.056 x 20'	3/4"
13-63-265SWP1	2 x 1 x .125 x 20' (6063 T5)	3/4"
13-63-26720SWP	2 x 1 x .093/.056 x 20'	1"
13-63-265SWP2	2 x 1 x .125 x 20' (6063 T5)	1"



Picket Spears (Mill Finish 6063-T52)

19-63-105PS1	3/4 x .062 x 58"	3/4" & 1" Spears
19-63-105PS2	3/4 x .062 x 70"	
19-63-130PS1	1 x .060 x 58"	Spears
19-63-130PS2	1 x .060 x 70"	




3.75 Decorative Aluminum Rings Casting
21-00-377

Custom sizes and hole locations available as **SPECIAL ORDER**

Mill Order Items: Not in Stock - Custom Sizes & Lengths Available Minimum Order Required



EASTERN METAL SUPPLY

FENCE RAIL GATES 06
06/08/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061






Fence & Railing

We have an extensive stock of extrusions for the fabrication of Mechanical & Welded Railing as well as Glass & Cable Railing. We also carry railing channel, pipe brackets, square tube for pickets and an assortment of Castings to finish off any railing project.

Mechanical Fence & Railing

Top Cap - HR-1


- HR-1-WH White x 20'
 - HR-1-BR Bronze x 20'
 - HR-1-BK Black x 20'
 - HR-1-BR (MO) MO Bronze x 20'
 - HR-1-MF (MO) Mill Finish x 20'
 - HR-1-TB (MO) Textured Black x 20'
- mates with HR-2, HR-2C; 8 pc sub-bundles*



Accepts Castings:
 End Cap #75: [21-00-100](#)
 Wall Mount #56: [21-00-187](#)

Top Cap - HR-8


- HR-8-WH White x 20'
 - HR-8-BR Bronze x 20'
- mates with HR-2, HR-2C; 4 pc sub-bundles*



Accepts Castings:
 End Cap #96: [21-00-131](#)
 Wall Mount #63: [21-00-063](#)

Top Cap - HR-10


- HR-10-WH White x 20'
 - HR-10-BR Bronze x 20'
 - HR-10-BK Black x 20'
- mates with HR-11A;
6 pc sub-bundles*



Accepts Castings:
 End Cap #34: [21-00-105](#)
 Flat End Cap #34F: [52-00-147](#)
 Wall Mount #13: [21-00-186](#)

Top Cap - HR-14


- HR-14-WH White x 20'
 - HR-14-BR Bronze x 20'
 - HR-14-BK Black x 20'
- mates with HR-2, HR-2C;
8 pc sub-bundles*




Accepts Castings:
 End Cap #188: [21-00-114](#)
 Wall Mount #62: [21-00-155](#)

Top Cap - HR-17

- MILL ORDER** *HR-17-WH*
- mates with HR-2, HR-2C;
6 pc sub-bundles*




Bottom Channel - HR-3
HR-3-WH White x 19' 6"
HR-3-BR Bronze x 19' 6"
HR-3-BR (MO) MO Bronze x 19' 6"
HR-3-BK Black x 19' 6"
HR-3-TB (MO) Textured Black x 19' 6"
HR-3-MF (MO) Mill Finish x 19' 6"
All mate with HR-2; 8 pc sub-bundles




Accepts Casting:
 Wall Mount #54: 21-00-316

Snap Channel - HR-12
HR-12-WH White x 19' 6"
HR-12-BR Bronze x 19' 6"
HR-12-BK Black x 19' 6"
12 pc sub-bundles




Accepts Casting:
 Wall Mount #39: 21-00-185

Bottom Channel - HR-12A x 19' 6"
HR-12A-BR Bronze - **CLOSEOUT**
12 pc sub-bundles
White available as a SPECIAL ORDER




Accepts Casting:
 Wall Mount #68: 21-00-183

Bottom Channel - HR-12B
HR-12B-WH White x 19' 6"
HR-12B-BR Bronze x 19' 6"
12 pc sub-bundles
Black available as a SPECIAL ORDER




Accepts Casting:
 Wall Mount #68: 21-00-183


Snap Plate HR-2
52-63-6147 White x 19' 6" (FL)
52-63-6149 Bronze x 19' 6" (FL)
HR-2-MF (MO) Mill Finish x 20'
HR-2-WH White x 21' 1"
HR-2-BR Bronze x 21' 1"
HR-2-BR (MO) MO Bronze x 21' 1"
HR-2-BK Black x 21' 1"
HR-2-TB (MO) Textured Black x 21' 1"
HR-2-WH-2 White x 23'
HR-2-BR-2 Bronze x 23'
HR-2-BK-2 Black x 23'
All mate with HR-1, 3, 4, 4A, 4C, 6, 7, 8, 14
12 pc sub-bundles



Snap Plate - HR-2C - CLOSEOUT
HR-2C-WH White x 20'
HR-2C-BK Black x 20'
All mate with HR-1, HR-3, HR-8, HR-14, HR-17; All use Pickets HR-5 and HR-13
10 pc sub-bundles




Snap Plate - HR-11A
HR-11A-WH White x 20'
HR-11A-BR Bronze x 20'
HR-11A-BK Black x 20'
All mate with HR-10; All use Pickets HR-5 and HR-13; 12 pc sub-bundles



Snap Plate - HR-15
HR-15-WH-1 White x 18' 6"
mates with HR-16; 16 pc sub-bundles




Snap Post - HR-4
52-63-6146 White x 19' 6"
52-63-6148 Bronze x 19' 6"
HR-4-WH White x 21' 1"
HR-4-BR Bronze x 21' 1"
HR-4-BK Black x 21' 1"
HR-4-WH-2 White x 23'
HR-4-BR-2 Bronze x 23'
HR-4-BK-2 Black x 23'
mates with HR-2
6 pc sub-bundles




Accepts Casting:
 Floor Flange #40: 21-00-210

Snap Post - HR-4A
HR-4A-WH White x 21' 1"
HR-4A-BR Bronze x 21' 1"
HR-4A-BR (MO) MO Bronze x 21' 1"
HR-4A-TB (MO) Textured Black x 21' 1"
HR-4A-BK Black x 25'
mates with HR-2; 6 pc sub-bundles



Accepts Casting:
 Floor Flange #50: 21-00-195
 Floor Flange #50HD 21-00-196


Snap Post - HR-16
HR-16-WH-1 White x 18' 6"
mates with HR-15; 8 pc sub-bundles




Accepts Casting:
 Floor Flange #42: 21-00-309




1" Picket - HR-5
200-WH-075 White x 19'10"
200-MB-075 Bronze x 19'10"
HR-5-WH White x 23'
HR-5-BR Bronze x 23'
HR-5-BK Black x 23' 6"
HR-5-TB (MO) Textured Black x 23'
HR-5-MF (TX) Mill Finish x 23'
 20 pc sub-bundles




1" Oval Picket
MILL ORDER - 52-63-12344



3/4" Picket - HR-13
HR-13-WH-1 White x 19' 1"
HR-13-BR-1 Bronze x 19' 1"
HR-13-BK Black x 19' 1"
HR-13-WH White x 22' 5"
HR-13-BR Bronze x 22' 5"
 20 pc sub-bundles



3/4" Picket w/radius
HR-13R (.120 Radius)
HR-13R-WH20 White x 20'
HR-13R-BR20 Bronze x 20'
HR-13R-WH (MO) White x 24'
HR-13R-BR (MO) Bronze x 24'
HR-13R-TB (MO) Text Black x 24'
 20 pc sub-bundles



3/4" Spears
19-63-105PS1 .062 x 58"
19-63-105PS2 .062 x 70"

1" Spears
19-63-130PS1 .060 x 58"
19-63-130PS2 .060 x 70"



Aluminum Posts & Pickets

Painted Square Tube - 6063-T6


Stock Code	Size in Inches	Approx. Wt/Lin ft.
19-WH-204	2 x .093 x 24' White	0.851
19-MB-204	2 x .093 x 24' Bronze	0.851
19-BK-204	2 x .093 x 24' Black	0.851
19-IV-300	2 x .125 x 24' Ivory	1.125
19-WH-305	2 x .125 x 24' 6" White	1.125
19-MB-305	2 x .125 x 24' 6" Bronze	1.125
19-BG-305	2 x .125 x 24' 6" Beige	1.125
19-COLOR-212	2 x .250 x 24' **	2.100
19-WH-003	3 x .093 x 24' White	1.298
19-MB-003	3 x .093 x 24' Bronze	1.298
19-63-231TB (MO)	3 x .093 x 24' Textured Black	1.298
200-WH-027	3 x .093 x 30' White	1.298
200-MB-027	3 x .093 x 30' Bronze	1.298
19-WH-225	3 x .125 x 20' White	1.726
19-WH-220	3 x .125 x 24' White	1.726
19-MB-235	3 x .125 x 24' Bronze	1.726
19-IV-235	3 x .125 x 24' Ivory	1.726
19-BG-235	3 x .125 x 24' Beige	1.726
19-BK-235	3 x .125 x 24' Black	1.726
19-COLOR-240	3 x .250 x 24' **	3.300
52-COLOR-4424	3.50 x .125 x 24' **	2.024
19-WH-245	4 x .125 x 20' White	2.325
19-WH-400	4 x .125 x 24' White	2.325
19-MB-246	4 x .125 x 24' Bronze	2.325
19-IV-400	4 x .125 x 24' Ivory	2.325
19-BG-400	4 x .125 x 24' Beige	2.325
19-BK-400	4 x .125 x 24' Black	2.325
200-WH-028	4 x .125 x 30' White	2.325
200-MB-028	4 x .125 x 30' Bronze	2.325
19-WH-2500	4 x .250 x 20' White	4.500
19-MB-2500	4 x .250 x 24' Bronze	4.500
19-IV-2500	4 x .250 x 24' Ivory	4.500
19-BG-2500	4 x .250 x 24' Beige	4.500
19-WH-2501	4 x .250 x 24' 6" White	4.500
3" Scalloped Square Tube		
42-WH-003 (MO)	3" x 20' White	0.757
200-WH-017	3" x 24' White	0.757
200-MB-017	3" x 24' Bronze	0.757
200-WH-018	3" x 30' White	0.757
200-MB-018	3" x 30' Bronze	0.757

**COLOR - Available in White (WH), Bronze (MB), Ivory (IV), and Beige (BG)

Aluminum Woven Wire Mesh - NEW!

Alloy 1350 - H16

ID	Size	Stock Code	Size in Inches	Approx. Wt/Sheet
2.00	ID	50-2X2WM-4896	.236 x 48 x 96	17.60
2.00	ID	50-2X2WM-48120	.236 x 48 x 120	21.78
1.75"	ID; 2.25" OD	Alloy 1350 - H16 - CLOSEOUT!		
50-WWM	4896 (MO)		.236 x 48 x 96	20.60



Woven Wire Mesh Framing Options

see Stiffeners, Enclosures & Gates 11 for schematic

13-63-205	1/2 x 3/4 x 1/8 Channel x 20' (6063-T52)
60-00-205	MP-1A (1 x 1 x 24')
59-63-002 (TX)	MP-1A (1 x 1 x 24')


Hard-Rok 5 Gallon Bucket
61-00-007 Anchoring Cement
 Contains no gypsum or chlorides;
 Quick setting anchoring cement;



Quik Rok 5 Gallon Bucket
61-00-001 Anchoring Cement
 NEVER to be used to anchor
 balcony railing or any similar human
 life safety structures



45° Post x 20' #2
52-63-2033 wt/ft: 1.041
Wall: .085/150 6061-T6




16 oz Touch Up Spray Paint


Stock Code	Color
35-00-100	White
35-00-100G	White Gloss
35-00-105	Bronze
35-00-105G	Bronze Gloss
35-00-110	Ivory Gloss
35-00-115 (TX)	Beige
35-00-115G	Beige Gloss
35-00-120	Black
35-00-120G	Black Gloss



Mechanical Railing - HR-1 Schematic




ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - HR-10 Schematic




ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - HR-14 Schematic




ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - Post to Post Schematic




ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE




www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

Mechanical Railing - Midrail Schematic



ADDITIONAL MECHANICAL RAILING EXTRUSIONS AND CASTINGS ALSO AVAILABLE



www.easternmetal.com • info@easternmetal.com v 11/23

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061



<p>1 x 2 Open Back Mates with 1 x 2 Patio Snap <u>200-WH-001</u> White x 24' <u>200-MB-001</u> Bronze x 24' <u>200-WH-002</u> White x 30' <u>200-MB-002</u> Bronze x 30'</p>	<p>1 x 2 Patio Snap Mates with 1 x 2 Open Back <u>200-WH-116</u> White x 24' <u>200-MB-116</u> Bronze x 24'</p>	<p>1 x 3 Open Back <u>200-WH-070</u> White x 24' <u>200-MB-070</u> Bronze x 24' <u>200-WH-071</u> White x 30' <u>200-MB-071</u> Bronze x 30'</p>	<p>1 x 2 Self-Mating Snap <u>200-WH-101</u> White x 24' <u>200-MB-101</u> Bronze x 24' <u>200-WH-005</u> White x 25' <u>200-MB-005</u> Bronze x 25'</p>	<p>1 x 3 Self-Mating Snap with Screw Bosses <u>200-WH-206</u> White x 25' <u>200-MB-206</u> Bronze x 25'</p>	<p>1 x 3 Self-Mating Snap <u>200-WH-006</u> White x 25' <u>200-MB-006</u> Bronze x 25' <u>200-WH-129</u> White x 30' <u>200-MB-129</u> Bronze x 30'</p>
<p>1 x 4 Self-Mating Snap <u>200-WH-007</u> White x 24' <u>200-MB-007</u> Bronze x 24' <u>200-WH-008</u> White x 30' <u>200-MB-008</u> Bronze x 30'</p>	<p>2" x 4" Self Mating Beam <u>200-WH-040</u> White x 18' <u>200-MB-040</u> Bronze x 18' <u>200-WH-041</u> White x 20' <u>200-MB-041</u> Bronze x 20' <u>200-WH-077</u> White x 24' <u>200-MB-077</u> Bronze x 24' <u>200-WH-042</u> White x 30' <u>200-MB-042</u> Bronze x 30'</p>	<p>2" x 5" Self Mating Beam <u>200-COLOR-043</u> x 18"* <u>200-COLOR-044</u> x 20' <u>200-COLOR-074</u> x 22' <u>200-MB-041</u> x 24' <u>200-COLOR-046</u> x 26' <u>200-COLOR-117</u> x 28' <u>200-COLOR-118</u> x 30' *COLOR = White (WH) & Bronze (MB)</p>	<p>3/4" Picket x 19' 1" <u>HR-13-WH-1</u> White <u>HR-13-BR-1</u> Bronze <u>HR-13-BK</u> Black</p> <p>3/4" Picket x 22' 5" <u>HR-13-WH</u> White <u>HR-13-BR</u> Bronze</p>	<p>1" Picket x 19' 1" <u>200-WH-075</u> White <u>200-MB-075</u> Bronze</p> <p>1" Picket x 23' <u>HR-5-WH</u> White <u>HR-5-BR</u> Bronze</p>	
<p>18/14 Charcoal Pool & Patio Enclosure Screen x 100' Rolls <u>200-CC-025</u> 36" <u>200-CC-024</u> 60" <u>200-CC-026</u> 72" <u>200-CC-027</u> 78" <u>200-CC-028</u> 84" <u>200-CC-034</u> 90" <u>200-CC-029</u> 96" <u>200-CC-023</u> 102" <u>200-CC-030</u> 108"</p> <p>Flat Spline x 1000' <u>200-CC-031</u></p>	<p>20/20 Charcoal Pool & Patio Enclosure Screen x 100' Rolls (No See Um) <u>NYW-202036</u> 36" <u>NYW-202072</u> 72" <u>NYW-202084</u> 84" <u>NYW-202096</u> 96" <u>NYW-2020108</u> 108"</p>	<p>Flat Spline Roller <u>200-SR-10</u></p>	<p>Sheet Metal Screws (Bags of 100) <u>1015SMSW</u> 10 x 1.5" White <u>1015SMSB</u> 10 x 1.5" Bronze <u>102SMSW</u> 10 x 2" White <u>102SMSB</u> 10 x 2" Bronze <u>103SMSW</u> 10 x 3" White <u>103SMSB</u> 10 x 3" Bronze <u>104SMSW</u> 10 x 4" White <u>104SMSB</u> 10 x 4" Bronze</p>	<p>Self Drilling Screws (Bags of 100) <u>1475SDW</u> 1/4 x 3/4" White <u>1475SDB</u> 1/4 x 3/4" Bronze <u>141SDW</u> 1/4 x 1" White <u>141SDB</u> 1/4 x 1" Bronze <u>142SDW</u> 1/4 x 2" White <u>142SDB</u> 1/4 x 2" Bronze <u>143SDW</u> 1/4 x 3" White <u>143SDB</u> 1/4 x 3" Bronze <u>875SDW</u> 8 x 3/4" White <u>875SDB</u> 8 x 3/4" Bronze <u>8916SDW</u> 8 x 9/16" White <u>8916SDB</u> 8 x 9/16" Bronze</p>	<p>Self Drilling Screws (con't) (Bags of 100) <u>1075SDW</u> 10 x 3/4" White <u>1075SDB</u> 10 x 3/4" Bronze <u>1275SDW</u> 12 x 3/4" White <u>1275SDB</u> 12 x 3/4" Bronze <u>143SDW</u> 14 x 3" White <u>143SDB</u> 14 x 3" Bronze</p>

BALCONY SCREEN RAIL SYSTEM

1 x 2 Open Back
200-COLOR-001 or 002
or
1 x 3 Open Back
200-COLOR-070 or 071




1 x 3 Self-Mating Snap
200-COLOR-006 or 129 or 206
or
1 x 4 Self-Mating Snap
200-COLOR-007 or 008

1 x 2 Self-Mating Snap
200-COLOR-005 or 101



1" Picket - HR-5
HR-5-COLOR
or
3/4" Picket - HR-13
HR-13-COLOR




1 x 2 Open Back
200-COLOR-001 or 002
or
1 x 3 Open Back
200-COLOR-070 or 071

Note! Suggest using #10 x 2" lg. SMS




Pipe Brackets (See Standards 23-24 for full selection of Pipe)

	<p>2.50" x 3.875" Centerline Projected Pipe Bracket x 16' 31-63-120 162 wt/ft: 2.012</p> 	<p>3.125" x 4.375" Centerline Projected Pipe Bracket x 12' 31-61-150 wt/ft: 2.264 Meets NFPA 101 Life Safety Code</p> 
--	---	--

<p>2.25" x 3.875" Centerline Projected Pipe Bracket x 16' 163 MILL ORDER 31-63-135 wt/ft: 1.940</p> 	<p>2.875" x 3.50" Centerline Projected Pipe Bracket x 16' 160 MILL ORDER 31-63-105 wt/ft: 1.853</p> 	<p>3.080" x 3.875" Centerline Projected Pipe Bracket x 16' 165 MILL ORDER 31-61-145 wt/ft: 2.1815</p> 
---	--	---

<p>Grip Rail Polished & Anodized</p> <table border="1"> <thead> <tr> <th>Stock Code</th> <th>Length</th> </tr> </thead> <tbody> <tr><td>GR-12</td><td>12"</td></tr> <tr><td>GR-14</td><td>14"</td></tr> <tr><td>GR-18</td><td>18"</td></tr> <tr><td>GR-24</td><td>24"</td></tr> <tr><td>GR-36</td><td>36"</td></tr> </tbody> </table> 	Stock Code	Length	GR-12	12"	GR-14	14"	GR-18	18"	GR-24	24"	GR-36	36"	<p>Grip Rail Mill Finish</p> <table border="1"> <thead> <tr> <th>Stock Code</th> <th>Length</th> </tr> </thead> <tbody> <tr><td>GRM-12</td><td>12"</td></tr> <tr><td>GRM-14</td><td>14"</td></tr> <tr><td>GRM-18</td><td>18"</td></tr> <tr><td>GRM-24</td><td>24"</td></tr> <tr><td>GRM-36</td><td>36"</td></tr> </tbody> </table>	Stock Code	Length	GRM-12	12"	GRM-14	14"	GRM-18	18"	GRM-24	24"	GRM-36	36"	<p>Mark 5 Gate Hinge* 52-63-8793 (Heavy Duty) with base plate *up to 800 lb load</p> 	<p>Mark 4 Gate Hinge 52-63-9150 (Heavy Duty) without base plate</p> 	<p>Gate Hinge Bearing GATE-BEARING 1 piece For use with Mark 4 and Mark 5 Gate Hinges</p> 
Stock Code	Length																											
GR-12	12"																											
GR-14	14"																											
GR-18	18"																											
GR-24	24"																											
GR-36	36"																											
Stock Code	Length																											
GRM-12	12"																											
GRM-14	14"																											
GRM-18	18"																											
GRM-24	24"																											
GRM-36	36"																											

<p>SCH 40 Aluminum Pipe End Caps</p> <table border="1"> <thead> <tr> <th>Mill Finish</th> <th>Pipe Size</th> </tr> </thead> <tbody> <tr><td>APC-100-MF</td><td>1</td></tr> <tr><td>APC-125-MF</td><td>1-1/4</td></tr> <tr><td>APC-150-MF</td><td>1-1/2</td></tr> <tr><td>APC-200-MF</td><td>2</td></tr> <tr><td colspan="2">Anodized</td></tr> <tr><td>APC-750</td><td>3/4</td></tr> <tr><td>APC-100</td><td>1</td></tr> <tr><td>APC-125</td><td>1-1/4</td></tr> <tr><td>APC-150</td><td>1-1/2</td></tr> <tr><td>APC-200</td><td>2</td></tr> <tr><td colspan="2">Black Plastic</td></tr> <tr><td>RN1-1/4DBK1</td><td>1</td></tr> </tbody> </table>  	Mill Finish	Pipe Size	APC-100-MF	1	APC-125-MF	1-1/4	APC-150-MF	1-1/2	APC-200-MF	2	Anodized		APC-750	3/4	APC-100	1	APC-125	1-1/4	APC-150	1-1/2	APC-200	2	Black Plastic		RN1-1/4DBK1	1	<p>SCH 40 Pipe x 24' - T4 Temper (for bending)</p> <table border="1"> <thead> <tr> <th>Stock Code</th> <th>Size in Inches</th> </tr> </thead> <tbody> <tr><td>18-63-231</td><td>1-1/4 x 1.660 OD x 1.380 ID x .140 Wall</td></tr> <tr><td>18-T4-500</td><td>1-1/2 x 1.900 OD x 1.610 ID x .145 Wall</td></tr> </tbody> </table> <p>Many other Pipe sizes, Alloys & Temper are Available</p> <p>Pipe Inserts (6063-T52)</p> <table border="1"> <tbody> <tr><td>18-63-259</td><td>1-1/4</td><td>SCH 40 x 10'</td></tr> <tr><td>18-63-260</td><td>1-1/2</td><td>SCH 40 x 10'</td></tr> <tr><td>51-00-051</td><td>1-3/8</td><td>Serrated Tube x 20' (insert for 1-1/4 pipe)</td></tr> </tbody> </table> 	Stock Code	Size in Inches	18-63-231	1-1/4 x 1.660 OD x 1.380 ID x .140 Wall	18-T4-500	1-1/2 x 1.900 OD x 1.610 ID x .145 Wall	18-63-259	1-1/4	SCH 40 x 10'	18-63-260	1-1/2	SCH 40 x 10'	51-00-051	1-3/8	Serrated Tube x 20' (insert for 1-1/4 pipe)
Mill Finish	Pipe Size																																									
APC-100-MF	1																																									
APC-125-MF	1-1/4																																									
APC-150-MF	1-1/2																																									
APC-200-MF	2																																									
Anodized																																										
APC-750	3/4																																									
APC-100	1																																									
APC-125	1-1/4																																									
APC-150	1-1/2																																									
APC-200	2																																									
Black Plastic																																										
RN1-1/4DBK1	1																																									
Stock Code	Size in Inches																																									
18-63-231	1-1/4 x 1.660 OD x 1.380 ID x .140 Wall																																									
18-T4-500	1-1/2 x 1.900 OD x 1.610 ID x .145 Wall																																									
18-63-259	1-1/4	SCH 40 x 10'																																								
18-63-260	1-1/2	SCH 40 x 10'																																								
51-00-051	1-3/8	Serrated Tube x 20' (insert for 1-1/4 pipe)																																								




CENTERLINE GLASS RAILING - NEW!

2.5" Post System

Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested & Engineered System



NOW OFFERING:
CARDINAL GLASS!
For more information:
glass@easternmetal.com



2.5" Glass Rail Inline Post x 24'
28-60-735 6005A-T61
Mates with 28-60-740; Fits the 2.5" Post System

2.5" Glass Rail Post Insert x 24'
28-60-740 6005A-T61
Fits the 2.5" Post System Mates with 28-60-735

2.5" Glass Rail Corner Post x 24'
28-60-730 6005A-T61
Fit the 2.5" Post System

2.5" x 4.9" Glass Rail 135° Post x 24'
28-60-770 6005A-T61
Fits the 2.5" Post System

Alternate Radius Glass Rail Top Cap x 24'
28-63-710 6063-T6
Fits the 2.5" Post System
28-63-710FEC End Cap

Top Cap End Caps
28-63-710FEC End Cap
Fits **28-63-710**

28-63-700FEC End Cap
Fits **28-63-700**

2" x 2.25" Intermediate Glass Rail x 24'
28-63-720 6063-T6
Fits the 2.5" & 3.5" Post Systems

3.5" Round Glass Rail Top Cap x 24'
28-63-700 6063-T6
Fits the 2.5" Post System
28-63-700FEC End Cap

Round Glass Rail Inner Sleeve x 10'
52-63-8915 6063-T6
Fits the 2.5" Post System Mates with 28-63-700

2" Centerline Glass Rail Bottom Channel x 24'
28-63-715 6063-T6
Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327

2" Centerline Glass Rail Bottom Channel x 24'
28-63-716 6063-T6
Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327

Cover Plate for Bottom Channel x 16'
52-63-11327 6063-T6
Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715, 28-63-716



CENTERLINE GLASS RAILING - NEW!


3.5" Post System

Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System



NOW OFFERING:
CARDINAL GLASS!


For more information:
glass@easternmetal.com



3.5" x 2" Glass Rail Inline Post x 24'

28-60-760 6005A-T61


Fits the 3.5" Post System; Mates with I-Bar Post Insert 28-60-745



3.5" Glass Rail Post Insert x 24'

28-60-745 6005A-T61


Fits the 3.5" Post System; Mates with 28-60-760



3.5" x 3.5" x .230" Glass Rail Corner Post x 24'

28-60-765 6005A-T61


Fits the 3.5" Post System; Mates with 3" Sq Tube Post Insert 52-61-750



3" Square Tube Post Insert x 18'

52-61-750 6061-T6


Fits the 3.5" Post System; Mates with 28-60-765



3.5" x 5.47" Glass Rail 135° Post x 24'

28-60-775 6005A-T61


Fits the 3.5" Post System



2" x 2.25" Intermediate Glass Rail x 24'

28-63-720 6063-T6


Fits the 2.5" & 3.5" Post Systems



4.5" Round Glass Rail Top Cap x 24'


28-63-705 6063-T6

Fits the 3.5" Post System
28-63-705FEC End Cap



Top Cap End Cap


28-63-705FEC End Cap
Fits **28-63-705**



2" Centerline Glass Rail Bottom Channel x 24'

28-63-716 6063-T6


Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327



Cover Plate for Bottom Channel x 16'

52-63-11327 6063-T6

Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715



Cover Plate for Bottom Channel x 16'

52-63-11327 6063-T6

Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715, 28-63-716




60" ROOFTOP CENTERLINE GLASS RAILING - NEW!

3.5" Post System
Mechanical/Welded Combo
 Accepts 7/16" and 9/16" Glass
 Tested and Engineered System



NOW OFFERING:
CARDINAL GLASS!
 For more information:
glass@easternmetal.com

**See engineering for post insert concrete embedment depth*



Engineering available by request

3.5" x 3.5" x .230" Glass Rail Corner Post x 24'
28-60-765 6005A-T61
Fits the 3.5" Post System; Mates with 3" Sq Tube Post Insert 52-61-750

3" Square Tube Post Insert x 18'
52-61-750 6061-T6
Fits the 3.5" Post System; Mates with 28-60-765

4.5" Round Glass Rail Top Cap x 24'
28-63-705 6063-T6
Fits the 3.5" Post System
28-63-705FEC End Cap

Top Cap End Cap 28-63-705FEC End Cap
Fits 28-63-705

2" Centerline Glass Rail Bottom Channel x 24'
28-63-715 6063-T6
Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327

2" Centerline Glass Rail Bottom Channel x 24'
28-63-716 6063-T6
Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327

Cover Plate for Bottom Channel x 16'
52-63-11327 6063-T6
Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715, 28-63-716



EASTERN METAL SUPPLY

FENCE RAIL GATES 13
 06/08/24

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061




OFFSET GLASS RAILING - NEW!

2.5" Post System
Mechanical/Welded Combo
 Accepts 7/16" and 9/16" Glass
 Tested and Engineered System




NOW OFFERING:
CARDINAL GLASS!


For more information:
glass@easternmetal.com




2.5" Glass Rail Inline Post x 24'
28-60-735 6005A-T61
 Mates with 28-60-740; Fits the 2.5" Post System




2.5" Glass Rail Post Insert x 24'
28-60-740 6005A-T61
 Fits the 2.5" Post System Mates with 28-60-735




2.5" Glass Rail Corner Post x 24'
28-60-730 6005A-T61
 Fit the 2.5" Post System



2.5" x 4.9" Glass Rail 135° Post x 24'
28-60-770 6005A-T61
 Fits the 2.5" Post System




Welded Offset Glass Rail Bottom Channel x 24'
28-63-771 6063-T6
 Fits the 2.5" & 3.5" Post Systems



2.5" Post - Standard (shown) 28-60-735
 Corner Option 28-60-730 (for perpendicular attachment)

Engineering available by request


5" Radius Offset Glass Rail Top Cap x 24'
28-63-760 6063-T6
 Fits the 2.5" Post System
28-63-760FEC End Cap




Top Cap End Cap 28-63-760FEC End Cap
 Fits **28-63-760**



Cover Plate for Offset Bottom Channel x 24'
28-63-755 (Mechanical) 6063-T6
 Fits the 2.5" & 3.5" Post Systems Mates with 28-63-725



Mechanical Offset Glass Rail Bottom Channel x 24'
28-63-725 6063-T6 Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-755




OFFSET GLASS RAILING - NEW!

3.5" Post System
Mechanical/Welded Combo
 Accepts 7/16" and 9/16" Glass
 Tested and Engineered System




NOW OFFERING:
CARDINAL GLASS!


For more information:
glass@easternmetal.com




3.5" x 2" Glass Rail Inline Post x 24'
28-60-760 6005A-T61
Fits the 3.5" Post System; Mates with I-Bar Post Insert 28-60-745




3.5" Glass Rail Post Insert x 24'
28-60-745 6005A-T61
Fits the 3.5" Post System; Mates with 28-60-760




3.5" x 3.5" x .230" Glass Rail Corner Post x 24'
28-60-765 6005A-T61
Fits the 3.5" Post System; Mates with 3" Sq Tube Post Insert 52-61-750



3" Square Tube Post Insert x 18'
52-61-750 6061-T6
Fits the 3.5" Post System; Mates with 28-60-765




3.5" x 5.47" Glass Rail 135° Post x 24'
28-60-775 6005A-T61
Fits the 3.5" Post System



Corner Option 28-60-765 (for perpendicular attachment)

Engineering available by request


6" Radius Offset Glass Rail Top Cap x 24'
28-63-750 6063-T6
Fits the 3.5" Post System
28-63-750FEC End Cap




Top Cap End Cap 28-63-750FEC End Cap
 Fits **28-63-750**




Cover Plate for Offset Bottom Channel x 24'
28-63-755 (Mechanical) 6063-T6
Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-725



Mechanical Offset Glass Rail Bottom Channel x 24'
28-63-725 6063-T6
Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-755



Welded Offset Glass Rail Bottom Channel x 24'
28-63-771 6063-T6
Fits the 2.5" & 3.5" Post Systems



GLASS RAILING GLAZING - NEW!

For 7/8 Glass Pockets using 7/16" and 9/16" Glass

Used with our Tested and Engineered Systems (Fence & Railing 10-14)

LAMINATED GLASS (sized by order) - *Now available from Eastern Metal Supply!*


- 7/16" Laminated Glass with vertical polished edge
- 0.035 SGP between 3/16" Tempered Glass • Design Pressure = +/-130
- 9/16" Laminated Glass with vertical polished edge
- 0.035 SGP between 1/4" Tempered Glass • Design Pressure = +/-190





NOW OFFERING:

**CARDINAL
GLASS!**


For more information:
glass@easternmetal.com




<p>Preset Exterior Sponge - 250' rolls WW-B090 (sponge) Santoprene Gasket .125 face clearance, .250 centerline 9/16" Glass</p> 	<p>Preset Exterior Sponge - 250' rolls WW-B140 (sponge) Santoprene Gasket .250 face clearance, .250 centerline 7/16" Glass</p> 	<p>Interior Wedge Gas- kets - 250' rolls WW-W514 Santoprene Gasket .187 face clearance, .062 nub Both Glass Types</p> 	<p>Centerline Neoprene Setting Block WW-BN02164 1/8 x 1 x 4</p> 	<p>Offset Neoprene Setting Block WW-BN04164 1/4 x 1 x 4</p> 
---	---	---	--	---




3" Round Glass Cap
MILL ORDER 52-63-12183 - GR104
wall:0.125; with 1.500 deep glass pocket




3-1/2" Round Glass Cap X 24'
52-63-10740 - GR108
wall:0.125; with 1.750 deep glass pocket
Mates with GRS110




Glass Rail Inner Sleeve x 10' - RS110
52-63-8915 *wall:0.090*
Mates with GR108




4" Round Glass Cap
MILL ORDER 52-63-9402 - GR116
wall:0.125; with 1.250 deep glass pocket
Accepts 2" Post




4-1/2" Round Top Cap
MILL ORDER 52-63-11470 - GR118
wall:0.105; with 1.750 deep glass pocket
Mates with GR312 (3.5" Post)




3-1/2" x 2-1/2" Rect Glass Top Cap
MILL ORDER 52-63-11065 - GR122
wall:0.125; with 1.680 deep glass pocket
Accepts 2.5" Post




6-1/2" x 3-3/4" Offset Oval Glass Rail Cap - GR304
MILL ORDER 52-63-8500 *wall:0.150*
with 2.00 deep glass channel; Mates with GR312 (3.5" Post)




Cover Plate x 16' - GRC214
52-63-11327 *wall:0.090*
mates with GRC202, GRC204, GRC210 and 28-63-715




2" x 1-1/2" Glass Bottom Channel x 24'
MILL ORDER 52-63-10348 - GRC202
wall:0.090; with 0.687 deep glass pocket; mates with GRC214




2" x 1-1/2" Glass Bottom Channel x 24' - GRC204
52-63-10741 *wall:0.090*
with 1" deep glass pocket; Can be used as a Mid Rail when inverted; mates with GRC214




2" x 1-1/2" Mid Rail Glass Channel x 24' - GRC210
MILL ORDER 52-63-9940 *wall:0.090*
with 1.250 deep glass pocket; mates with GRC214




2" Centerline Glass Rail Bottom Channel x 24'
28-63-715 6005A-T61
Mates with 52-63-11327




2" Centerline Glass Rail Bottom Channel x 24'
28-63-716 6063-T6
Mates with 52-63-11327




2" x 1-5/8" Glass Bottom Channel
MILL ORDER 52-63-12101 - GRC206
wall:0.125; with 0.875 deep glass pocket




2-1/4" x 2" Glass Channel
MILL ORDER 52-63-13991 - GRC213
wall:0.125; with 1.500 deep glass pocket




3-1/2" x 2-1/2" Offset Bottom Channel
MILL ORDER 52-63-13138 - GR310
wall:0.090; with 1.75 deep glass channel




2" x 1-5/8" Mid Rail Glass Channel
MILL ORDER 52-63-12798 - GRC212
wall:0.125; with 1.500 deep glass pocket




3.325" x 4.75" Glass Base Shoe x 10'
28-63-077
with 3.980 deep glass pocket




2.75" x 4.125" Glass Base Shoe x 20'
51-63-327
with 3.125 deep glass pocket




2.50" x 4" Glass Base Shoe x 20'
51-63-325
with 3.125 deep glass pocket




2.25" x 3" Glass Glass Base Shoe
MILL ORDER 52-63-10157
wall:0.625 with 2.063 deep glass pocket




2.50" x 4" Glass Base Shoe x 20'
51-63-326 (TX)
with 3.125 deep glass pocket
Pre-Fabbed with 20 Holes



Glass Rail Post x 24'
20-61-270
2 x 2-1/2 x 1/8 Rect Tube 6061 T6




3.5" x 2" Heavy Duty Glass Rail Post
MILL ORDER 52-61-2056 - GR312
wall:0.094; Receives 3/8" x 3" flat bar; Mates with GRC302 & GRC304




- Glass Rail Post**
- 19-61-208 2 x .188 (6061-T6)
 - 19-61-212 2 x .250 (6061-T6)
 - 19-63-210 2 x .125
 - 19-61-210 2 x .125 (6061-T6)
 - 52-61-936 2 x .125 (6061-T6)
 - 19-63-211 2 x .188
 - 52-61-1128 2 x .188 w/rad (6061-T6)
 - 28-60-735 2.50 x .125/.375 (6005A-T61)
 - 28-60-730 2.50 x .375 (6005A-T61)
 - MILL ORDER 2.50 x .188 (52-61-3402)
 - 28-60-760 3.50 x 2.00 x .125/.375 (6005A-T61)
 - 28-60-765 3.50 x .230 (6005A-T61)

2" Square Post Stiffener x 12'
52-61-2163 for 2" x .125 Sq Tube




2" Square Post Stiffener x 12'
52-61-4452 for 2" x .188 Sq Tube


















NOW OFFERING:
CARDINAL GLASS!
 For more information:
glass@easternmetal.com







CASTINGS

<p>HR1 End Cap 21-DC-100 Die Cast</p>  <p>Accepts: Top Cap - HR-1-COLOR</p>	<p>HR10 Flat End Cap 52-00-147 Sand Cast</p>  <p>Accepts: Top Cap - HR-10-COLOR</p>	<p>HR14 End Cap 21-00-114 Sand Cast</p>  <p>Accepts: Top Cap - HR-14-COLOR</p>	<p>Handicap Rail End Cap 21-DC-114 Die Cast</p>  <p>Accepts: Top Cap - HR-14-COLOR</p>	<p>2-1/4" x 6" End Cap 21-00-150 Sand Cast</p>  <p>Accepts: Top Cap - 28-63-260</p>																																		
<p>2-5/8" x 1" End Cap 21-00-135 Die Cast</p>  <p>Accepts: Hollow Cap #129 - 28-63-210 Hollow Cap #130 - 28-63-200</p>	<p>2-5/8" x 1-1/2" Flat End Cap 21-00-140F Sand Cast</p>  <p>Accepts: Hollow Cap #135 - 28-63-215</p>	<p>2-5/8" x 1-1/2" 5052 Flat End Cap 21-5052-140 <i>Fabricated from Aluminum Sheet</i></p>  <p>Accepts: Hollow Cap #135 - 28-63-215</p>	<p>3" Oval End Cap 21-00-000 Sand Cast</p>  <p>Accepts: Top Cap #147 - 28-63-267</p>	<p>End Cap RW-29 2-5/8 x 1 Dixie End Cap 21-00-235 Sand Cast</p>  <p>Accepts: Hollow Dixie Cap - 28-63-290</p>																																		
<p>End Cap RW-30 2-5/8 x 1-1/2 Dixie Cap 21-00-245 Die Cast</p>  <p>Accepts: Hollow Dixie Cap - 28-63-295</p>	<p>Flat End Cap RW-30 2-5/8 x 1-1/2 Dixie Cap 21-00-245F Sand Cast</p>  <p>Accepts: Hollow Dixie Cap - 28-63-295</p>	<p>3" Round 5052 Flat End Cap 21-5052-120 <i>Fabricated from Aluminum Sheet</i></p>  <p>Accepts: Top Cap #149 - 28-63-265</p>																																				
<p>1-1/4" SCH 40 End Plug 21-00-180 Die Cast</p> 	<p>1-1/2" SCH 40 End Plug 21-00-181 Sand Cast</p> 	<p>SCH 40 Aluminum Pipe End Caps</p> <table border="0"> <thead> <tr> <th>Mill Finish</th> <th>Pipe Size</th> </tr> </thead> <tbody> <tr> <td>APC-100-MF</td> <td>1</td> </tr> <tr> <td>APC-125-MF</td> <td>1-1/4</td> </tr> <tr> <td>APC-150-MF</td> <td>1-1/2</td> </tr> <tr> <td>APC-200-MF</td> <td>2</td> </tr> </tbody> </table> <table border="0"> <thead> <tr> <th>Anodized</th> <th>Pipe Size</th> </tr> </thead> <tbody> <tr> <td>APC-750</td> <td>3/4</td> </tr> <tr> <td>APC-100</td> <td>1</td> </tr> <tr> <td>APC-125</td> <td>1-1/4</td> </tr> <tr> <td>APC-150</td> <td>1-1/2</td> </tr> <tr> <td>APC-200</td> <td>2</td> </tr> </tbody> </table> 	Mill Finish	Pipe Size	APC-100-MF	1	APC-125-MF	1-1/4	APC-150-MF	1-1/2	APC-200-MF	2	Anodized	Pipe Size	APC-750	3/4	APC-100	1	APC-125	1-1/4	APC-150	1-1/2	APC-200	2	<p>SCH 40 Aluminum Pipe Flat End Caps</p> <table border="0"> <thead> <tr> <th>Mill Finish</th> <th>Pipe Size</th> </tr> </thead> <tbody> <tr> <td>FEC-100-MF</td> <td>1"</td> </tr> </tbody> </table> 	Mill Finish	Pipe Size	FEC-100-MF	1"	<p>SCH 40 Black Plastic End Caps</p> <table border="0"> <thead> <tr> <th>Mill Finish</th> <th>Pipe Size</th> </tr> </thead> <tbody> <tr> <td>RN1DBK1</td> <td>3/4"</td> </tr> <tr> <td>RN1-1/4DBK1</td> <td>1"</td> </tr> <tr> <td>RN1625DBK1</td> <td>1-1/4"</td> </tr> </tbody> </table> 	Mill Finish	Pipe Size	RN1DBK1	3/4"	RN1-1/4DBK1	1"	RN1625DBK1	1-1/4"
Mill Finish	Pipe Size																																					
APC-100-MF	1																																					
APC-125-MF	1-1/4																																					
APC-150-MF	1-1/2																																					
APC-200-MF	2																																					
Anodized	Pipe Size																																					
APC-750	3/4																																					
APC-100	1																																					
APC-125	1-1/4																																					
APC-150	1-1/2																																					
APC-200	2																																					
Mill Finish	Pipe Size																																					
FEC-100-MF	1"																																					
Mill Finish	Pipe Size																																					
RN1DBK1	3/4"																																					
RN1-1/4DBK1	1"																																					
RN1625DBK1	1-1/4"																																					



<p>HR1 Wall Mount 21-00-187 Die Cast</p>  <p>Accepts: Top Cap - HR-1-COLOR</p>	<p>HR3 Wall Mount 21-00-316 Die Cast</p>  <p>Accepts: Bottom Channel - HR-3-COLOR</p>	<p>HR10 Wall Mount 21-00-186 Sand Cast</p>  <p>Accepts: Top Cap - HR-10-COLOR</p>	<p>HR12 Wall Mount 21-00-185 Die Cast</p>  <p>Accepts: Snap Channel HR-12-COLOR</p>	<p>HR12A Wall Mount 21-DC-183 Die Cast</p>  <p>Accepts: Bottom Channel - HR-12A Bottom Channel - HR-12B Channel - 13-63-300</p>		
<p>HR14 Wall Mount 21-DC-155 Die Cast</p>  <p>Accepts: Top Cap - HR-14-COLOR</p>	<p>2" x 1" Channel Wall Mount 21-00-190 Die Cast</p>  <p>Accepts: Channel - 13-63-266 Channel - 13-63-267 Mid Rail Tube - 52-63-11317</p>	<p>2" x 1" Double Ear Channel Wall Mount 21-00-191 Die Cast</p>  <p>Accepts: Channel - 13-63-266 Channel - 13-63-267 Mid Rail Tube - 52-63-11317</p>	<p>2" x 2" Wall Mount 21-00-266 Die Cast</p>  <p>Accepts: HR4; 2 x 2</p>	<p>2-1/4" x 4" Wall Mount 21-00-190W Sand Cast with Radius</p>  <p>Accepts: Top Cap #140 - 28-63-256</p>		
<p>2-5/8" x 1" Wall Mount 21-00-302 Die Cast</p>  <p>Accepts: Hollow Cap #129 - 28-63-210 Solid Cap #130 - 28-63-200</p>	<p>2-5/8" x 1-1/2" Wall Mount 21-00-160 Sand Cast</p>  <p>Accepts: Top Cap #135 - 28-63-215</p>	<p>2-5/8" x 1" Dixie Cap Wall Mount RW-29 21-00-230 Sand Cast</p>  <p>Accepts: Hollow Dixie Cap 28-63-290</p>	<p>2-5/8" x 1-1/2" Dixie Cap Wall Mount RW-30 21-00-240 Sand Cast</p>  <p>Accepts: Hollow Dixie Cap - 28-63-295</p>	<p>3" Round Cap Wall Mount Special Order 21-00-1850 Sand Cast</p>  <p>Accepts: Top Cap #149 - 28-63-265</p>		
<p>1-1/2" Square Floor Flange 21-00-3090 Sand Cast</p>  <p>Accepts: 1.5" Sq Tube; Snap Post HR-16-WH-1</p>	<p>2" Square Floor Flange 21-00-210 Sand Cast</p>  <p>Accepts: 2" Sq Tube; Snap Post HR-4-COLOR</p>	<p>2" Square Floor Flange 21-00-210TM Sand Cast</p>  <p>Accepts: 2" Sq Tube; Snap Post HR-4-COLOR</p>	<p>HR #4A Floor Flange HD 21-DC-196 Die Cast</p>  <p>Accepts: Snap Post HR-4A-COLOR</p>	<p>HR #4A Floor Flange Special Order 21-00-195 Sand Cast</p>  <p>Accepts: Snap Post HR-4A-COLOR</p>	<p>1-1/4" SCH 40 21-00-47 Sand Cast</p>  <p>Accepts: 1-1/4 SCH 40 Pipe 18-63-230</p>	<p>1-1/4" SCH 40 Floor Flange 21-00-48 Sand Cast</p>  <p>Accepts: 1-1/4 SCH 40 Pipe 18-63-230</p>



<p>1-1/2" Square Post Cap <u>21-00-174</u> Die Cast</p> 	<p>2" Square Post Cap 21-00-175 Die Cast</p> 	<p>3" Flush Mount Square Post Cap (Inside Insert) <u>21-00-763</u> Sand Cast .125 Wall <i>Used with Universal Enclosure System</i></p> 	<p>3" Square Post Cap 21-00-170 Die Cast</p> 	<p>Flat Pyramid Post Cap Die Cast 21-FT-175 2" 21-FT-170 3"</p> 
<p>4" Square Post Cap 51-00-137 Sand Cast</p> 	<p>4" Square Flat Top Pyramid Post Cap <u>51-FT-137</u> Die Cast</p> 	<p>5" Post Cap Casting <u>21-00-255</u> Sand Cast 6" Post Cap Casting <u>21-00-264</u> Sand Cast</p> 	<p>6" Flat Top Post Cap <u>21-FT-264</u> Die Cast</p> 	<p>4" Ball Top for 3" Post <u>21-00-410</u> Sand Cast <i>Round Base for Flag Post Outside Sleeve for 3" OD Post</i></p> 
<p>2-1/4" Ball Top for 3" Post 21-00-097 Sand Cast <i>Outside Sleeve for 3" Post</i></p> 	<p>2-1/4" Ball Top for 4" Post Special Order <u>21-00-355</u> Sand Cast <i>Outside Sleeve for 4" Post</i></p> 	<p>4" Ball Post Cap <u>21-00-600</u> Sand Cast <i>Outside Sleeve for 4" Post</i></p> 	<p>2" Ball Post Cap <u>21-00-139</u> Sand Cast <i>Outside Sleeve for 2" Post</i></p> 	
<p>3/4" Spear <u>21-00-307</u> Die Cast 4.875" exposed height 0.750" insert depth</p>  <p>Accepts: 3/4" x .063 Square Tube</p>	<p>1" Spear <u>21-00-444</u> Die Cast 4.875" exposed height 0.750" insert depth</p>  <p>Accepts: 1" x .063 Square Tube</p>	<p>3/4" Spear (Round Top) <u>21-00-306</u> Die Cast 4.125" exposed height 0.680" insert depth</p>  <p>Accepts: 3/4" x .063 Square Tube</p>	<p>1" Spear (Round Top) <u>21-00-325</u> Die Cast 4.50" exposed height 1.00" insert depth</p>  <p>Accepts: 1" x .063 Square Tube</p>	



Decorative Aluminum Rings Castings

Die Cast
21-00-374 3-1/2" (2-3/4" ID)
21-00-377 3-3/4" (2-3/4" ID)
21-00-415 5" (3-7/8" ID)



**4" Decorative Aluminum Ring
0.5" x .062" Formed from Extruded
Square Tube**

21-00-380 (3.75 OD)
21-00-375 (3.90 OD; 3" ID)



1" Deco Knot
21-00-1400 Die Cast



Bullet Rail End Cap
21-00-715



Hard-Rok
61-00-007

Contains no gypsum or chlorides; Quick setting
anchoring Cement;
5 Gallon Bucket



Quik Rok
61-00-001

Anchoring Cement;
**NEVER to be used to anchor balcony railing
or any similar human life safety structures**
5 Gallon Bucket



Mark 5 Gate Hinge
52-63-8793 (Heavy Duty)
with base plate



Mark 4 Gate Hinge
52-63-9150 (Heavy Duty)
without base plate




Gate Hinge Bearing
GATE-BEARING 1 piece
For use with Mark 4 and Mark 5 Gate Hinges




POST & RAIL STIFFENERS

4" or 5" Stiffener




Post & Rail Stiffener Assembly


- 4" Post Stiffener** 6063-T6 M/F
65-63-909 Reg Wall x 6' (NC/DE)
65-63-012 Reg Wall x 24' (NC/MO/DE)
65-63-002 Heavy Duty x 24'




- 5" Post Stiffener** 6063-T6 M/F
65-63-908 Reg Wall x 8' (NC/DE)
65-63-011 Reg Wall x 24' (NC/MO/DE)
52-63-8054 Heavy Duty x 8'
65-63-008 Heavy Duty x 9'
65-63-001 Heavy Duty x 24'




- 5" Post Stiffener** 6063-T6 M/F
65-63-018 Econo x 8' (FL/MO)
65-63-1018 Econo x 8' (NC/GA)
65-63-019 Econo x 9' (FL/MO)
65-63-024 Econo x 24' (FL/MO)
65-NG-8054 Heavy Duty x 8'
65-NG-008 Heavy Duty x 9'
65-NG-001 Heavy Duty 24'




- 5" L Post Stiffener** 6063-T6 M/F
65-63-076 x 8'
65-63-077 x 9'




- 5" Corner Post Stiffener**
 Mill Order 35337AS (NC)



- 4" Gate Post A-Stiffener x 24'**
65-63-016 (NC/DE) 6063-T6 M/F




- 5" Gate Post A-Stiffener** 6063-T6 M/F
65-63-020 x 9' (MO)
65-63-015 x 24'



- 2 x 3 x 1/8 Mounting Angles* x 20'**
11-63-390


*2 x 4" & 2 x 5" also available; Used with 4" & 5" Post and Gate Post Stiffeners




Proud Members:  




H-Stiffener x 24'
for 1-1/2" x 5-1/2" Rail
65-63-004




H-OA Stiffener x 24'
for 1-1/2" x 5-1/2" Rail
65-63-036




C-Stiffener
for 1-1/2" x 5-1/2" Rail
MILL ORDER 65-63-076 (NC)




WTP Stiffener x 24'
for 1-1/2" x 5-1/2" Privacy Rail
65-63-062 (MO)




IV Rail Stiffener x 24'
for 1-1/2" x 5-1/2" Pocketed Rail
MILL ORDER 65-63-053 (NC)




H-E Stiffener
for 1-1/2" x 5-1/2" Pocketed Rail
MILL ORDER 65-05-086 (NC)




H-HL Stiffener x 93"
for 1-3/4" x 5-1/2" Pocket Rail
MILL ORDER 65-63-978 (NC/DE)




P-Stiffener x 24'
for 1-3/4" x 3-1/2" Rail
65-63-003




U-Stiffener (BF)
for 1-3/4" x 3-1/2" Rail or 2" x 4" Rail,
Top Rail (T-O);
accepts 1-1/4" Picket
MILL ORDER 65-63-056 (NC)




Angle Stiffener x 24'
for 2" x 3-1/2" Rail
65-63-072 (DE)




J-Stiffener x 8'
for 2" x 3-1/2" Rail
65-63-075 (MO)




PK-Stiffener x 24'
for 2" x 3-1/2" Rail
Regular Wall
65-63-023 (NC/TX/MO)




P-Stiffener x 24'
for 2" x 3-1/2" Rail
65-63-009




PV-Stiffener x 24'
for 2" x 3-1/2" Rail;
fits some T-Top Rails
65-63-913 (NC/DE)




PW Stiffener x 24'
for 2" x 3-1/2" Rail
65-63-063 (MO)




H-Stiffener x 24'
for 2" x 3-1/2" Rail
65-63-006




H-LT Stiffener
for 2" x 3-1/2" Rail
65-63-084 (MO/DE) x 24'
65-63-085 (MO) x 8'




H- K BCA Stiffener x 24'
for 2" x 3-1/2" Rail
MILL ORDER 65-63-040 (NC)




HV-Stiffener x 24'
for 2" x 7" Rail;
some 2" x 6" Rails
65-63-007 (NC/TX/DE)




Top Rail Stiffener (A-PL)
also for some 2" x 8"
applications
MILL ORDER 65-05-048 (NC)




OT "H" Top Rail Stiffener x 24'
MILL ORDER 65-05-046 (NC)



OT "Q" Top Rail Stiffener x 24'
MILL ORDER 65-63-047 (NC)



Top Rail Stiffener x 24' (MES/ALZ)
 for 2x3.5 webbed rail
65-05-039 (NC/MO) 6005-T5




Top Rail Stiffener x 24' (WALZ)
65-63-027 (NC/DE)




Top Rail Stiffener x 24' (LP)
13-63-377 (TX)




K-Top Rail - KHR REV
 MILL ORDER EMSASI35824 (NC)




YK Stiffener x 24'
65-63-057 (NC/MO/DE)
 6063-T5



2 x 6 WT Pergola Stiffener
 for 2 x 6 Rails
65-63-052 (DE) x 16'
65-63-087 (DE) x 24'




BLACKline
U-Support Stiffener x 6'
 for 2" x 2-1/2"
65-63-039 (NC)



Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers

Multi-slat .938 Tongue and Groove System

<p>2" x 3" Gate Frame x 24' 52-63-7983 Accepts 40-63-728, 40-63-727, 41-63-729</p>
<p>2" x 3" Gate Frame Mullion x 24' 52-63-14391 Horizontal Applications Accepts 40-63-728, 40-63-727, 41-63-729</p>
<p>2" x 6" Gate Frame x 24' 52-63-14390 Accepts 40-63-728, 40-63-727, 41-63-729</p>
<p>0.938" x 3.5" Tongue & Groove Slat x 24' 40-63-728 self mating; Also mates with 40-63-727, 41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390</p>
<p>0.938" x 3.5" Tongue & Groove Slat x 24' 40-63-727 self mating; Also mates with 40-63-727, 41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390</p>
<p>0.938" x 6" Tongue & Groove Slat x 24' 41-63-729 self mating; Also mates with 40-63-727, 41-63-729; Fits 52-63-7983, 52-63-14391 & 52-63-14390</p>
<p>ALSO AVAILABLE: 1" x 4" Tongue & Groove Slat x 21' 52-63-7686 self mating Fits 52-63-7983, 52-63-14390, 52-63-14391</p>



Features and Benefits:

- Sturdy Self-Mating & Interlocking panels
- Versatile products give a variety of fabrication options
- Tongue & Groove System can be used for total privacy
- Can mix multiple width slats to achieve unique designs

Applications:

- Commercial Dumpster Enclosures
- Industrial Air Conditioning Enclosures
- 1• Residential or Commercial Gates and Fencing

Screw receivers can be utilized for different applications.

1/2" Corner Molding x 12'
52-63-13545



Gate Hinge (Heavy Duty)
52-63-8793 Mark 5* (with base plate)
52-63-9150 Mark 4 (without base plate)

*up to 800 lb load



Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers


Self Mating Vented Slat System

2" x 3" Gate Frame x 24'
52-63-7983
 Accepts: 65-63-100

2" x 3" Gate Frame Mullion x 24'
52-63-14391 Horizontal Applications
 Accepts 65-63-100

2" x 6" Gate Frame x 24'
52-63-14390 Accepts 65-63-100

Vented Wall Panel x 16'6" Mill Finish
65-63-100 self mating
 Fits 52-63-7983 & 52-63-14390, 52-63-14391



Features and Benefits:

- Sturdy Self-Mating & Interlocking panels
- Versatile products give a variety of fabrication options
- Vented System utilizes pre-punched vents to allow air flow

Applications:

- Commercial Dumpster Enclosures
- Industrial Air Conditioning Enclosures
- Residential or Commercial Gates and Fencing








Screw receivers can be utilized for different applications.


<p>1/2" Corner Molding x 12' 52-63-13545</p>	<p>Gate Hinge (Heavy Duty) 52-63-8793 Mark 5* (with base plate) 52-63-9150 Mark 4 (without base plate)</p> <p>*up to 800 lb load</p>
---	---



Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers

Radius Tube System 3", 4" or 5" slats

<p>2" x 3" Gate Frame x 24' 52-63-7983 Accepts 40-63-722 40-63-724 40-63-723 56-63-905</p> 
<p>2" x 3" Gate Frame Mullion x 24' 52-63-14391 Horizontal Applications Accepts 40-63-722 40-63-724, 40-63-723 56-63-905</p> 
<p>2" x 6" Gate Frame x 24' 52-63-14390 Accepts 40-63-722 40-63-724 40-63-723 56-63-905</p> 
<p>3" Radius Tube x 24' 40-63-722 6063 T6 M/F Fits 52-63-7983, 52-63-14390, 52-63-14391</p> 
<p>4" Radius Tube x 24' 40-63-724 6063 T6 M/F Fits 52-63-7983, 52-63-14390, 52-63-14391</p> 
<p>5" Radius Tube x 24' 40-63-723 6063 T6 M/F Fits 52-63-7983, 52-63-14390, 52-63-14391</p> 
<p>End Cap x 20' 1-1/4 x 1-1/4 x 1/8 x 20' Architectural Channel 13-63-230 6063 T5 M/F</p> 




Features and Benefits:

- Versatile products give a variety of fabrication options
- Radius Tube System utilizes spacing to create views and air flow
- System utilizes same slats as EMS Board & Batten Colonial Shutter

Applications:

- Commercial Dumpster Enclosures
- Industrial Air Conditioning Enclosures
- Residential or Commercial Gates & Fencing
- Screw receivers can be utilized for different applications.

<p>1/2" Corner Molding x 12' 52-63-13545</p> 	<p>5" Shadow Box Panel x 24' ALSO AVAILABLE! 56-63-905 Fits 52-63-7983 & 52-63-14358</p> 	<p>Gate Hinge (Heavy Duty) 52-63-8793 Mark 5* (with base plate) 52-63-9150 Mark 4 (without base plate)</p>  <p>*up to 800 lb load</p>
--	--	---



EASTERN METAL SUPPLY

FENCE RAIL GATES 29
 01/14/20

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061




Welded Enclosure/Fence & Gate Systems; Privacy & Sound Barriers

Self Mating Hardy Board System

2" x 3" Gate Frame x 24'

52-63-7983

Accepts [40-63-729](#)
[41-63-700](#)




2" x 3" Gate Frame Mullion x 24'

52-63-14391

Horizontal Applications


Accepts [40-63-729](#)
[41-63-700](#)



2" x 6" Gate Frame x 24'

52-63-14390

Accepts [40-63-729](#) & [41-63-700](#)





6" Hardy Plank x 24'

40-63-729

self mating

Fits [52-63-7983](#), [52-63-14390](#), [52-63-14391](#)



Also Available for Gate Applications: **Mark V Gate Hinge (Heavy Duty)** [52-63-8793](#)

Features and Benefits:

- Ability to match existing structure's siding
- Sturdy Self-Mating & Interlocking panels

Applications:


- Commercial Dumpster Enclosures • Industrial Air Conditioning Enclosures
- Residential or Commercial Gates and Fencing

ALSO AVAILABLE: 2" Fixed Bahama Triple Blade x 12'

41-63-700

self mating; Mill Finish

Fits [52-63-7983](#) & [52-63-14358](#)



1/2" Corner Molding x 12'
52-63-13545



Gate Hinge (Heavy Duty)

52-63-8793 Mark 5*

(with base plate)

52-63-9150 Mark 4

(without base plate)



*up to 800 lb load



EASTERN METAL SUPPLY

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

FENCE RAIL GATES 30
01/14/20


www.easternmetal.com



3" Universal Enclosure System


3" Starter Post x 24' 2"

57-63-120
6063-T6
Accepts
1" Inserts




3" Corner Post x 24' 2"

57-63-130
6063-T6
Accepts
1" Inserts




3" Inline Post x 24' 2"

57-63-100
6063-T6
Accepts
1" Inserts




Top Cap x 20' 2"

57-63-110
6063-T6





6" Fabled Fence Post Base Plate

10-61-365F
6061-T6



3" Flush Mount Square Post Cap

21-00-763



Enclosures for: Garbage Dumpster • Commercial Rooftops
Air Conditioning Equipment • Pool Equipment

Additional Applications: Fencing • Balcony Dividers
Interior Partitions • Post & Panel Signage

Features & Benefits:
























Multiple Panel Styles Available (See Next Page)
No Welding Required for Surface Mounts • Ground Mount possible for Fencing
Plate Mounts available for Concrete, Wood, Aluminum or PVC



3" Universal Enclosure System

Multiple Insert Panels Available (below)

All ALUMINUM items are MILL FINISH.


<p>0.938" x 3.5" Tongue & Groove Starter x 24' 40-63-728 Mates with 40-63-727, 41-63-729; Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 	<p>0.938" x 3.5" Tongue & Groove Slat x 24' 40-63-727 SELF MATING Also mates with 40-63-728, 41-63-729; Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 	<p>0.938" x 6" Tongue & Groove Slat x 24' 41-63-729 SELF MATING Also mates with 40-63-727, 40-63-728; Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 								
<p>1" x 4" Tongue & Groove Slat x 21' 52-63-7686 SELF MATING Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 	<p>Vented Wall Panel x 16' 6" 65-63-100 SELF MATING Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 	<p>2" Fixed Bahama Triple Blade x 12' 41-63-700 SELF MATING Mill Finish Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 								
<p>3" Radius Tube x 24' 40-63-722 6063 T6 M/F Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 	<p>4" Radius Tube x 24' 40-63-724 6063 T6 M/F Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 	<p>5" Radius Tube x 24' 40-63-723 6063 T6 M/F Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 								
<p>5" Shadow Box Panel x 24' 56-63-905 Fits 3" Universal Post & Panel/Enclosure System; Also fits 2 x 3 Rectangular Frame</p> 	<p>6" Hardy Plank x 24' 40-63-729 SELF MATING Fits 3" Universal Post & Panel/Enclosure System Also fits 2 x 3 Rectangular Frame</p> 	<p>1" x 5.5" PVC ENDECK Board</p> <table border="1"> <tbody> <tr> <td> Cedar</td> <td> Chestnut</td> </tr> <tr> <td> Sequoia</td> <td> Coastal Grey</td> </tr> <tr> <td> Ashwood</td> <td> Slate</td> </tr> <tr> <td> Beechwood</td> <td> Olivewood</td> </tr> </tbody> </table>	 Cedar	 Chestnut	 Sequoia	 Coastal Grey	 Ashwood	 Slate	 Beechwood	 Olivewood
 Cedar	 Chestnut									
 Sequoia	 Coastal Grey									
 Ashwood	 Slate									
 Beechwood	 Olivewood									



Aluminum Woven Wire Mesh - **NEW!**

2.00" ID; 2.50" OD Alloy 1350 - H16;

Stock Code	Size in Inches	Approx. Wt/Sheet
50-2X2WM-4896	.236 x 48 x 96	17.60
50-2X2WM-48120	.236 x 48 x 120 21.78	
1.75" ID; 2.50" OD Alloy 1350 - H16; - CLOSEOUT!		
50-WWM-4896 (MO)	.236 x 48 x 96	20.60



Typical Uses:

Railing Projects • Parking Garages
Security Cages • Decorative Screening


Framing Options:

13-63-205	1/2 x 3/4 x 1/8 Channel x 20'
60-00-205	MP-1A (1 x 1 x 24')
59-63-002 (TX)	MP-1A (1 x 1 x 24')

2 x 2 Angle cut down to 0.800 can be used as
Corner Key for Mechanical Installations



Wire Mesh
Framed
out with
1" MP-1A




Wire Mesh Framed out with 1" MP-1A and inserted into 3" Universal Enclosure; Can be used in the 2 x 3 Welded Enclosure as well

1.25" Aluminum Blade Lattice System - **NEW!**

Prefabricated and Ready for Assembly

1.25" Blade x 12'


prefabbed
holes 3.25" OC
LATTICE-834



1" x 1" x .125"

Channel x 12'
13-63-220

Accepts assembled lattice



Black Plastic

Grommet
GROMMET1

(bags of 200)




Typical Uses:

Lattice applications • Trellis & Pergolas • Security Cages • Decorative Screening

Framing Options:


Blades can be framed out using a 1" x 1" x .125 Channel (13-63-220) which can be inserted into the 3" Universal and the 2" x 3" Welded Enclosure Systems and 2 x 3 Welded Enclosure Systems (*pic at far right*).



Rolling/Sliding Gate Track


Rolling Gate Track

- 52-63-12293 x 31'
 - 52-63-14565 x 40'
 - 90-63-1279 (NC/DE) x 40'
- Mates with Rolling Gate Track Truck Assembly



V Gate Track x 20'

52-63-12021



Rolling Gate Track Truck Assembly

52-61-TA100

Exclusively designed for a perfect fit with the EMS Rolling Gate Track extrusion

Never machine another rod assembly in order to make a truck assembly fit



Features & Benefits:

- 2000 lb. Static Load Rating
- Stainless Steel Hardware and Mounting Assembly Rod
- Sealed, captured roller bearings (not pressed in) significantly reduces failures.
- Limited Lifetime Warranty
- The full-floating stainless steel rod end allows for misalignment of the support post, truck bracket or the gate not being plumb.
- The rod end is machined for clearance of the track slot, a feature not found on competitors' trucks.
- Frame machined from aircraft grade 6061-T6511 aluminum
- Truck frame extends past side rollers to protect rollers from impact with gate end caps.
- Machined 6061-T6511 Aluminum Side Rollers (not plastic or cast aluminum)
- Corrosion Resistant

Additional Information:


- To eliminate failures from roller contamination, the captured load bearings are fitted over a machined hub in the frame and securely held in place. This secures the bearings and protects the outer seal from being dislodged.
- The inner bearing seal is protected by the truck frame.
- Side rollers are machined from 6061-T6511 aluminum bar. These rollers contain a sealed ball bearing which is held in place with aluminum hubs on top and bottom. Bearing seals are now protected from damage and contaminants.



Baby Pool Fencing

Cove Molding x 49"

- 52-BK-10467 Black
- 51-00-014 Mill Finish



1" Heavy X-Pole x 54"

- Wall: .052
- 52-BK-13275 Black
- 52-63-10468 Mill Finish

1" Light X-Pole x 54"

- Wall: .040
- 52-63-13311 Black
- 52-MF-13311 Mill Finish



EASTERN METAL SUPPLY

FENCE RAIL GATES 34
09/01/20

www.easternmetal.com

FL: 800-432-2204 • NC/DE/GA: 800-343-8154 • TX/LA: 800-996-6061 • MO/OH/IN: 888-822-6061

