



ASHWOOD DECKING BY



ENDECK[®]
PVC DECKING
By Eastern Metal Supply


FRAMELESS/BASE SHOE SYSTEMS

SMART Base Shoe	pg. 28
PRIME Base Shoe	pg. 32
STRONG Base Shoe	pg. 36



SMART BASE SHOE PRE-DRILLED

For 1/2 up to 11/16" Glass — 30 to 60PSF.



SMART Shoe Top Mount

- 70-74-20S** 20' MILL finish
- 70-70-10S** 10' Brushed anodized
- 70-70-20S** 20' Brushed anodized



SMART Top Mount Corner


- 70-94-0TS** 90-degree Inner/outer corner, MILL finish
- 70-90-0TS** 90 degree Inner/outer corner, brushed anodized



SMART Top Mounted End Caps

- A. **70-50-74S** MILL finish end cap
- 70-50-00S** Brushed anodized end cap
- B. **70-50-0STS** MILL finish stair end cap
- 70-50-STs** Brushed anodized stair end cap

SMART BASE SHOE PRE-DRILLED *Continued*



SMART Fascia Shoe

- 72-74-20S** 20' MILL finish
- 72-72-10S** 10' Brushed anodized
- 72-72-20S** 20' Brushed anodized



SMART Fascia Mounted End Caps

- 72-50-74LS** MILL finish Left end cap
- 72-50-74RS** MILL finish Right end cap
- 72-50-0LS** Brushed Anodized Left end cap
- 72-50-0RS** Brushed Anodized Right end cap



SMART Fascia Stair End Caps

- 72-50-0STSR** MILL finish Stair Right
- 72-50-0STSL** MILL finish Stair Left
- 72-50-STSR** Brushed Anodized Stair Right
- 72-50-STSL** Brushed Anodized Stair Left



SMART Fascia Cladding - Brushed Anodized 20'

- 72-99-20SM** MILL finish
- 72-99-20S** Brushed anodized



SMART Q-Disc Kit for 20'

- 99-15L-20S** *Disc kit for 1/2--Temp--20'*
- 99-916L-20S** *Disc kit for 9/16 laminated--20'*
- 99-1116L-20S** *Disc kit for 11/16 laminated--20'*



Disc Tool

77-084



SMART Glass Spacer Rubber 8.2'

- 208-8** *Optional space in-between glass panels in the base shoe, cut to size*



410SS Red Head Anchor Bolts - 50pk

- 384RH** *15 anchor bolts per 10ft*



520 Various Size Shim Kit


77-062





PRIME BASE SHOE PRE-DRILLED

For 11/16" to 27/32" Glass — 60 to 90PSF.



PRIME Top Mount

- 70-74-20P** 20' MILL finish
- 70-70-10P** 10' Brushed anodized
- 70-70-20P** 20' Brushed anodized



PRIME Top Mount Corner

- 70-94-0TP** 90-degree Inner/outer corner, MILL finish
- 70-90-TP** 90 degree Inner/outer corner, brushed anodized



A.


B.

PRIME TOP Mounted End Caps

- A. **70-50-74P** MILL finish end cap
- 70-50-00P** Brushed anodized end cap
- B. **70-50-0STP** MILL finish stair end cap
- 70-50-STP** Brushed anodized Stair end cap



PRIME BASE SHOE PRE-DRILLED *Continued*



PRIME Fascia Mount

- 72-74-20P** 20' MILL finish
- 72-72-10P** 10' Brushed anodized
- 72-72-20P** 20' Brushed anodized



PRIME Fascia Mounted End Caps

- 72-50-74LP** MILL finish Left end cap
- 72-50-74RP** MILL finish Right end cap
- 72-50-0LP** Brushed Anodized Left end cap
- 72-50-0RP** Brushed Anodized Right end cap



PRIME Fascia Stair End Caps

- 72-50-OSTPR** MILL finish Stair Right
- 72-50-OSTPL** MILL finish Stair Left
- 72-50-STPR** Brushed Anodized Stair Right
- 72-50-STPL** Brushed Anodized Stair Left



PRIME Fascia Cladding - Brushed Anodized 20'

- 72-99-20PM** MILL finish
- 72-99-20P** Brushed anodized



PRIME BASE SHOE PRE-DRILLED *Continued*



PRIME Q-Disc Kit for 20'

99-1116L-20P *Disc kit for 11/16" glass*

99-1316L-20P *Disc kit for 13/16" glass*

99-32L-20P *Disc kit for 27/32" glass*



Disc Tool

77-084



PRIME Glass Spacer Rubber 8.2'

208-8M

Optional space in-between glass panels in the base shoe, cut to size



410SS Red Head Anchor Bolts - 50pk


384RH

15 anchor bolts per 10ft



520 Various Size Shim Kit


77-062






STRONG BASE SHOE PRE-DRILLED – MIAMI DADE APPROVED

For 13/16" -27/32" Glass — 90 to 150PSF.



STRONG Shoe Top Mount

- 70-74-10STG 10' MILL Finish
- 70-70-10STG 10' Brushed anodized



STRONG Top Mounted End Cap

- 70-50-STGM MILL Finish end cap
- 70-50-STGB Brushed anodized end cap

STRONG BASE SHOE PRE-DRILLED *Continued*



STRONG Q-Disc Kit for 10'

99-1327-10ST *Disk kit for 13/16"-27/32" Glass*



Disc Tool

77-084



520 Various Size Shim Kit

77-062

